



WÜRTH BAER SUPPLY COMPANY

SAMES KREMLIN CATALOG



**AUTHORIZED
DISTRIBUTOR**

BOND • PROTECT • BEAUTIFY



AIRMIX® 15C25 / 30C25 SYSTEM

- Stainless steel design: Compatible with water-based and solvent-based materials
- Simple design, reduced number of spare parts: Easy maintenance
- Fluid section with mobile lower packing construction: Improved material refilling and emptying for constant output, improved sealing for easier maintenance
- Closed design with protective carter between air motor and fluid section: Full operator safety
- Progressive start up with very low air pressure (4 cfm): Easy priming at very low fluid discharge pressure, no pulsation even with 0.5 bar (7 psi) of air
- Stainless steel strainer: Long service life and good reliability, no crushing

Sprays: All wood finish coating including water & solvent-based.

Includes: Pump w/regulators, Wall mount or cart (see table), 25' air and fluid hoses, Xcite®+ spray gun with 09-114 tip

NOTE: Other configurations available. Contact your local sales representative.



**For additional information on included gun,
See Xcite®+ guns on Page 3**

Technical Data	15C25	30C25
Pressure ratio	15:1	30:1
Fluid volume per cycle (cm3)	25 (2 x 12.5)	
Number of cycles per liter of products	40	
Fluid Output at 30 cycles/mn	0.75 L/mn (.2G/mn)	
Air consumption (m3/h) at 30 cycles/mn at 4 bar	2.8	7.1
Free flow rate	1.5 L/mn (.026 G/mn)	
Maximum air inlet pressure	6.5 bar (95 psi)	
Maximum fluid pressure	103 bar (1,500 psi)	206 bar (3,000 psi)
Maximum Fluid Temperature (°C)	60	
Lower Sealing	UHMW polyethylene seal	
Wetted parts	Hard chrome Stainless steel, treated Stainless steel, Stainless steel	

Item #	Series	Gun	Swivel	Upper Seal	With Filter	Type	Suction Rod	Per EA
SH668-141-000	15C25	Xcite®+ 120	Yes	MB-A*	No	Wall Mount	5 Gallon	\$5,215.00
SH668-141-100	15C25	Xcite®+ 120	Yes	MB-A*	No	Cart Mount	5 Gallon	\$5,600.00
SH668-145-600	30C25	Xcite®+ 240	Yes	MB-A*	Yes	Wall Mount	5 Gallon Easy Flow	\$6,575.00
SH668-145-700	30C25	Xcite®+ 240	Yes	MB-A*	Yes	Cart Mount	5 Gallon Easy Flush	\$6,975.00

* Patented MB-A single block cartridge

Item #	Description	Per EA
SH144-130-205	Packing Kit, C25 Fluid Section (GTSeal)	\$285.40
SH144-130-291	Service Kit, C25 Fluid Section (Ball, Lower Packing)	\$206.15
SH144-130-365	Packing Kit, C25 MBA Fluid Section	\$285.40

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service.
Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.


Xcite® + AIRMIX® MANUAL SPRAY GUN

The Xcite® + Airmix® manual paint spray gun delivers outstanding performance with unsurpassed finish quality for quick payback.

- 1** Large tip selection available. Unsurpassed finishing quality and outstanding transfer efficiency when used with VX24 HVLP air cap
- 2** Built-in filter with high filtration capacity to avoid tip blockage and minimize pressure loss
- 3** Large amplitude of the fan width adjustment for time savings: no need to change the tip
- 4** New swivel design for long lifetime
- 5** Improved trigger design for operator comfort
- 6** Increased operator safety with trigger lock and air cap protection
 - EZ Adjust aircap to facilitate the rotation of the head from horizontal to vertical spray
 - Anodized body with laser engraving not affected by exposure to solvents
 - Double seal technology to prevent air cap leakage and paint return on the air circuit

Sprays: Water-based or solvent-based; Primers, stains, topcoats / high gloss, moisture sensitive, two-components.

Includes: Xcite®+ Gun, Air Cap, 09-114 tip.



Technical Data	
Maximum Air Pressure	6 bar (87 psi)
Maximum Fluid Temperature	50deg C (122deg F)
Air Inlet Fitting	M 1/4 NPS
Fluid Inlet Fitting	#5 JIC
Optimal Transfer Efficiency	Up to 86%
Gun Body	Drop Forged Aluminum
Wetted Parts	Stainless steel, PTFE, carbide
Weight	579 g (20.4 oz)

Item #	Gun	Technology	Air Cap	Air Cap Material	Per EA
SH668-720-100	Xcite®+ 120	HVLP	VX24	Aluminum	\$1,505.00
SH135-732-200	Xcite®+ 240	HVLP	VX24	Aluminum	\$1,555.00

Item #	Description	Price
SH129-729-912	Front Seal, Xcite Seat, Pack 5	\$104.35 / Pack
SH129-609-901	Microscreen No4, Tips 3/4/6, Pack 10	\$79.20 / Pack
SH129-729-920	Repair Kit Xcite 120	\$514.00 / Each
SH129-720-150	Needle Assembly w/spring Xcite 120	\$233.10 / Each
SH129-670-401	Swivel Fitting Kit	\$181.25 / Each
SH129-720-075	Aircap Seal, Pack 2	\$45.70 / Pack
SH150-040-329	O-ring, Pack 10	\$92.50 / Pack
SH150-040-330	Ring Seal, Pack 10	\$83.30 / Pack
SH129-529-903	Airmix Tip Seal, Tips 09 and up, Pack 10	\$68.75 / Pack
SH129-609-908	Screen No6, Pack 5	\$70.20 / Pack

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service. Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

AIRMIX® TIPS

- Double groove spray tips are used with Airmix® guns
- Fine Finish

NOTE: Additional tip sizes available. Contact your local sales representative.



Item #	Tip Code	Orifice Size	Fan Width*	Per EA
SH134-506-114	06	0.011	9" - 10"	\$144.50
SH134-509-094	09	0.013	8" - 9"	\$144.50
SH134-509-114	09	0.013	9" - 10"	\$144.50
SH134-509-134	09	0.013	11" - 12"	\$144.50
SH134-509-154	09	0.013	13"	\$144.50
SH134-512-094	12	0.015	8" - 9"	\$144.50
SH134-512-114	12	0.015	9" - 10"	\$144.50
SH134-512-134	12	0.015	11" - 12"	\$144.50
SH134-512-154	12	0.015	13"	\$144.50
SH134-512-174	12	0.015	14" - 15"	\$144.50
SH134-514-154	14	0.016	13"	\$144.50

* Max fan width at a spraying distance of 25cm / 9.8"

AIRMIX® AIRCAPS

Item #	Description	Per EA
SH132-720-020	HVLP VX24	\$232.60
SH132-670-940	HVLP VX114	\$244.25
SH132-720-055	HVLP VX124	\$232.60



Offer valid: 8/15 - 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service.
Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

01D100 DIAPHRAGM PUMP ADHESIVE SYSTEM, WALL MOUNT

- Large 1/2 BSPP suction inlet to increase the suction power
- Foot assembly for stable installation during application and maintenance
- 90° adjustable fluid inlet and outlet
- New air distributor with protected seals and spring loaded to avoid stalling
- Compatible with water-based and solvent-based materials
- Minimum dead zone for better flushing and cleaning
- Aluminum central body with impregnated resin to avoid corrosion
- Fluid collectors and flanges in polypropylene with 30% carbon fiber

NOTE: For more info on gun, see SH668-774-318 on page 6



Includes: Prima pump (wall mount), Fpro P gun, 2 regulators, 5 gallon rod, 25' air (5/16) and fluid (3/8) hoses

Item #: SH668-936-052
PER EA

\$2,735.00

Technical Data	
Maximum Air Pressure	6 bar (87 psi)
Pump displacement	100 cc/cycle
Fluid Output at 20 cycles / mn	2 liters / min (0.52 gal/min)
Fluid Output at 60 cycles / mn	6 liters / min (1.58 gal/min)
Free Flow Rate	20 liters / min (5.20 gal/min)
Number of cycles per liter of products	10
Maximum Material Pressure	6 bar (87 psi)
Pressure ratio	1/1
Air Consumption at 15 cycles / mn at 4 bar (60 psi)	1,32 m3/h (0.78 cfm)
Maximum Temperature	50deg C (122deg F)
Power Source	Pneumatic
Sound Level	69 dbA
Pump Type	Diaphragm low pressure
Air Inlet Fitting	8x10
Material Inlet Port	F 1/2 BSPP
Material Outlet Port	F 3/8 BSPP
Fluid Passages	Stainless Steel, Polypropylene

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service.
Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

FPRO P MANUAL AIRSPRAY GUN, PRESSURE

Perfectly balanced, the Fpro P Pressure paint spray gun provides a superior finish for all painters.

- 1 Patented restrictor paint speed controller and patented Vortex spin effect delivers a perfect atomization with very high transfer efficiency (up to 78% in HVLP)
- 2 Three atomization and air cap technologies available: Conventional, LVLP, and HVLP Compliant
- 3 Three different adjustment knobs to get the perfect spray pattern in every condition
- 4 Perfectly balanced for reduced repetitive strain injuries
- 5 The Fpro P is an extension of the arm and is a natural working tool for painters
- 6 High level of sensation on the trigger for a perfect painting application
- 7 Reduced handle volume, ideal for operators with small hands
- 8 Simplified and quick maintenance thanks to the reduced number of components

Sprays: Water or solvent-based adhesives; Varnishes, lacquers, stains, polyurethanes, two-component.

Includes: Fpro P gun, needle/nozzle setup, air cap.

NOTE: Other configurations available. Contact your local sales representative.



Technical Data	
Maximum Air Pressure	6 bar (87 psi)
Recommended Air Pressure at Source	CONV = 2.5 - 3.5 bar (36 - 51 psi) HVLP = 1.5 - 2.5 bar (22 - 36 psi)
Maximum Fluid Temperature	50deg C (122deg F)
Air Inlet Fitting	M 1/4 NPS/BSP compatible
Fluid Inlet Fitting	M 3/8 NPS/BSP compatible
Optimal Transfer Efficiency	CONV = 35-40% HVLP = 65-78%
Gun Body	Drop Forged Aluminum
Nozzle	Stainless Steel
Needle	Stainless Steel
Wetted Parts	Stainless Steel
Weight	480 g (16.9 oz)

Item #	Sprays	Technology	Air Cap	Fan Width	Air Cap Material	Needle / Nozzle	Fluid Output	Per EA
SH135-774-412	Stains, Light Coatings	CONV	07-22-LVB	12" - 16"	Brass	1.2mm	300 cc/min	\$550.00
SH668-774-318	Contact Adhesives	CONV	15-18-MGB	8" - 12"	Brass	1.8mm	350 cc/min	\$550.00
SH135-777-512	Stains, Light Coatings	HVLP	07-22-XLVB	>16"	Brass	1.2mm	250 cc/min	\$785.00

Item #	Description	Price
SH129-770-901	Service Kit	\$211.15 / Each
SH129-130-003	Air Distribution Ring, Pack 5	\$136.60 / Pack

Offer valid: 8/15 - 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service. Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

FPRO G MANUAL AIRSPRAY GUN, GRAVITY

The Fpro G is THE gravity-fed spray gun available in compliant and conventional versions for high transfer efficiency.

- 1 Reduced overspray and perfectly balanced fan pattern
- 2 Patent pending Vortex spin effect delivers perfect atomization
- 3 Three different adjustment knobs to get the perfect spray pattern in every condition; compatible with a large range of materials, even UV paints
- 4 Ergonomic design with comfortable shape
- 5 Center of gravity designed to avoid wrist and repetitive strain injuries
- 6 EZ-Adjust aircap for easy rotation adjustment without loosening the nut
- 7 MAG-trigger delivers the lightest trigger pull in the market place
- 8 Improved trigger design delivers greater comfort for the printer
- 9 New lid design for frequent color changes and easy cleaning
- 10 Patent pending anti-drip diaphragm and invisible vent system to protect the cup lid from the paint
- 11 Air fitting connection compatible with BSP and NPS hoses

Sprays: Water-based or solvent-based; Varnishes, lacquers, stains, polyurethanes, two-components.

Includes: Fpro G gun, needle/nozzle setup, air cap, .6 liter (20 fl. oz.) plastic cup.

NOTE: Other configurations available. Contact your local sales representative.

Technical Data	
Minimum Fluid Outlet	105 cc/min (3.6 oz/min)
Maximum Air Pressure	6 bar (87 psi)
Maximum Fluid Temperature	50deg C (122deg F)
Air Inlet Fitting	M 1/4 NPS/BSP compatible
Optimal Transfer Efficiency	CONV = 35 - 40% HVLP = 65 - 78%
Weight (with cup)	620 g (21.86 oz)
Gun Body	Drop Forged Aluminum
Nozzle	Stainless Steel
Needle	Stainless Steel
Wetted Parts	Stainless Steel
Cup capacity	0.6 liter (20 fl. oz.)

Item #	Technology	Cup Type	Air Cap	Fan Width	Air Cap Material	Needle / Nozzle	Fluid Output	Per EA
SH136-794-315	CONV	Plastic	12-22-MVB	7.9" - 11.8"	Brass	1.5mm	170 cc/min	\$607.00
SH136-794-318	CONV	Plastic	12-22-MVB	7.9" - 11.8"	Brass	1.8mm	200 cc/min	\$607.00
SH136-797-414	HVLP	Plastic	12-22-LVB	11.8" - 15.7"	Brass	1.4mm	150 cc/mm	\$785.00

Offer valid: 8/15 - 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service. Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.



FPRO GSP MANUAL AIRSPRAY GUN, GRAVITY W/PRESSURE ASSISTED CUP

Combining gravity and pressure technologies, the Fpro GSP is the best choice to combine high finishing quality and comfort of use even for thick materials.

- 1 Very fine atomization for high viscosity materials
- 2 Patent pending Vortex spin effect delivers perfect atomization
- 3 Pressure in the cup for thick paints : up to 3000 cps
- 4 Pressure regulator for higher spraying quality depending on the paint viscosity
- 5 Three different adjustment knobs to get the perfect spray pattern in every condition
- 6 Ergonomic design for comfort
- 7 EZ-Adjust aircap for easy rotation adjustment without loosening the nut
- 8 Pressure regulator can be adjusted for right or left handed painters
- 9 MAG-trigger delivers the lightest trigger pull in the market place
- 10 Improved trigger design to deliver greater comfort
- 11 Air fitting connection compatible with BSP and NPS hoses
- 12 Innovative anti-drip diaphragm to protect the cup lid from the paint

Sprays: Water-based or solvent-based; Varnishes, lacquers, stains, polyurethanes, two-components, UV paints.

Includes: Fpro GSP gun, needle/nozzle setup, air cap, .6 liter (20 fl. oz.) plastic cup.

Technical Data	
Maximum Air Pressure	6 bar (87 psi)
Recommended CONV Air Pressure @ Air Nozzle	2.1 - 2.8 bar (30 - 40 psi)
Maximum Fluid Temperature	50deg C (122deg F)
Air Inlet Fitting	M 1/4 NPS
Optimal Transfer Efficiency	35 - 40%
Gun Body	Anodized forged aluminium
Nozzle	Stainless steel
Needle	Stainless steel
Wetted Parts	Stainless steel
Weight (with cup)	718.8 g (25.36 oz)



Item #	Technology	Cup Type	Air Cap	Fan Width	Air Cap Material	Needle / Nozzle	Fluid Output	Per EA
SH136-798-315	CONV	Plastic	12-22-MVB	7.9" - 11.8"	Brass	1.5mm	170 cc/min	\$848.00

Offer valid: 8/15 - 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service. Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

FSTART P MANUAL AIRSPRAY GUN, PRESSURE

The FStart P spray gun is the right choice for spraying low to medium viscosity materials at an entry level price, while ensuring a good quality finish.

- 1 Fine adjustments to achieve the perfect spray pattern for all applications
- 2 Fine atomization air cap adjustable to 360 degrees
- 3 Soft springs for a responsive and reduced trigger pull for more comfort
- 4 One of the lightest manual spray guns in its category for a reduction of carpal tunnel injuries
- 5 Aluminum body for easy cleaning


Sprays: Water-based or solvent-based; Primers, stains, clearcoats, base coats, topcoats, polyesters.

Includes: Fstart P gun, needle/nozzle setup, air cap.

NOTE: Other configurations available. Contact your local sales representative.

Technical Data	
Maximum Air Pressure	6 bar (87 psi)
Recommended CONV Air Pressure	2.5-3.5 bar (36 - 51 psi)
Maximum Fluid Temperature	50deg C (122deg F)
Air Inlet Fitting	M 1/4 NPS
Fluid Inlet Fitting	M 3/8 NPS
Optimal Transfer Efficiency	CONV = 35 - 40% HVLP = 65 - 78%
Gun Body	Aluminum casted body
Nozzle	Stainless steel
Needle	Stainless steel
Wetted Parts	Stainless steel / aluminum
Weight	410 g (14.46 oz)

Item #	Technology	Air Cap	Fan Width	Air Cap Material	Needle / Nozzle	Fluid Output	Per EA
SH135-756-412	CONV	12-XLVA	> 16"	Aluminum	1.2mm	205 cc/min	\$259.00
SH135-756-312	HVLP	12-XLVA	> 16"	Aluminum	1.2mm	205 cc/min	\$348.00



Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service. Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

FSTART G MANUAL AIRSPRAY GUN, GRAVITY


Multi-purpose economy gun, the FStart G is easy to use and offers high spraying quality.

- 1 Fine adjustments to achieve the perfect spray pattern for all applications
- 2 Fine atomization air cap adjustable to 360 degrees
- 3 Soft springs for a responsive and reduced trigger pull for more comfort
- 4 One of the lightest manual spray guns in its category for a reduction of carpal tunnel injuries
- 5 Aluminum body for easy cleaning

Sprays: Water-based or solvent-based; Primers, stains, clearcoats, base coats, topcoats, polyesters

Includes: FStart G gun, needle/nozzle setup, air cap, .6 liter (20 fl. oz.) plastic cup

Technical Data	
Maximum Air Pressure	6 bar (87 psi)
Recommended CONV Air Pressure	2.5-3.5 bar (36 - 51 psi)
Recommended HVLP Air Pressure	1.5-2.5 bar (21 - 36 psi)
Maximum Fluid Temperature	50deg C (122deg F)
Air Inlet Fitting	M 1/4 NPS
Optimal Transfer Efficiency	CONV = 35 - 40% LVLP = 40 - 50% HVLP = 60 - 70%
Gun Body	Aluminum casted body
Nozzle	Stainless steel
Needle	Stainless steel
Wetted Parts	Stainless steel / aluminum
Weight (with cup)	548 g (19.33 oz)



Item #	Technology	Cup Type	Air Cap	Fan Width	Air Cap Material	Needle / Nozzle	Fluid Output	Per EA
SH135-756-215	CONV	Plastic	15-18-LVA	11.8" - 15.7"	Aluminum	1.5mm	165 cc/min	\$219.00
SH135-756-218	CONV	Plastic	15-18-LVA	11.8" - 15.7"	Aluminum	1.8mm	220 cc/min	\$219.00
SH135-756-615	LVLP	Plastic	12-18-MVA	7.9" - 11.8"	Aluminum	1.5mm	165 cc/min	\$270.00
SH135-756-115	HVLP	Plastic	15-22-MVA	7.9" - 11.8"	Aluminum	1.5mm	165 cc/min	\$270.00
SH135-756-118	HVLP	Plastic	15-22-MVA	7.9" - 11.8"	Aluminum	1.8mm	220 cc/min	\$270.00

Offer valid: 8/15 - 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service.
Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

SFLOW® 275 (4000 PSI) MANUAL AIRLESS PAINT SPRAYER

The SFlow® is an Airless paint sprayer for applying wood stains.

- 1 Reliable and repeatable spraying quality
- 2 Fatigue-free 2 finger design
- 3 Embedded patented dedicated tool for quick filter change; patented trigger guard acts as a wrench, a filter extractor and helps to remove trigger.
- 4 Material flow from inside to outside of the filter for easier maintenance
- 5 Ergonomic design with comfortable grip and fatigue-free 2-finger trigger
- 6 Built-in hook allows you to keep the gun near the workstation
- 7 Smart lock feature for quick & easy tip orientation and positioning
- 7 Large selection of tips available

Sprays: Water-based or solvent-based; Primers, stains, UV products, moisture sensitive, two-components, anti-corrosion / abrasives, adhesives, sealants, greases, waxes.

Includes: Sflow® gun only, **order tip separately (See page 12).**



Item #: SH135-740-200

PER EA

\$561.00

Technical Data	
Maximum Fluid Pressure	275 bar (4000 psi)
Maximum Fluid Temperature	60deg C (140deg F)
Fluid Inlet Fitting	M 1/4 NPS/BPS
Optimal Transfer Efficiency	80%
Gun Body	Drop Forged Aluminum
Wetted Parts	Stainless Steel
Weight	595 g (21 oz)

AIRLESS 10C18 STAIN PACKAGE (LOW VISCOSITY)

- Minimizes picture framing effect
- Reduces mottling
- High transfer efficiency
- Quick color change

Includes: Pump, cart, SFlow® 275 gun with 09-15 tip, 16ft fluid hose and 1G or 5G suction rod (see table below)

Item #	Series	Gun	Type	Agitator w/Cover	Suction Rod	Per EA
SH668-999-1055	10C18	SFlow®	Cart Mount	No	1 Gallon	\$3,595.00
SH668-999-1056	10C18	SFlow®	Cart Mount	Yes	5 Gallon	\$4,690.00



SH668-999-1056

(Bucket not included)

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service. Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

SKILL® AIRLESS TIPS

- Built with double hard carbide insert
- Reduced internal volume to avoid dead zone and tip blockage
- Special tip shape to reduce the risk of dirt on the top of the nozzle and facilitate cleaning
- The tip is built with a removable lower insert to facilitate easy disassembling and cleaning

Item #	Orifice Size	Fan Width*	Per EA
SH000-300-407-FR	0.23 mm	16"	\$116.80
SH000-300-607	0.28 mm	16"	\$116.80
SH000-300-707-FR	0.30 mm	16"	\$116.80
SH000-300-907-FR	0.33 mm	16"	\$116.80

* Max fan width at a spraying distance of 25cm / 9.8"



MAINTENANCE ITEMS

Item #	Description	Price
SH000-094-000	Tip Cleaning Needles, Small, 09 and lower	\$27.70 / PK 6
SH000-094-002	Tip Cleaning Needles, Large, over 09	\$27.70 / PK 6
SH668-000-395	Gun Cleaning Kit	\$107.45 / EA
SH906-300-101	Gun Cleaning Brush, Large	\$29.15 / EA



SH000-094-000

LUBRICANTS

- Intended for use with air operated pneumatic pumps
- Do not use with electrically operated pneumatic pumps

Item #	Size	For Coatings	Per EA
SH149-990-020	4 oz	Solvent or Water-Based	\$58.80
SH668-990-002	1 Quart	Solvent or Water-Based	\$82.15
SH668-990-001	1 Gallon	Solvent or Water-Based	\$126.50
SH668-990-022	1 Quart	Polyurethane	\$94.85
SH668-990-021	1 Gallon	Polyurethane	\$174.15



Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service.
Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

HIGH PRESSURE FLUID HOSE ASSEMBLIES, #5 JIC THREAD

- Polyamide hoses ensure constant conductivity between the spray gun and the pump and are compatible with most coatings
- Internal spring ensures the hose remains flexible, kink-free, and reliable under the high-pressure conditions typical of Airmix® spray systems, while also improving operator comfort and spray performance
- #5 JIC hose connections

Item #: SH050-123-304

Adapter to convert #5 JIC connection to 1/4" NPS

\$84.80



Item #	Color	Description	With Spring	Int Dia	Pressure Rating	Length	Per EA
SH82-2724-00	Black	Single Braided Hose	Yes	1/8"	3200 psi	3 ft	\$87.40
SH050-450-605	Black	Single Braided Hose	Yes	3/16"	3500 psi	25 ft	\$145.70
SH050-450-607	Black	Single Braided Hose	Yes	3/16"	3500 psi	50ft	\$207.25
SH668-450-125	Black	Single Braided Hose	Yes	1/4"	3625 psi	25 ft	\$147.00
SH669-990-102	Clear	Hose Sleeve	-	-	-	25 ft	\$23.05

AIR HOSE ASSEMBLIES, 1/4" NPSF

- Polyurethane hoses are exceptionally flexible
- 1/4" NPSF nickel plated fittings



Item #	Color	Description	Int Dia	Pressure Rating	Length	Per EA
SH050-382-114	Black	Hose	5/16"	200 psi	25 ft	\$92.70
SH050-382-116	Black	Hose	5/16"	200 psi	50 ft	\$152.70
SH669-990-102	Clear	Hose Sleeve	-	-	25 ft	\$23.05

5 GALLON SUCTION RODS



Item #	Type	HOSE			TUBE			STRAINER		Per EA
		Int Dia	Length	Thread	Ext Dia	Int Dia	Height	Material	Material	
SH049-596-010	Elbowed	15mm (19/32")	1000mm (39")	F 18 X 125	18mm (0.7")	15mm (0.6")	560mm (22")	Stainless Steel	Stainless Steel	\$303.00
SH149-596-050	Elbowed	10mm (3/8")	1000mm (39")	F 26 x 125	18mm (0.7")	15mm (0.6")	560mm (22")	Stainless Steel	Stainless Steel	\$423.00

Offer valid: 8/15 - 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service.
Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

AIRSPRAY TANKS

Sames Airspray tanks are straightforward offering the best value for your money and are the ideal solution between a cup gun and a pump.

- 1 Rugged design & easy to clean
- 2 Different capacities and material from 10L to 50L (2.5 Gal to 13 Gal)
- 3 Choice of 2 agitator blades for different mix and material
- 4 Agitator air motor: 3 radial piston technology gives a higher torque at low speed
- 5 Smart Lid to quickly and simply add or remove the agitator
- 6 Lube-free agitator air motor is easy to maintain

Technical Data	
Maximum Air Pressure	7 bar (100 psi)
Maximum Material Pressure	7 bar (100 psi)
Pressure ratio	1/1
Air Consumption	1.14 m3/h (0.67 cfm)
Maximum Temperature	45deg C (113deg F)
Power Source	Pneumatic
Material Outlet Port	M 3/8" NPS / F 3/4" NPS



SH152-310-201

See table for specifications for each product

Item #	Material	Size	Regulator(s)	Agitator	Outlet	Per EA
SH668-222-140	Steel	10 Liter (2.5 Gal)	2	No	Top	\$802.00
SH668-222-150	Steel	10 Liter (2.5 Gal)	2	Yes	Top	\$1,535.00
SH152-310-200-FR	Stainless Steel	10 Liter (2.5 Gal)	1	No	Top	\$2,210.00
SH152-310-201	Stainless Steel	10 Liter (2.5 Gal)	1	Yes	Top	\$2,930.00
SH152-320-200-FR	Stainless Steel	20 Liter (5 Gal)	1	No	Top	\$3,040.00
SH152-320-201-FR	Stainless Steel	20 Liter (5 Gal)	1	Yes	Top	\$3,640.00
SH152-350-200-FR	Stainless Steel	50 Liter (13 Gal)	1	No	Top	\$3,940.00
SH152-350-201-FR	Stainless Steel	50 Liter (13 Gal)	1	Yes	Top	\$4,580.00

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service.
Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

WÜRTH PROFLOW MIXING CUPS

The Würth PROFLOW mixing cup is crafted from high-quality polypropylene for long-lasting use. Featuring a stable base and thickened measurement markings, to ensure clear visibility for precise mixing and measuring.

- Disposable cups for mixing and storing paint materials and stains.
- Cups are durable and will not deteriorate when using Acetone, Lacquer Thinner, Denatured Alcohol, Catalysts, Hardeners and Reducers to the cups
- Each size cup features a red 10% mark which can aid the user in measuring added material such as catalysts, hardeners or other solvents
- Each cup also features a 20% red mark in case user need room to add reducers
- Integrated mixing scales for balancing Paint, Hardener and Thinner quantities (1:1, 2:1, 5:1 and 10:1)



NOTE: Please use paint manufacture recommendations for ratios

Size	Cup Item #	Per EA	Flat Lid Item #	Per EA	Pour Lid Item #	Per EA
PT	WWMC-PT	\$0.58	WWMCLIDFLAT-PT	\$0.36	-	-
QT	WWMC-QT	\$0.65	WWMCLIDFLAT-QT	\$0.40	WWMCLIDPOUR-QT	\$0.50
2.5 QT	WWMC-2.5QT	\$1.40	WWMCLIDFLAT-2.5QT	\$0.54	WWMCLIDPOUR-2.5QT	\$0.59
5 QT	WWMC-5QT	\$2.93	WWMCLIDFLAT-5QT	\$1.53	WWMCLIDPOUR-5QT	\$1.63

PROFLOW ADAPTERS

- Adapters allow Würth PROFLOW disposable paint system to be used with Sames Kremlin guns specified below

Item #	Style	Use With	Per EA
WW0891704016	H16	FPro G	\$24.99
WW0891704006	H6	FPro P/S, Fstart G/S/P	\$24.99



WW0891704016



WW0891704006

COMING FALL 2026

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service. Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

PROFLOW™

Würth PROFLOW

The Würth PROFLOW Paint System revolutionizes spray painting workflows for woodworkers and professional body shops. Ideal for tackling furniture refinishing, restoring a classic car, or running a busy paint booth, it delivers the reliability and convenience that serious painters demand.

- Streamlines your painting process while delivering consistently superior results
- Eliminates time-consuming gun cleaning between colors, dramatically reducing project completion times and solvent costs
- Four convenient sizes accommodate projects ranging from small touch-ups (180ml) to complete panel work (850ml), providing the perfect capacity for any job
- Each kit has everything you need for immediate use: 50 disposable lids, 50 disposable liners, 20 caps, 1 collar and 1 durable hard cup



COMING FALL 2026



PROFLOW Kits: 50 lids, 50 liners, 20 caps, 1 hard cup, 1 collar

Size	Item # 190 Micron	Per BX	Item # 125 Micron	Per BX
180ml	WW0891000180	\$69.99	WW0891400180	\$69.99
400ml	WW0891000400	\$72.99	WW0891400400	\$72.99
650ml	WW0891000650	\$74.99	WW0891400650	\$74.99
850ml	WW0891000850	\$78.99	WW0891400850	\$78.99

PROFLOW Cup and Collar Sets: 2 hard cups, 2 collars

Size	Item #	Per BX
180ml	WW08910004180	\$4.99
400ml	WW08910004400	\$5.69
650ml	WW08910004650	\$6.59
850ml	WW08910004850	\$6.99

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service. Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

PROFLOW™

WÜRTH PROFLOW DISPENSER

The Würth PROFLOW Cup & Liner and lid dispensers are strong, durable and protect your products from any contamination, which maximizes workshop productivity by making essential painting equipment easily accessible.

- Dispenses supplies for the Würth PROFLOW paint system
- Foldable design for easy storage and transport
- Keeps supplies tidy, organized and safe from contamination
- Top-loading access for reloading supplies
- Wall mountable
- Fill packs available



COMING FALL 2026

EMPTY DISPENSERS

Size	For	Item #	Size	Per EA
All	Lids	WW0891000100	All	\$49.99
180ml	Cups and Liners	WW0891001180	180ml	\$39.99
400ml	Cups and Liners	WW0891001400	400ml	\$39.99
650ml / 850ml	Cups and Liners	WW0891001850	650ml / 850ml	\$39.99

FILL PACKS - Contains 50 lids and liners, 20 caps

Size	Item # 190 micron	Per BX	Item # 125 micron	Per BX
180ml	WW0891002180	\$94.99	WW0891003180	\$94.99
400ml	WW0891002400	\$99.99	WW0891003400	\$99.99
650ml	WW0891002650	\$109.99	WW0891003650	\$109.99
850ml	WW0891002850	\$114.99	WW0891003850	\$114.99



FILL PACK

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service.
Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

WHITE COTTON KNIT RAGS



A



B

- Washed, bleached and processed for absorbency
- Usable size of 12" x 12" and up
- Use for staining, painting, cleaning and more

Image	Item #	Color	Box Size	With Punchout	With Perforated Handles	Per BX
White Cotton Knit Rags, New Material						
A	WW0899800300	White	#5	Yes	No	\$14.99
	WW0899800301	White	#10	Yes	No	\$26.99
	WW0899800302	White	#25	Yes	Yes	\$62.99
	WW0899800303	White	#50	No	No	\$125.99
White Cotton Knit Rags, Recycled/Reclaimed Material						
B	WW0899800401	White	#5	Yes	No	\$10.99
	WW0899800402	White	#10	Yes	No	\$19.99
	WW0899800403	White	#25	Yes	Yes	\$48.99

PAINT STRAINERS



- Disposable screen for filtering varnishes, paints, primers, chemicals and other liquids
- Color-coded system for simple visual identification of mesh size

Packing & Sold In: Full sleeve quantities

Item #	Micron	Color	Sleeve Qty	Per EA
WWSTRAIN-XFINE	Extra Fine, 125 μ	Blue	125 EA	\$0.105
WWSTRAIN-FINE	Fine, 190 μ	Yellow	125 EA	\$0.105
WWSTRAIN-MED	Medium, 260 μ	Orange	125 EA	\$0.105

STAIN PADS



- Fine terry stain pads with chemical resistant sponge inside
- Compatible with all stains; absorbent and washable

Packing & Sold In: Multiples of 12 each.

Item #	Size	Per EA
WW0899044120	4" x 4" x 1"	\$1.89
WW0899064112	4" x 6" x 1"	\$2.09

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service.
Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

LIGHTWEIGHT SAFETY GLASSES



- Integrated nose piece
- Exceeds ANSI Z87.1 High Impact Requirements

Item #	Lens Color	Anti-Fog	Scratch Resistant	Adjustable	Per EA
WW899103200	Clear	No	Yes	No	\$2.39
WW899103202	Clear	Yes	Yes	No	\$2.89

FOAM LINED SAFETY GLASSES



- Removable flame resistant foam padding helps limit eye exposure to dust and particles
- Exceeds ANSI Z87.1 High Impact Requirements

Item #	Lens Color	Anti-Fog	Scratch Resistant	Adjustable	Per EA
WW899103218	Clear	Yes	Yes	No	\$5.49

FOAM EAR PLUGS



- NRR 32dB
- Soft, non-allergenic foam product with smooth outer comfort surface
- Sold in multiples of 200 pair, each pair is polybagged

Item #	Style	Per PR
WW0899300900	Uncorded	\$0.132
WW0899300910	Corded	\$0.194

DISPOSABLE COVERALLS



- Provides excellent protection against particles, dusts and liquid splashes
- Cuffed wrist, elastic waist, ankles and hood
- Soft fabric for increased freedom of movement and comfort while still being tear and abrasion-resistant
- Anti-static and lint-free

Item #	Size	Per EA
WW0899021212	M	\$6.99
WW0899021213	L	\$6.99
WW0899021214	XL	\$6.99
WW0899021215	2XL	\$6.99
WW0899021216	3XL	\$6.99

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service.
Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

BLUE PAINTER'S TAPE



Blue painters masking tape with 14 day UV resistance.

- Crepe paper backing and natural rubber adhesive
- Excellent choice for painted walls, trim, woodwork, interior masking of windows, glass and metal or wherever masking is exposed to weather/outdoor conditions
- Easy clean removal from most surfaces for up to 14 days
- UV resistance & stability for 14 days

Applications:

Indoor painting, automotive painting, resistor belting, splicing.

Sold In: Each.

Item #	Size	Thickness	Tensile Strength	Adhesion	Elongation	Max Temp	Per EA
WW0992010400	3/4" x 60yds	4.9 mil	20 lbs/in	17 oz/in	8%	176° F (30 minutes)	\$2.99
WW0992010401	1" x 60yds	4.9 mil	20 lbs/in	17 oz/in	8%	176° F (30 minutes)	\$3.99
WW0992010402	1-1/2" x 60yds	4.9 mil	20 lbs/in	17 oz/in	8%	176° F (30 minutes)	\$5.99
WW0992010403	2" x 60yds	4.9 mil	20 lbs/in	17 oz/in	8%	176° F (30 minutes)	\$7.99

N95 RESPIRATOR, NO VALVE, NIOSH APPROVED



- Provides at least 95% filtration efficiency against certain non-oil based particles
- Durable, molded double-shell construction for long life
- Electrostatically-charged filter media provides low breathing resistance
- Latex-free, staple-free head straps for comfort and safety
- Contoured aluminum nose-clip provides greater comfort and helps reduce potential fogging
- Soft foam inner nose cushion

Packing: 20 per box box, sold in full boxes only.

Item #: WW1899081730

Per EA

\$0.89

N95 RESPIRATOR, WITH VALVE, NIOSH APPROVED



- Filter efficiency level of 95% or greater against non-oil particulate aerosols
- Oversized valve opens more easily to expel hot air for cool comfort
- Adjustable nose band to adjust the mask to the shape of your face
- Secure seal around the nose
- Elastic head straps are tear-resistant

Packing: 10 per box box, sold in full boxes only.

Item #: WW0899120002

Per EA

\$2.19

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service.
Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

DISPOSABLE RESPIRATOR KIT, COMPLETE UNIT

"P" - Level non-degrading filter

does not require change-out at end of every shift. Reduces use cost by 50-100%

Full-elastomer nose bridge and softer elastomer for superior wearing comfort



Rugged, engineering-grade ABS plastic for frame and cartridges provide durability and trouble free use

- NIOSH OV/P95 Approved
- OV/P95 filter provides at least 95% filtration efficiency against organic vapor, solid and liquid aerosols, including oil based aerosols
- Usable with isocyanates in accordance with label warnings and limitations
- Completely assembled and individually packed in resealable foil bags
- Includes Hygiene Guard for clean storage and product protection

NOTE: Cartridges are not replaceable; filter pads are.

Item #	Description	Sold in Multiples of	Per EA
WW1899871501	1/2 Mask Respirator, Medium	1 Each	\$17.99
WW1899871502	1/2 Mask Respirator, Large	1 Each	\$17.99
WW1899871916	Repl. Filter Pads	10 Each	\$2.29
WW1899871620	Repl. Filter Pad Retainer	20 Each	\$1.19



Hygiene Guard / Shape Retainer Insert

keeps respirator clean and prevents damage to the facepiece

Reusable Foil Storage

Bag plus individually wrapped respirator help assure best respirator life



Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service. Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

PROFESSIONAL RESPIRATOR KITS, COMPLETE UNITS

BOTH STYLES FEATURE:

- Silicone half mask for greater softness, comfort and durability
- Completely assembled and individually packed in resealable foil bags
- Heavy duty adjustable head straps for comfort and safety
- Compatible with a variety of protective eyewear and hearing protection



Both styles include Hygiene Guard / Shape Retainer Insert that keeps respirator clean and prevents damage to the facepiece

PANCAKE STYLE, COMPLETE UNIT



- NIOSH OV/P95 Approved for respiratory protection against a wide range of oil and non-oil based particulate contaminants
- Provides at least 99.97% filtration efficiency against certain particles such as lead, asbestos, cadmium, arsenic and MDA
- Layer of activated carbon provides comfort relief against nuisance levels of organic vapor, acid gas
- Replaceable pancake particulate filters

Item #	Description	Sold in Multiples of	Per EA
WW1899089290	1/2 Mask Respirator Kit, Medium	1 Each	\$27.49
WW1899089390	1/2 Mask Respirator Kit, Large	1 Each	\$27.49
WW189908200	Repl. Pancake Particulate Filters	2 Each	\$4.19

Reusable Foil Storage Bag helps assure best respirator life

Includes 4 each pancake particulate filters

CARTRIDGE STYLE, COMPLETE UNIT



- NIOSH OV/P95 approved for Organic Vapours plus solid and oil aerosols
- Soft foam nose cushion for more comfort
- Replaceable cartridges and particulate filters

Item #	Description	Sold in Multiples of	Per EA
WW1899089291	1/2 Mask Respirator Kit, Medium	1 Each	\$25.99
WW1899089391	1/2 Mask Respirator Kit, Large	1 Each	\$25.99
WW1899871481	Repl. Organic Vapor Cartridge	2 Each	\$3.89
WW1899871916	Repl. Particulate Filter Pads	10 Each	\$2.29
WW1899871620	Repl. Particulate Filters Pad Retainers	20 Each	\$1.19

Reusable Foil Storage Bag helps assure best respirator life

See Page 23 for additional replacement cartridges and filter pads for all above respirators

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service. Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

RESPIRATOR CARTRIDGES & FILTERS



Item #	Description	Sold in Multiples of	Per EA
Gas & Vapor Cartridges			
WW1899871481	Organic Vapor Cartridge	2 Each	\$3.89
WW1899871478	Organic Vapor/Acid Gas	2 Each	\$4.79
WW1899871289	Multi-Gas	2 Each	\$8.79
Combination Gas/Vapor & P100 Cartridges			
WW1899871571	Organic Vapor/P100	2 Each	\$7.99
WW1899871573	Organic Vapor/Acid Gas/P100	2 Each	\$6.59
WW1899871578	Multi-Gas/P100	2 Each	\$11.99
Particulate Filters			
WW18998770	P100, NIOSH 99.97% Filter Efficiency, Rear Vent	2 Each	\$3.89
WW189908100	P100, NIOSH 99.97% Filter Efficiency, Pancake Style (Solid and oil particulate aerosols)	2 Each	\$3.19
WW189908200	P100, NIOSH 99.97% Filter Efficiency, Pancake Style (Solid and oil particulate aerosols, plus nuisance level OV/AG*)	2 Each	\$4.19
Particulate Filter Pads and Retainers			
WW1899871916	P95 Particulate Filter Pad NIOSH 95% filter efficiency.	10 Each	\$2.29
WW1899871620	Filter Pad Retainer	20 Each	\$1.19

***WARNING:** Not NIOSH approved for ozone protection, organic vapors, or acid gases. Nuisance Level refers to concentrations not exceeding the OSHA PEL or applicable government standards for exposure limits, whichever is lower. Do not use in or around sandblasting operations. This product does not supply oxygen.

Offer valid: 8/15 – 11/30/26. Please reference promo code **BP4591** when placing your order with Customer Service. Please enter promo code **BP4591** in the promo code field in the shopping cart when placing your online order.

DISPOSABLE NITRILE GLOVES




6mil Black - Microtexture

- Powder free
- 100 each per box



8mil Orange

Diamond
texture for
superior grip!



Item #	Color	Size	Per BX
6 Mil Thickness			
WW0899470398	Black	Medium	\$9.99
WW0899470399	Black	Large	\$9.99
WW0899470400	Black	Extra Large	\$9.99
8 Mil Thickness			
WW0899970911	Orange	Medium	\$13.99
WW0899970912	Orange	Large	\$13.99
WW0899970913	Orange	Extra Large	\$13.99
WW0899970914	Orange	2 Extra Large	\$13.99

PX3 PLUS HAND CLEANER



- Silicone & Solvent Free
- For extreme soiling such as paints, inks, adhesives, lacquers and sealants
- No greasy residue

Item #: WW893901

PER EA

\$12.99



WÜRTH BAER SUPPLY COMPANY SAMES KREMLIN CATALOG

Würth Baer Supply Company

909 Forest Edge Drive
Vernon Hills, IL 60061
T: 800-289-2237
F: 888-558-2237
www.wurthbaersupply.com

Other locations:

Bensenville, IL
Bethlehem, PA
Brooklyn Heights, OH
Columbus, OH
Des Moines, IA
Eagan, MN
Edison, NJ
Harrisburg, PA
Indianapolis, IN

Kansas City, MO
Leetsdale, PA
Londonderry, NH
Middletown, OH
Oak Park, MI
Omaha, NE
Pennsauken, NJ
Pleasant Hill, IA
Plymouth, MN

Reading, PA
Rumford, RI
Sanford, NC
Sioux Falls, SD
Syracuse, NY
Versailles, KY
West Haven, CT
Williamsport, PA
Wilmington, DE

Source code: BP4591