



WÜRTH BAER SUPPLY COMPANY

5-PIECE & MELAMINE DOOR COLLECTION



TABLE OF CONTENTS

5-piece Polyester Doors & Accessories

- 2 CÉLESTE
- 3 TENDANCE 45 / 90
- 4 ALLEGRA
- 5 FUSION

5-piece Lummia Doors & Accessories

- 7 MODELS
- 8 COLOR OFFER

Melamine Doors


- 10 SHAKER 90
- 11 NEW SHAKER 90
- 12 SLAB DOOR

Additional Information

- 13 MULTIPLE PANELS
- 14 FRAME AND MULLION DOORS
- 15 MOULDINGS AND ACCESSORIES
- 16 MOULDINGS AND ACCESSORIES COMPATIBLE COLOR OPTIONS
- 17 COLOR OFFER
- 19 COMPATIBLE COLOR OPTIONS
- 20 HINGES
- 21 WARRANTY

5-PIECE POLYESTER
DOORS & ACCESSORIES

CÉLESTE



Type of model	Minimum dimensions (Height x width)
Flat center panel	6 x 7 in 152.4 X 177.8 mm

No frame or mullion doors available.

Maximum door dimensions are limited by melamine sheet dimensions, either 4 x 8 ft (1.2 x 2.4 m) or 5 x 8 ft (1.5 x 2.4 m) for selected colors.



TENDANCE 45


FRAME DOOR



MULTIPLE PANEL



FLAT



TENDANCE 90

Model	Type of model	Minimum dimensions (Height x width)
Tendance 45 °	Flat center panel and glass inserts	5 1/4 x 5 1/4 in 133.35 X 133.35 mm
Tendance 90 °	Flat center panel and glass inserts	5 1/4 x 6 1/2 in 133.35 X 165.1 mm

Maximum door dimensions are limited by melamine sheet dimensions, either 4 x 8 ft (1.2 x 2.4 m) or 5 x 8 ft (1.5 x 2.4 m) for selected colors.

The frame doors are made to fit a 4 mm thick glass.

Formula to calculate size of the glass for frame and mullion doors, see p. 13.

Doors with 45° / 90° degree assembly over 42 in :

- Without middle crossrail: will not carry any guarantee against warpage.
- With a middle crosspiece: will be guaranteed against warpage.


ALLEGRA




FRAME DOOR



MULLION DOOR



FLAT



Type of model	Minimum dimensions (Height x width)
Flat center panel and glass inserts	5 3/4 x 5 3/4 in 146.05 X 146.05 mm
Mullion Door	11 x 11 in 279.5 X 279.4 mm

Maximum door dimensions are limited by melamine sheet dimensions, either 4 x 8 ft (1.2 x 2.4 m) or 5 x 8 ft (1.5 x 2.4 m) for selected colors.
The frame doors are made to fit a 4 mm thick glass.
Formula to calculate size of the glass for frame and mullion doors, see p. 13.




FRAME DOOR



MULTIPLE PANEL



FLAT



Type of model	Minimum dimensions (Height x width)
Flat center panel and glass inserts	5 3/4 x 6 1/2 in 146.05 X 165.1 mm

Maximum door dimensions are limited by melamine sheet dimensions, either 4 x 8 ft (1.2 x 2.4 m) or 5 x 8 ft (1.5 x 2.4 m) for selected colors.

The frame doors are made to fit a 4 mm thick glass.

Formula to calculate size of the glass for frame and mullion doors, see p. 13.


Doors with 45° / 90° degree assembly over 42 in :

- Without middle crossrail: will not carry any guarantee against warpage.
- With a middle crosspiece: will be guaranteed against warpage.

LUMMIA^{MC}



Céleste



Model	Type of model	Minimum dimensions (Height x width)
Céleste	Flat center panel	6 x 7 in • 152.4 X 177.8 mm

No frame or mullion doors available.

LUMMIA Collection is also available in these models.



ALLEGRA




TENDANCE 45/90



FUSION




SLAB DOOR




SHAKER 90


COLOR OFFER



PM115
Carte blanche



PM100
Vanilla Orchid



PM775
Gardenia



PM763
Morning Dew



PM774
Sunflower



PM780
Terrarossa




PM779
Sage Leaf




PM778
Steel Blue




PM772
Calm Sea



PM203
Black



PM581
Sheer Beauty



PM592
Kiss Curl





MELAMINE COLLECTION



SHAKER 90



FRAME DOOR




MULTIPLE PANEL



57.2 mm
2 1/4"



FLAT



Type of model	Minimum dimensions (Height x width)
Flat center panel	5 1/4 x 6 1/2 in 133.35 X 165.1 mm
Frame door	6 25/64 x 7 41/64 in 162.32 X 194.07 mm

Maximum door dimensions are limited by melamine sheet dimensions, either 4 x 8 ft (1.2 x 2.4 m) or 5 x 8 ft (1.5 x 2.4 m) for selected colors.

The frame doors are made to fit a 4 mm thick glass.

Formula to calculate size of the glass for frame and mullion doors, see p. 13.

Doors with 45° / 90° degree assembly over 42 in :

- Without middle crossrail: will not carry any guarantee against warpage.
- With a middle crosspiece: will be guaranteed against warpage.

NEW SHAKER 90



FRAME DOOR




MULTIPLE PANEL



69.9 mm
2 3/4"



FLAT



Type of model	Minimum dimensions (Height x width)	
	Doors	Drawer fronts
Flat center panel	7 x 8 1/2 in 177.8 X 215.9 mm	5 1/4 x 8 1/2 in 133.35 X 215.9 mm
Frame door	8 1/2 x 8 1/2 in 215.9 X 215.9 mm	

Drawer fronts: reduced rails 57.2 mm (2 1/4 in) for New Shaker 90°.

If regular rails are desired, please order as a door and its respective minimum size

Maximum door dimensions are limited by melamine sheet dimensions, either 4 x 8 ft (1.2 x 2.4 m) or 5 x 8 ft (1.5 x 2.4 m) for selected colors.

The frame doors are made to fit a 4 mm thick glass.

Formula to calculate size of the glass for frame and mullion doors, see p. 13.


Doors with 45° / 90° degree assembly over 42 in:

- Without middle crossrail: will not carry any guarantee against warpage.
- With a middle crosspiece: will be guaranteed against warpage.

SLAB DOOR



FLAT



Type of model	Minimum dimensions (Height x width)
Slab	6 x 2 ¼ in 152.4 X 57.2 mm


Standard vertical grain for Slab Door and Drawer fronts, horizontal grain available on request.
Maximum door dimensions are limited by melamine sheet dimensions, either 4 x 8 ft (1.2 x 2.4 m)
or 5 x 8 ft (1.5 x 2.4 m) for selected colors.

MULTIPLE PANELS

MINIMUM DIMENSIONS


DOUBLE HORIZONTAL CROSSRAIL MODEL

MODEL	HEIGHT	WIDTH	MEASURE A
Shaker 90°	7 ⁷ / ₈ in 200 mm	6 ¹ / ₂ in 165.1 mm	3 ¹⁵ / ₁₆ in 100 mm
New Shaker 90°	9 ⁴⁹ / ₆₄ in 248 mm	8 ¹ / ₂ in 215.9 mm	4 ⁵⁷ / ₆₄ in 124 mm
Tendance 45° / 90°	8 ⁹ / ₃₂ in 210 mm	6 ¹ / ₂ in 165.1 mm	4 ⁹ / ₆₄ in 105 mm
Fusion	8 ²⁵ / ₃₂ in 223 mm	6 ¹ / ₂ in 165.1 mm	4 ³ / ₈ in 111 mm




DOUBLE VERTICAL CROSSRAIL MODEL

MODEL	HEIGHT	WIDTH	MEASURE A
Shaker 90°	5 in 127 mm	7 ⁷ / ₈ in 200 mm	3 ¹⁵ / ₁₆ in 100 mm
New Shaker 90°	6 ¹⁷ / ₆₄ in 159 mm	9 ⁴⁹ / ₆₄ in 248 mm	4 ⁵⁷ / ₆₄ in 124 mm
Tendance 45° / 90°	6 in 152 mm	8 ⁹ / ₃₂ in 210 mm	4 ⁹ / ₆₄ in 105 mm




TRIPLE HORIZONTAL CROSSRAIL MODEL

MODEL	HEIGHT	WIDTH	MEASURE A	MEASURE B
Shaker 90°	10 ³ / ₄ in 273 mm	6 ¹ / ₂ in 165.1 mm	3 ¹⁵ / ₁₆ in 100 mm	6 ¹³ / ₁₆ in 173 mm
New Shaker 90°	13 ⁹ / ₃₂ in 337 mm	8 ¹ / ₂ in 215.9 mm	4 ⁵⁷ / ₆₄ in 124 mm	8 ²⁵ / ₆₄ in 213 mm
Tendance 45° / 90°	11 ¹⁷ / ₆₄ in 286 mm	6 ¹ / ₂ in 165.1 mm	4 ⁹ / ₆₄ in 105 mm	7 ⁹ / ₆₄ in 181 mm
Fusion	11 ⁴⁷ / ₆₄ in 298 mm	6 ¹ / ₂ in 165.1 mm	4 ³ / ₈ in 111 mm	7 ⁹ / ₆₄ in 181 mm



TRIPLE VERTICAL CROSSRAIL MODEL

MODEL	HEIGHT	WIDTH	MEASURE A	MEASURE B
Shaker 90°	5 in 127 mm	10 ³ / ₄ in 273 mm	3 ¹⁵ / ₁₆ in 100 mm	6 ¹³ / ₁₆ in 173 mm
New Shaker 90°	6 ¹⁷ / ₆₄ in 159 mm	13 ⁹ / ₃₂ in 337 mm	4 ⁵⁷ / ₆₄ in 124 mm	8 ²⁵ / ₆₄ in 213 mm
Tendance 45° / 90°	6 in 152 mm	11 ¹⁷ / ₆₄ in 286 mm	4 ⁹ / ₆₄ in 105 mm	7 ⁹ / ₆₄ in 181 mm




FRAME AND MULLION DOORS




4 LITES

MEASURES TO SUBTRACT TO CALCULATE GLASS SIZE


Type of model	Height x width
Tendance 45	3 7⁄8 x 3 7⁄8 in 98.4 X 98.4 mm
Tendance 90	3 1⁄2 x 3 13⁄16 in 88.9 X 96.84 mm
Allegra	4 3⁄8 x 4 3⁄8 in 111.1 X 111.1 mm
Fusion	4 x 3 13⁄16 in 101.6 X 96.84 mm
Shaker 90	3 3⁄4 x 3 13⁄16 in 95.25 X 96.84 mm
New Shaker 90	4 1⁄16 x 4 13⁄16 in 119.06 X 122.24 mm




1 LITE (FRAME)




2 LITES



6 LITES




8 LITES




10 LITES

GLASS RETAINER MOULDING

Clear




GLASS INSTALLATION




MOULDINGS & ACCESSORIES




4022
Light valence
Length: 9 ft




4766
Concave Ogee
Length: 9 ft




WP22
Contemporary crown moulding
Length: 9 ft





5027
Regular Ogee
Length: 9 ft




7431
Light valence
Length : 9 ft




9447
Contemporary Ogee
Length : 9 ft



9443
Crown moulding
Length: 9 ft



















9717
Batten
Length: 9 ft














MOULDINGS AND ACCESSORIES

Color #	Supplier	Moulding number							
		4022	4766	5027	7431	9443	9447	9717	WP22
L100	Olon	•	•	•					•
L105	Olon	•	•	•					•
L204	Olon	•	•	•					•
L444	Olon	•	•	•					•
L492	Olon	•	•	•					•
L530	Olon	•	•	•					•
L532	Olon	•	•	•					•
L580	Tafisa				•	•	•	•	
L581	Tafisa				•	•	•	•	
L582	Tafisa				•	•	•	•	
L583	Tafisa				•	•	•	•	
L584	Tafisa				•	•	•	•	
L585	Tafisa				•	•	•	•	
L586	Tafisa				•	•	•	•	
L587	Tafisa				•	•	•	•	
L588	Tafisa				•	•	•	•	
L589	Tafisa				•	•	•	•	
L590	Tafisa				•	•	•	•	
L591	Tafisa				•	•	•	•	
L592	Tafisa				•	•	•	•	
L593	Tafisa				•	•	•	•	
L761	Tafisa	No moulding available							
L763	Tafisa								
L764	Tafisa								
L768	Olon	•	•	•					•
M2002	Olon	•	•	•					•
M2003	Olon	•	•	•					•
M2004	Olon	•	•	•					•
M2005	Olon	•	•	•					•
M2006	Olon	•	•	•					•
M2007	Olon	•	•	•					•
M2010	Olon	•	•	•					•
M2015	Olon	•	•	•					•
PM100	Tafisa				•	•	•	•	
PM115	Tafisa				•	•	•	•	
PM203	Tafisa				•	•	•	•	
PM581	Tafisa				•	•	•	•	
PM592	Tafisa				•	•	•	•	
PM763	Tafisa				•	•	•	•	
PM772	Tafisa				•	•	•	•	
PM774	Tafisa				•	•	•	•	
PM775	Tafisa				•	•	•	•	
PM778	Tafisa				•	•	•	•	
PM779	Tafisa				•	•	•	•	
PM780	Tafisa				•	•	•	•	

COLOR OFFER



COLOR OFFER




COMPATIBLE COLOR OPTIONS

#	Colors	Finish	Supplier	Cat	Polyester				Celeste	Melamine	
					Tendance 45	Tendance 90	Allegra	Fusion		Panneau Uni	Shaker 90 / New Shaker 90
L100	Vanilla orchid	Crystalite	Tafisa	C	P	P	P-C	P		P	P
L105	Snowfall	Crystalite	Tafisa	A	P	P	P-C	P			
L204	Ivory	Crystalite	Tafisa	C	P	P	P-C	P		P	P
L444	Chocolate Pear Tree	Crystalite	Tafisa	C	P	P	P-C	P		P	P
L492	White chocolate	Urbania	Tafisa	C	P	P	P-C	P		P	P
L530	Latitude North	Alto	Tafisa	C	P	P	P-C	P		P	P
L532	Latitude West	Alto	Tafisa	C	P	P	P-C	P		P	P
L580	Free Spirit	Karisma	Tafisa	C	P	P	P	P	P	P	P
L581	Sheer Beauty	Karisma	Tafisa	C	P	P	P	P	P	P	P
L582	Fashionista	Karisma	Tafisa	C	P	P	P	P	P	P	P
L583	First Class	Karisma	Tafisa	C	P	P	P	P	P	P	P
L584	The Chameleon	Karisma	Tafisa	C	P	P	P	P	P	P	P
L585	Rapsody	Karisma	Tafisa	C	P	P	P	P	P	P	P
L586	Natural Affinity	Karisma	Tafisa	C	P	P	P	P	P	P	P
L587	Sugar Rush	Karisma	Tafisa	C	P	P	P	P	P	P	P
L588	Sweet & Savory	Karisma	Tafisa	C	P	P	P	P	P	P	P
L589	Salt of the Earth	Karisma	Tafisa	C	P	P	P	P	P	P	P
L590	Love at First Sight	Karisma	Tafisa	C	P	P	P	P	P	P	P
L591	Acacia Honey	Karisma	Tafisa	C	P	P	P	P	P	P	P
L592	Kiss Curl	Karisma	Tafisa	C	P	P	P	P	P	P	P
L593	Mastermind	Karisma	Tafisa	C	P	P	P	P	P	P	P
L761	Moonlight	Crystalite	Tafisa	C						P	P
L763	Morning Dew	Crystalite	Tafisa	C						P	P
L764	Daybreak	Crystalite	Tafisa	C						P	P
L768	Sundown	Crystalite	Tafisa	C	P	P	P-C	P			
M2002	Sunset Cruise	Viva	Tafisa	E	P	P	P-C	P		P	P
M2003	Weekend Getaway	Viva	Tafisa	E	P	P	P-C	P		P	P
M2004	Winter Fun	Viva	Tafisa	E	P	P	P-C	P		P	P
M2005	Sunday Brunch	Viva	Tafisa	E	P	P	P-C	P		P	P
M2006	Tea for Two	Viva	Tafisa	E	P	P	P-C	P		P	P
M2007	Casting at First Light	Viva	Tafisa	E	P	P	P-C	P		P	P
M2010	After-Hours	Viva	Tafisa	E	P	P	P-C	P		P	P
M2015	Après-Ski	Viva	Tafisa	E	P	P	P-C	P		P	P
PM100	Vanilla Orchid	LUMMIA	Tafisa	L	P	P	P	P	P	P	P
PM115	Carte Blanche	LUMMIA	Tafisa	L	P	P	P	P	P	P	P
PM203	Black	LUMMIA	Tafisa	L	P	P	P	P	P	P	P
PM581	Sheer Beauty	LUMMIA	Tafisa	L	P	P	P	P	P	P	P
PM592	Kiss Curl	LUMMIA	Tafisa	L	P	P	P	P	P	P	P
PM763	Morning Dew	LUMMIA	Tafisa	L	P	P	P	P	P	P	P
PM772	Calm Sea	LUMMIA	Tafisa	L	P	P	P	P	P	P	P
PM774	Sunflower	LUMMIA	Tafisa	L	P	P	P	P	P	P	P
PM775	Gardenia	LUMMIA	Tafisa	L	P	P	P	P	P	P	P
PM778	Steel Blue	LUMMIA	Tafisa	L	P	P	P	P	P	P	P
PM779	Sage Leaf	LUMMIA	Tafisa	L	P	P	P	P	P	P	P
PM780	Terrarossa	LUMMIA	Tafisa	L	P	P	P	P	P	P	P

C : Mullion Doors / P : Flat

HINGES

QUANTITY AND LOCATION OF HINGES



Standard hinge hole diameter: 34.9 mm (1 3/8 in)

Standard depth: 12.7 mm (1/2 in)

Standard location:

- for doors 254 mm (10 in) and over, 3 mm (1/8 in) from side and centered at 88.9 mm (3 1/2 in) from top or bottom edge of the door.
- for doors less than 254 mm (10 in), 3 mm (1/8 in) from side and centered at 63.5 mm (2 1/2 in) from top or bottom edge of the door.

Door height		Number of hinges required
mm	in	
0 to 899.16	0 to 35.4	2
899.17 to 1000.8	35.5 to 39.4	3
1000.9 to 1991.4	39.5 to 78.4	4
1991.5 to 2438.4	78.5 to 96	5

For doors requiring more than 2 hinges, a drawing indicating actual position of the hinge holes is required. Minimum sizes indicated for each door model must be respected due to hinge clearance considerations.

WARRANTY

5

YEARS

1. GENERAL TERMS AND CONDITIONS

Prémoulé guarantees its products which are distributed and sold through an authorized distributor.

The installation should only be done by an experienced professional. It is also the responsibility of the person installing the product to determine its suitability for a particular application.

Prémoulé guarantees its products against any apparent or hidden defect that might affect their quality or cause premature deterioration. The following conditions apply:

2. DURATION

The guarantee is valid for a period of 5 years following the date of purchase.

3. EXCLUSIONS

This guarantee does not apply:

3.1 When damages are caused:

- By misuse or abuse of the product by the buyer;
- By improper installation or exposure to the elements;
- By any modification, transformation, or correction of the products without a written authorization from Prémoulé;
- By improper storage;
- By any indirect damage (including incidentals, special or consequential damages);

3.2 To any deterioration of the products resulting from normal wear and tear.

3.3 To any damage or incident relating to the costs of installation and transportation, or any other costs relative to the application of this guarantee.

3.4 The number of hinges required is not respected (see p.20).

4. SCOPE

This guarantee is unassignable and constitutes the only guarantee offered by Prémoulé. There is no guarantee of merchantability or fitness for specific purposes other than the guarantee detailed above. Prémoulé makes no other guarantee whatsoever, expressed or implied, oral or written.

5. EXECUTION OF GUARANTEE

For the duration of this guarantee, in order to exercise his rights, the buyer shall notify as soon as possible the authorized distributor or Prémoulé of any defect in the product and shall provide proof of purchase. The buyer shall not make any repairs before the authorized distributor has had an opportunity to examine the product and its installation.

When this guarantee is applicable, Prémoulé may repair its products, provide replacement or, at its sole option, offer the reimbursement of the purchase price.

6. AUTHORIZED DISTRIBUTOR

Only an authorized Prémoulé distributor may, in compliance with the terms and conditions of this guarantee, assume the obligations contained herein after obtaining prior authorization from Prémoulé. The authorized distributor is not mandated by Prémoulé to modify or extend the scope of this guarantee.

7. TECHNICAL SPECIFICATIONS

Height & width tolerance of 1/32 in (0.8 mm).

- Warp tolerance for doors of less than 42 in height and 26 in width is of 1/8 in/36 in.

Doors with 45° / 90° degree assembly over 42 in :

- Without middle crossrail: will not carry any guarantee against warpage.
- With a middle crosspiece: will be guaranteed against warpage.





WÜRTH BAER SUPPLY COMPANY

5-PIECE & MELAMINE DOOR COLLECTION

Würth Baer Supply Company

909 Forest Edge Drive
Vernon Hills, IL 60061
T: 800-289-2237
F: 888-558-2237
www.wurthbaersupply.com

Other locations:

Bensenville, IL
Bethlehem, PA
Brooklyn Heights, OH
Columbus, OH
Des Moines, IA
Eagan, MN
Edison, NJ
Harrisburg, PA
Indianapolis, IN

Kansas City, MO
Leetsdale, PA
Londonderry, NH
Middletown, OH
Oak Park, MI
Omaha, NE
Pennsauken, NJ
Pleasant Hill, IA
Plymouth, MN

Reading, PA
Rumford, RI
Sanford, NC
Sioux Falls, SD
Syracuse, NY
Versailles, KY
West Haven, CT
Williamsport, PA
Wilmington, DE