



Würth Baer Supply Company

WÜRTH - PRO CATALOG



WHAT'S INSIDE

Decorative Hardware	3-20	Screws and Fasteners.....	125-147
Concealed Hinges	21-24	Abrasives	148-159
Institutional / 5 Knuckle Hinges	25	Wood Filler	160
Lift Systems.....	26-27	Solvents	161-165
Drawer Slides	28-34	Epoxy Resin and Hardener.....	166
Bumpers	35-36	Adhesives.....	167-179
ADA Toe Kicks and Panel Brackets	36-37	Tapes.....	180-182
Workstation and Concealed Brackets	38-39	Moving Supplies	183
Standards and Brackets	40-41	Finish Room Supplies.....	184
Pilasters and Clips	41	Rags	185
Office and Multimedia.....	42-45	Lemyn Hand Sanitizer	186
Standoffs.....	46-49	Cleaners and Lubricants	188 - 190
Lighting.....	50-64	Gloves, Disposable and Reusable	191 - 195
Kitchen Convenience	65-99	Personal Protective Equipment (PPE)	196 - 199
Decorative Wood.....	100-107	Hand Tools.....	200-261
Shelf Pins.....	108-109	Air Tool Accessories	261
Hanging Rail System	110	Jig Saw Blades	262-263
Closet Tubing	110-113	Drill Bits	264
Wall Bed Hardware.....	114-115	Hole Saws and Saw Blades	265
Barn Door Hardware	116-119	Machinery	266-275
Panel Spacers	120	Index	276-278
Pneumatic Fasteners	120-124		

Source code: BP3486

Mod Series

→ SCREWS INCLUDED

Material: Zinc



	Item #	Size	Finish
A	SZMD1-MB	1-7/32" Dia. Knob	Matte Black
B	SZMD1-SCP	1-7/32" Dia. Knob	Satin Champagne
C	SZMD1-SN	1-7/32" Dia. Knob	Satin Nickel
D	SZMD2-MB	1-5/32" Sq. Knob	Matte Black
E	SZMD2-SCP	1-5/32" Sq. Knob	Satin Champagne
F	SZMD2-SN	1-5/32" Sq. Knob	Satin Nickel
G	SZMD3-MB	1-3/8"L Knob	Matte Black
H	SZMD3-SCP	1-3/8"L Knob	Satin Champagne
I	SZMD3-SN	1-3/8"L Knob	Satin Nickel
J	SZMD4-MB	96mm c/c Pull	Matte Black
K	SZMD4-SCP	96mm c/c Pull	Satin Champagne
L	SZMD4-SN	96mm c/c Pull	Satin Nickel
M	SZMD5-MB	96mm c/c Pull	Matte Black
N	SZMD5-SCP	96mm c/c Pull	Satin Champagne
O	SZMD5-SN	96mm c/c Pull	Satin Nickel

	Item #	Size	Finish
P	SZMD6-MB	96mm c/c Pull	Matte Black
Q	SZMD6-SCP	96mm c/c Pull	Satin Champagne
R	SZMD6-SN	96mm c/c Pull	Satin Nickel
S	SZMD7-MB	128mm c/c Pull	Matte Black
T	SZMD7-SCP	128mm c/c Pull	Satin Champagne
U	SZMD7-SN	128mm c/c Pull	Satin Nickel
V	SZMD8-MB	128mm c/c Pull	Matte Black
W	SZMD8-SCP	128mm c/c Pull	Satin Champagne
X	SZMD8-SN	128mm c/c Pull	Satin Nickel
Y	SZMD9-MB	128mm c/c Pull	Matte Black
Z	SZMD9-SCP	128mm c/c Pull	Satin Champagne
AA	SZMD9-SN	128mm c/c Pull	Satin Nickel

Preferred Series SCREWS INCLUDED

Material: Zinc




	Item #	Size	Finish
A	SZPF1-MB	1-1/4" Dia. Knob	Matte Black
B	SZPF1-SCP	1-1/4" Dia. Knob	Satin Champagne
C	SZPF1-SN	1-1/4" Dia. Knob	Satin Nickel
D	SZPF2-MB	1-5/16"L Knob	Matte Black
E	SZPF2-SCP	1-5/16"L Knob	Satin Champagne
F	SZPF2-SN	1-5/16"L Knob	Satin Nickel
G	SZPF3-MB	1-5/32" Sq. Knob	Matte Black
H	SZPF3-SCP	1-5/32" Sq. Knob	Satin Champagne
I	SZPF3-SN	1-5/32" Sq. Knob	Satin Nickel
J	SZPF4-MB	96mm c/c Pull	Matte Black
K	SZPF4-SCP	96mm c/c Pull	Satin Champagne
L	SZPF4-SN	96mm c/c Pull	Satin Nickel
M	SZPF5-MB	96mm c/c Pull	Matte Black
N	SZPF5-SCP	96mm c/c Pull	Satin Champagne
O	SZPF5-SN	96mm c/c Pull	Satin Nickel
P	SZPF6-MB	96mm c/c Pull	Matte Black
Q	SZPF6-SCP	96mm c/c Pull	Satin Champagne
R	SZPF6-SN	96mm c/c Pull	Satin Nickel
S	SZPF7-MB	128mm c/c Pull	Matte Black
T	SZPF7-SCP	128mm c/c Pull	Satin Champagne
U	SZPF7-SN	128mm c/c Pull	Satin Nickel
V	SZPF8-MB	128mm c/c Pull	Matte Black
W	SZPF8-SCP	128mm c/c Pull	Satin Champagne
X	SZPF8-SN	128mm c/c Pull	Satin Nickel
Y	SZPF9-MB	128mm c/c Pull	Matte Black
Z	SZPF9-SCP	128mm c/c Pull	Satin Champagne
AA	SZPF9-SN	128mm c/c Pull	Satin Nickel

Transitions 2.0 Series

→ SCREWS INCLUDED


Material: Zinc



	Item #	Size	Finish
A	SZTR1-MB	1-1/8" Sq. Knob	Matte Black
B	SZTR1-SCP	1-1/8" Sq. Knob	Satin Champagne
C	SZTR1-SN	1-1/8" Sq. Knob	Satin Nickel
D	SZTR2-MB	1" Dia. Knob	Matte Black
E	SZTR2-SCP	1" Dia. Knob	Satin Champagne
F	SZTR2-SN	1" Dia. Knob	Satin Nickel
G	SZTR3-MB	96mm c/c Pull	Matte Black
H	SZTR3-SCP	96mm c/c Pull	Satin Champagne
I	SZTR3-SN	96mm c/c Pull	Satin Nickel
J	SZTR5-MB	96mm c/c Pull	Matte Black
K	SZTR5-SCP	96mm c/c Pull	Satin Champagne
L	SZTR5-SN	96mm c/c Pull	Satin Nickel
M	SZTR6-MB	96mm c/c Pull	Matte Black
N	SZTR6-SCP	96mm c/c Pull	Satin Champagne
O	SZTR6-SN	96mm c/c Pull	Satin Nickel
P	SZTR7-MB	96mm c/c Pull	Matte Black
Q	SZTR7-SCP	96mm c/c Pull	Satin Champagne
R	SZTR7-SN	96mm c/c Pull	Satin Nickel
S	SZTR8-MB	128mm c/c Pull	Matte Black
T	SZTR8-SCP	128mm c/c Pull	Satin Champagne
U	SZTR8-SN	128mm c/c Pull	Satin Nickel
V	SZTR10-MB	128mm c/c Pull	Matte Black
W	SZTR10-SCP	128mm c/c Pull	Satin Champagne
X	SZTR10-SN	128mm c/c Pull	Satin Nickel
Y	SZTR11-MB	128mm c/c Pull	Matte Black
Z	SZTR11-SCP	128mm c/c Pull	Satin Champagne
AA	SZTR11-SN	128mm c/c Pull	Satin Nickel
BB	SZTR12-MB	128mm c/c Pull	Matte Black
CC	SZTR12-SCP	128mm c/c Pull	Satin Champagne
DD	SZTR12-SN	128mm c/c Pull	Satin Nickel

Transitions Series SCREWS INCLUDED

Material: Zinc




	Item #	Size	Finish
A	SZTR1-ORB	1-1/8"Sq. Knob	Oil Rubbed Bronze
B	SZTR1-PC	1-1/8"Sq. Knob	Polished Chrome
C	SZTR1-SN	1-1/8"Sq. Knob	Satin Nickel
D	SZTR2-ORB	1" Dia. Knob	Oil Rubbed Bronze
E	SZTR2-PC	1" Dia. Knob	Polished Chrome
F	SZTR2-SN	1" Dia. Knob	Satin Nickel
G	SZTR3-ORB	96mm c/c Pull	Oil Rubbed Bronze
H	SZTR3-PC	96mm c/c Pull	Polished Chrome
I	SZTR3-SN	96mm c/c Pull	Satin Nickel
J	SZTR4-ORB	96mm c/c Pull	Oil Rubbed Bronze
K	SZTR4-PC	96mm c/c Pull	Polished Chrome
L	SZTR4-SN	96mm c/c Pull	Satin Nickel
M	SZTR5-ORB	96mm c/c Pull	Oil Rubbed Bronze
N	SZTR5-PC	96mm c/c Pull	Polished Chrome
O	SZTR5-SN	96mm c/c Pull	Satin Nickel
P	SZTR6-ORB	96mm c/c Pull	Oil Rubbed Bronze
Q	SZTR6-PC	96mm c/c Pull	Polished Chrome
R	SZTR6-SN	96mm c/c Pull	Satin Nickel

	Item #	Size	Finish
S	SZTR7-ORB	96mm c/c Pull	Oil Rubbed Bronze
T	SZTR7-PC	96mm c/c Pull	Polished Chrome
U	SZTR7-SN	96mm c/c Pull	Satin Nickel
V	SZTR8-ORB	128mm c/c Pull	Oil Rubbed Bronze
W	SZTR8-PC	128mm c/c Pull	Polished Chrome
X	SZTR8-SN	128mm c/c Pull	Satin Nickel
Y	SZTR9-ORB	128mm c/c Pull	Oil Rubbed Bronze
Z	SZTR9-PC	128mm c/c Pull	Polished Chrome
AA	SZTR9-SN	128mm c/c Pull	Satin Nickel
BB	SZTR10-ORB	128mm c/c Pull	Oil Rubbed Bronze
CC	SZTR10-PC	128mm c/c Pull	Polished Chrome
DD	SZTR10-SN	128mm c/c Pull	Satin Nickel
EE	SZTR11-ORB	128mm c/c Pull	Oil Rubbed Bronze
FF	SZTR11-PC	128mm c/c Pull	Polished Chrome
GG	SZTR11-SN	128mm c/c Pull	Satin Nickel
HH	SZTR12-ORB	128mm c/c Pull	Oil Rubbed Bronze
II	SZTR12-PC	128mm c/c Pull	Polished Chrome
JJ	SZTR12-SN	128mm c/c Pull	Satin Nickel

Modern Square Series

Material: Zinc Knobs / Aluminum Pulls

 **SCREWS INCLUDED**




	Item #	Size	Finish
A	SZTR1-MB	1-1/8" Sq. Knob	Matte Black
B	SZTR1-PC	1-1/8" Sq. Knob	Polished Chrome
C	SZTR1-SCP	1-1/8" Sq. Knob	Satin Champagne
D	SZTR1-SN	1-1/8" Sq. Knob	Satin Nickel
E	SZSQ96-MB	96mm c/c Pull	Matte Black
F	SZSQ96-PC	96mm c/c Pull	Polished Chrome
G	SZSQ96-SCP	96mm c/c Pull	Satin Champagne
H	SZSQ96-SN	96mm c/c Pull	Satin Nickel
I	SZSQ128-MB	128mm c/c Pull	Matte Black
J	SZSQ128-PC	128mm c/c Pull	Polished Chrome
K	SZSQ128-SCP	128mm c/c Pull	Satin Champagne
L	SZSQ128-SN	128mm c/c Pull	Satin Nickel

	Item #	Size	Finish
M	SZSQ160-MB	160mm c/c Pull	Matte Black
N	SZSQ160-PC	160mm c/c Pull	Polished Chrome
O	SZSQ160-SCP	160mm c/c Pull	Satin Champagne
P	SZSQ160-SN	160mm c/c Pull	Satin Nickel
Q	SZSQ192-MB	192mm c/c Pull	Matte Black
R	SZSQ192-PC	192mm c/c Pull	Polished Chrome
S	SZSQ192-SCP	192mm c/c Pull	Satin Champagne
T	SZSQ192-SN	192mm c/c Pull	Satin Nickel

Edge Pulls

 **SCREWS INCLUDED**

Material: Aluminum



	Item #	Size	Finish
A	SZEDGE25-MB	1"c/c, 1.78"OL	Matte Black
B	SZEDGE25-PC	1"c/c, 1.78"OL	Polished Chrome
C	SZEDGE25-SCP	1"c/c, 1.78"OL	Satin Champagne
D	SZEDGE25-SN	1"c/c, 1.78"OL	Satin Nickel
E	SZEDGE56-MB	2.2"c/c, 3"OL	Matte Black
F	SZEDGE56-PC	2.2"c/c, 3"OL	Polished Chrome
G	SZEDGE56-SCP	2.2"c/c, 3"OL	Satin Champagne
H	SZEDGE56-SN	2.2"c/c, 3"OL	Satin Nickel
I	SZEDGE112-MB	4.41"c/c, 6"OL	Matte Black
J	SZEDGE112-PC	4.41"c/c, 6"OL	Polished Chrome
K	SZEDGE112-SCP	4.41"c/c, 6"OL	Satin Champagne
L	SZEDGE112-SN	4.41"c/c, 6"OL	Satin Nickel

Bar Pull Series SCREWS INCLUDED


Material: Steel



	Item #	Size	Finish
A	SZBAR-TKNOB-PC	1.5625"L T-Knob	Polished Chrome
B	SZBAR-TKNOB-SB	1.5625"L T-Knob	Satin Black
C	SZBAR-TKNOB-SCP	1.5625"L T-Knob	Satin Champagne
D	SZBAR-TKNOB-SN	1.5625"L T-Knob	Satin Nickel
E	SZBAR3-PC	3"c/c Pull	Polished Chrome
F	SZBAR3-SB	3"c/c Pull	Satin Black
G	SZBAR3-SCP	3"c/c Pull	Satin Champagne
H	SZBAR3-SN	3"c/c Pull	Satin Nickel
I	SZBAR96-PC	96mm c/c Pull	Polished Chrome
J	SZBAR96-SB	96mm c/c Pull	Satin Black
K	SZBAR96-SCP	96mm c/c Pull	Satin Champagne
L	SZBAR96-SN	96mm c/c Pull	Satin Nickel
M	SZBAR128-PC	128mm c/c Pull	Polished Chrome
N	SZBAR128-SB	128mm c/c Pull	Satin Black
O	SZBAR128-SCP	128mm c/c Pull	Satin Champagne
P	SZBAR128-SN	128mm c/c Pull	Satin Nickel
Q	SZBAR160-PC	160mm c/c Pull	Polished Chrome
R	SZBAR160-SB	160mm c/c Pull	Satin Black
S	SZBAR160-SCP	160mm c/c Pull	Satin Champagne
T	SZBAR160-SN	160mm c/c Pull	Satin Nickel
U	SZBAR192-PC	192mm c/c Pull	Polished Chrome
V	SZBAR192-SB	192mm c/c Pull	Satin Black
W	SZBAR192-SCP	192mm c/c Pull	Satin Champagne
X	SZBAR192-SN	192mm c/c Pull	Satin Nickel

Steel Collection 2.0 Bar Pulls **SCREWS INCLUDED**


Material: Steel



	Item #	Size	Finish
A	SZSTBARKNOB-SS	1.57"L T-Knob	Stainless Steel
B	SZSTBAR64-SS	64mm c/c Pull	Stainless Steel
C	SZSTBAR3-OB3	3"c/c Pull	Dark ORB
D	SZSTBAR3-SS	3"c/c Pull	Stainless Steel
E	SZSTBAR96-OB3	96mm c/c Pull	Dark ORB
F	SZSTBAR96-SS	96mm c/c Pull	Stainless Steel
G	SZSTBAR128-OB3	128mm c/c Pull	Dark ORB
H	SZSTBAR128-SS	128mm c/c Pull	Stainless Steel
I	SZSTBAR160-PC	160mm c/c Pull	Polished Chrome
J	SZSTBAR160-SS	160mm c/c Pull	Stainless Steel
K	SZSTBAR192-SS	192mm c/c Pull	Stainless Steel

Large Bar Pulls **SCREWS INCLUDED**

Material: Steel



	Item #	Size	Finish
A	SZSTBAR224-SS	224mm c/c Pull	Stainless Steel
B	SZSTBAR256-SS	256mm c/c Pull	Stainless Steel
C	SZSTBAR288-SS	288mm c/c Pull	Stainless Steel
D	SZSTBAR320-SS	320mm c/c Pull	Stainless Steel
E	SZSTBAR384-SS	384mm c/c Pull	Stainless Steel
F	SZSTBAR448-SS	448mm c/c Pull	Stainless Steel
G	SZSTBAR544-SS	544mm c/c Pull	Stainless Steel

Steel Collection 2.0 Bow & Tapered Bow Pulls

→ **SCREWS INCLUDED**

Material: Steel Bow Pulls / Zinc Tapered Bow Pulls

Material: Steel

128mm c/c



Material: Zinc

128mm c/c



Material: Steel

96mm c/c



Material: Zinc

96mm c/c



	Item #	Type	Size in MM	Size in Inches	Finish
A	SZSTBOW128-SN	Bow	128mm c/c, 153mm L	5.04" c/c, 6.02" L	Satin Nickel
B	SZSTBOW96-SN	Bow	96mm c/c, 117mm L	3.78" c/c, 4.61" L	Satin Nickel
C	SZTTAPERBOW128OB3	Tapered Bow	128mm c/c, 153mm L	5.04" c/c, 6.02" L	Dark Oil Rubbed Bronze
D	SZTTAPERBOW128-SN	Tapered Bow	128mm c/c, 153mm L	5.04" c/c, 6.02" L	Satin Nickel
E	SZTTAPERBOW96-SN	Tapered Bow	96mm c/c, 113mm L	3.78" c/c, 4.45" L	Satin Nickel

Steel Collection 2.0 Wire Pulls & Knobs **SCREWS INCLUDED**

Material: Steel




	Item #	Type	Size in MM	Size in Inches	Finish
A	SZSTWIRE4-OB3	Wire Pull	101.6mm c/c, 110mm L	4.00" c/c, 4.33" L	Dark Oil Rubbed Bronze
B	SZSTWIRE4-SN	Wire Pull	101.6mm c/c, 110mm L	4.00" c/c, 4.33" L	Satin Nickel
C	SZSTWIRE96-SN	Wire Pull	96mm c/c, 104mm L	3.78" c/c, 4.09" L	Satin Nickel
D	SZSTWIRE35-SN	Wire Pull	88.9mm c/c, 96mm L	3.50" c/c, 3.78" L	Satin Nickel
E	SZSTWIRE3-SN	Wire Pull	76mm c/c, 85mm L	3.00" c/c, 3.35" L	Satin Nickel
F	SZSTKNOB-OB3	Knob	31.75mm diameter	1.25" diameter	Dark Oil Rubbed Bronze
G	SZSTKNOB-PC	Knob	31.75mm diameter	1.25" diameter	Polished Chrome
H	SZSTKNOB-SN	Knob	31.75mm diameter	1.25" diameter	Satin Nickel

Steel Wire Pulls Series

→ **SCREWS INCLUDED**

Material: Steel



	Item #	Type	Size	Finish
A	ZZ6162-2SB-P	Wire Pull	3-1/2" c/c	Satin Brass
	ZZ6161-2SB-P	Wire Pull	96mm c/c	Satin Brass
	ZZ6160-2SB-P	Wire Pull	4" c/c	Satin Brass
B	ZZ6171-20VB-P	Wire Pull	96mm c/c	Verona Bronze
	ZZ6170-20VB-P	Wire Pull	4" c/c	Verona Bronze



	Item #	Type	Size	Finish
A	ZZ6133-2SC-P	Wire Pull	3" c/c	Satin Chrome
	ZZ6132-2SC-P	Wire Pull	3-1/2" c/c	Satin Chrome
	ZZ6131-2SC-P	Wire Pull	96mm c/c	Satin Chrome
	ZZ6130-2SC-P	Wire Pull	4" c/c	Satin Chrome
B	ZZ6143-226-P	Wire Pull	3" c/c	Polished Chrome
	ZZ6142-226-P	Wire Pull	3-1/2" c/c	Polished Chrome
	ZZ6141-226-P	Wire Pull	96mm c/c	Polished Chrome
	ZZ6140-226-P	Wire Pull	4" c/c	Polished Chrome
C	ZZ6153-203-P	Wire Pull	3" c/c	Polished Brass
	ZZ6152-203-P	Wire Pull	3-1/2" c/c	Polished Brass
	ZZ6151-203-P	Wire Pull	96mm c/c	Polished Brass
	ZZ6150-203-P	Wire Pull	4" c/c	Polished Brass

Aluminum Wire Pull Series **SCREWS INCLUDED**

Material: Aluminum



	Item #	Type	Size	Finish
A	FE1483N-28	Wire Pull	3" c/c	Natural Aluminum
	FE14835N-28	Wire Pull	3-1/2" c/c	Natural Aluminum
	FE14896N-28	Wire Pull	96mm c/c	Natural Aluminum
	FE1484N-28	Wire Pull	4" c/c	Natural Aluminum
B	FE1484-28B	Wire Pull	4" c/c	Black Aluminum



	Item #	Type	Size	Finish
A	ZZ6135-4SAL-P	Wire Pull	3" c/c	Satin Aluminum
	ZZ6134-4SAL-P	Wire Pull	3-1/2" c/c	Satin Aluminum
	ZZ6137-4SAL-P	Wire Pull	96mm c/c	Satin Aluminum
	ZZ6136-4SAL-P	Wire Pull	4" c/c	Satin Aluminum

Stainless Steel Wire Pulls **SCREWS INCLUDED**

Material: Stainless Steel



	Item #	Type	Size	Finish
A	FE14896-SS	Wire Pull	96mm c/c	Stainless Steel
	FE1484-SS	Wire Pull	4" c/c	Stainless Steel

Classic Series

→ SCREWS INCLUDED

Material: Zinc



	Item #	Size	Finish
A	SZCL1-ORB	1" Dia. Knob	Oil Rubbed Bronze
B	SZCL1-SN	1" Dia. Knob	Satin Nickel
C	SZCL1-WN	1" Dia. Knob	Weathered Nickel
D	SZCL2-ORB	3" c/c Pull	Oil Rubbed Bronze
E	SZCL2-SN	3" c/c Pull	Satin Nickel
F	SZCL2-WN	3" c/c Pull	Weathered Nickel
G	SZCL3-ORB	1-3/16" Dia. Knob	Oil Rubbed Bronze
H	SZCL3-SN	1-3/16" Dia. Knob	Satin Nickel
I	SZCL3-WN	1-3/16" Dia. Knob	Weathered Nickel
J	SZCL4-ORB	3" c/c Pull	Oil Rubbed Bronze
K	SZCL4-SN	3" c/c Pull	Satin Nickel
L	SZCL4-WN	3" c/c Pull	Weathered Nickel
M	SZCL5-ORB	3" c/c Pull	Oil Rubbed Bronze
N	SZCL5-SN	3" c/c Pull	Satin Nickel
O	SZCL5-WN	3" c/c Pull	Weathered Nickel

	Item #	Size	Finish
P	SZCL6-ORB	1-3/8" Dia. Knob	Oil Rubbed Bronze
Q	SZCL6-SN	1-3/8" Dia. Knob	Satin Nickel
R	SZCL6-WN	1-3/8" Dia. Knob	Weathered Nickel
S	SZCL7-ORB	1-9/16" L Oval Knob	Oil Rubbed Bronze
T	SZCL7-SN	1-9/16" L Oval Knob	Satin Nickel
U	SZCL7-WN	1-9/16" L Oval Knob	Weathered Nickel
V	SZCL8-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
W	SZCL8-SN	1-1/4" Dia. Knob	Satin Nickel
X	SZCL8-WN	1-1/4" Dia. Knob	Weathered Nickel
Y	SZCL9-ORB	3" c/c Pull	Oil Rubbed Bronze
Z	SZCL9-SN	3" c/c Pull	Satin Nickel
AA	SZCL9-WN	3" c/c Pull	Weathered Nickel
BB	SZCL10-ORB	3" c/c Pull	Oil Rubbed Bronze
CC	SZCL10-SN	3" c/c Pull	Satin Nickel
DD	SZCL10-WN	3" c/c Pull	Weathered Nickel

Select Series → SCREWS INCLUDED

Material: Zinc



	Item #	Size	Finish
A	SZSE1-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
B	SZSE1-SN	1-1/4" Dia. Knob	Satin Nickel
C	SZSE1-WN	1-1/4" Dia. Knob	Weathered Nickel
D	SZSE2-ORB	1-3/16" L Oval Knob	Oil Rubbed Bronze
E	SZSE2-SN	1-3/16" L Oval Knob	Satin Nickel
F	SZSE2-WN	1-3/16" L Oval Knob	Weathered Nickel
G	SZSE3-ORB	3" c/c Pull	Oil Rubbed Bronze
H	SZSE3-SN	3" c/c Pull	Satin Nickel
I	SZSE3-WN	3" c/c Pull	Weathered Nickel
J	SZSE4-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
K	SZSE4-SN	1-1/4" Dia. Knob	Satin Nickel
L	SZSE4-WN	1-1/4" Dia. Knob	Weathered Nickel
M	SZSE5-ORB	3" c/c Pull	Oil Rubbed Bronze
N	SZSE5-SN	3" c/c Pull	Satin Nickel
O	SZSE5-WN	3" c/c Pull	Weathered Nickel
P	SZSE6-ORB	96mm c/c Pull	Oil Rubbed Bronze
Q	SZSE6-SN	96mm c/c Pull	Satin Nickel
R	SZSE6-WN	96mm c/c Pull	Weathered Nickel

	Item #	Size	Finish
S	SZSE7-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
T	SZSE7-SN	1-1/4" Dia. Knob	Satin Nickel
U	SZSE7-WN	1-1/4" Dia. Knob	Weathered Nickel
V	SZSE8-ORB	3" c/c Pull	Oil Rubbed Bronze
W	SZSE8-SN	3" c/c Pull	Satin Nickel
X	SZSE8-WN	3" c/c Pull	Weathered Nickel
Y	SZSE9-ORB	3" c/c Pull	Oil Rubbed Bronze
Z	SZSE9-SN	3" c/c Pull	Satin Nickel
AA	SZSE9-WN	3" c/c Pull	Weathered Nickel
BB	SZSE10-ORB	3" c/c Pull	Oil Rubbed Bronze
CC	SZSE10-SN	3" c/c Pull	Satin Nickel
DD	SZSE10-WN	3" c/c Pull	Weathered Nickel
EE	SZSE11-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
FF	SZSE11-SN	1-1/4" Dia. Knob	Satin Nickel
GG	SZSE11-WN	1-1/4" Dia. Knob	Weathered Nickel

Premiere Series ➔ SCREWS INCLUDED

Material: Zinc




	Item #	Size	Finish
A	SZPR1-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
B	SZPR1-SN	1-1/4" Dia. Knob	Satin Nickel
C	SZPR1-WN	1-1/4" Dia. Knob	Weathered Nickel
D	SZPR2-ORB	2-3/8" L Oval Knob	Oil Rubbed Bronze
E	SZPR2-SN	2-3/8" L Oval Knob	Satin Nickel
F	SZPR2-WN	2-3/8" L Oval Knob	Weathered Nickel
G	SZPR3-ORB	2-3/8" L Oval Knob	Oil Rubbed Bronze
H	SZPR3-SN	2-3/8" L Oval Knob	Satin Nickel
I	SZPR3-WN	2-3/8" L Oval Knob	Weathered Nickel
J	SZPR4-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
K	SZPR4-SN	1-1/4" Dia. Knob	Satin Nickel
L	SZPR4-WN	1-1/4" Dia. Knob	Weathered Nickel
M	SZPR5-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
N	SZPR5-SN	1-1/4" Dia. Knob	Satin Nickel
O	SZPR5-WN	1-1/4" Dia. Knob	Weathered Nickel
P	SZPR6-ORB	1-9/16" L Oval Knob	Oil Rubbed Bronze
Q	SZPR6-SN	1-9/16" L Knob	Satin Nickel
R	SZPR6-WN	1-9/16" L Oval Knob	Weathered Nickel
S	SZPR7-ORB	96mm c/c Pull	Oil Rubbed Bronze
T	SZPR7-SN	96mm c/c Pull	Satin Nickel
U	SZPR7-WN	96mm c/c Pull	Weathered Nickel

	Item #	Size	Finish
V	SZPR8-ORB	96mm c/c Pull	Oil Rubbed Bronze
W	SZPR8-SN	96mm c/c Pull	Satin Nickel
X	SZPR8-WN	96mm c/c Pull	Weathered Nickel
Y	SZPR9-ORB	96mm c/c Pull	Oil Rubbed Bronze
Z	SZPR9-SN	96mm c/c Pull	Satin Nickel
AA	SZPR9-WN	96mm c/c Pull	Weathered Nickel
BB	SZPR10-ORB	3" c/c Pull	Oil Rubbed Bronze
CC	SZPR10-SN	3" c/c Pull	Satin Nickel
DD	SZPR10-WN	3" c/c Pull	Weathered Nickel
EE	SZPR11-ORB	3" c/c Pull	Oil Rubbed Bronze
FF	SZPR11-SN	3" c/c Pull	Satin Nickel
GG	SZPR11-WN	3" c/c Pull	Weathered Nickel
HH	SZPR12-ORB	3" c/c Pull	Oil Rubbed Bronze
II	SZPR12-SN	3" c/c Pull	Satin Nickel
JJ	SZPR12-WN	3" c/c Pull	Weathered Nickel
KK	SZPR13-ORB	96mm c/c Pull	Oil Rubbed Bronze
LL	SZPR13-SN	96mm c/c Pull	Satin Nickel
MM	SZPR13-WN	96mm c/c Pull	Weathered Nickel

Elite I Series ➔ SCREWS INCLUDED

Material: Zinc




	Item #	Size	Finish
A	SZELI1-ORB	96mm c/c Pull	Oil Rubbed Bronze
B	SZELI1-SN	96mm c/c Pull	Satin Nickel
C	SZELI1-WN	96mm c/c Pull	Weathered Nickel
D	SZELI2-ORB	3" c/c Pull	Oil Rubbed Bronze
E	SZELI2-SN	3" c/c Pull	Satin Nickel
F	SZELI2-WN	3" c/c Pull	Weathered Nickel
G	SZELI3-ORB	1-1/4" Square Knob	Oil Rubbed Bronze
H	SZELI3-SN	1-1/4" Square Knob	Satin Nickel
I	SZELI3-WN	1-1/4" Square Knob	Weathered Nickel
J	SZELI4-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
K	SZELI4-SN	1-1/4" Dia. Knob	Satin Nickel
L	SZELI4-WN	1-1/4" Dia. Knob	Weathered Nickel
M	SZELI5-ORB	3" & 96mm c/c Pull	Oil Rubbed Bronze
N	SZELI5-SN	3" & 96mm c/c Pull	Satin Nickel
O	SZELI5-WN	3" & 96mm c/c Pull	Weathered Nickel
P	SZELI6-ORB	3" & 96mm c/c Pull	Oil Rubbed Bronze
Q	SZELI6-SN	3" & 96mm c/c Pull	Satin Nickel
R	SZELI6-WN	3" & 96mm c/c Pull	Weathered Nickel

	Item #	Size	Finish
S	SZELI7-ORB	4-1/4"L x 1"W BPlate	Oil Rubbed Bronze
T	SZELI7-SN	4-1/4"L x 1"W Bplate	Satin Nickel
U	SZELI7-WN	4-1/4"L x 1"W Bplate	Weathered Nickel
V	SZELI8-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
W	SZELI8-SN	1-1/4" Dia. Knob	Satin Nickel
X	SZELI8-WN	1-1/4" Dia. Knob	Weathered Nickel
Y	SZELI9-ORB	3" c/c x 6-1/2"L x 1"W Backplate	Oil Rubbed Bronze
Z	SZELI9-SN	3" c/c x 6-1/2"L x 1"W Backplate	Satin Nickel
AA	SZELI9-WN	3" c/c x 6-1/2"L x 1"W Backplate	Weathered Nickel
BB	SZELI10-ORB	3" c/c Pull	Oil Rubbed Bronze
CC	SZELI10-SN	3" c/c Pull	Satin Nickel
DD	SZELI10-WN	3" c/c Pull	Weathered Nickel

Elite II Series

→ SCREWS INCLUDED

Material: Zinc



	Item #	Size	Finish
A	SZELI1-ORB	96mm c/c Pull	Oil Rubbed Bronze
B	SZELI1-SN	96mm c/c Pull	Satin Nickel
C	SZELI1-WN	96mm c/c Pull	Weathered Nickel
D	SZELI2-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
E	SZELI2-SN	1-1/4" Dia. Knob	Satin Nickel
F	SZELI2-WN	1-1/4" Dia. Knob	Weathered Nickel
G	SZELI3-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
H	SZELI3-SN	1-1/4" Dia. Knob	Satin Nickel
I	SZELI3-WN	1-1/4" Dia. Knob	Weathered Nickel
J	SZELI4-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
K	SZELI4-SN	1-1/4" Dia. Knob	Satin Nickel
L	SZELI4-WN	1-1/4" Dia. Knob	Weathered Nickel
M	SZELI5-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
N	SZELI5-SN	1-1/4" Dia. Knob	Satin Nickel
O	SZELI5-WN	1-1/4" Dia. Knob	Weathered Nickel

	Item #	Size	Finish
P	SZELI6-ORB	3" c/c Pull	Oil Rubbed Bronze
Q	SZELI6-SN	3" c/c Pull	Satin Nickel
R	SZELI6-WN	3" c/c Pull	Weathered Nickel
S	SZELI7-ORB	3" c/c Pull	Oil Rubbed Bronze
T	SZELI7-SN	3" c/c Pull	Satin Nickel
U	SZELI7-WN	3" c/c Pull	Weathered Nickel
V	SZELI8-ORB	3" c/c Pull	Oil Rubbed Bronze
W	SZELI8-SN	3" c/c Pull	Satin Nickel
X	SZELI8-WN	3" c/c Pull	Weathered Nickel
Y	SZELI9-ORB	1-1/4" Dia. Knob	Oil Rubbed Bronze
Z	SZELI9-SN	1-1/4" Dia. Knob	Satin Nickel
AA	SZELI9-WN	1-1/4" Dia. Knob	Weathered Nickel
BB	SZELI10-ORB	96mm c/c Pull	Oil Rubbed Bronze
CC	SZELI10-SN	96mm c/c Pull	Satin Nickel
DD	SZELI10-WN	96mm c/c Pull	Weathered Nickel

Appliance Pull Series ➔ SCREWS INCLUDED

Material: Zinc



	Item #	Size	Finish
A	SZAPPL1-ORB	8" c/c Pull	Oil Rubbed Bronze
B	SZAPPL1-SN	8" c/c Pull	Satin Nickel
C	SZAPPL1-WN	8" c/c Pull	Weathered Nickel
D	SZAPPL2-ORB	8" c/c Pull	Oil Rubbed Bronze
E	SZAPPL2-SN	8" c/c Pull	Satin Nickel
F	SZAPPL2-WN	8" c/c Pull	Weathered Nickel
G	SZAPPL3-ORB	8" c/c Pull	Oil Rubbed Bronze
H	SZAPPL3-SN	8" c/c Pull	Satin Nickel
I	SZAPPL3-WN	8" c/c Pull	Weathered Nickel
J	SZAPPL4-ORB	12" c/c Pull	Oil Rubbed Bronze
K	SZAPPL4-SN	12" c/c Pull	Satin Nickel
L	SZAPPL4-WN	12" c/c Pull	Weathered Nickel
M	SZAPPL5-ORB	12" c/c Pull	Oil Rubbed Bronze
N	SZAPPL5-SN	12" c/c Pull	Satin Nickel
O	SZAPPL5-WN	12" c/c Pull	Weathered Nickel
P	SZAPPL6-ORB	12" c/c Pull	Oil Rubbed Bronze
Q	SZAPPL6-SN	12" c/c Pull	Satin Nickel
R	SZAPPL6-WN	12" c/c Pull	Weathered Nickel

PRO Self-Close Euro Hinges



- ANSI/BIFMA/KCMA/BHMA approved
- 3 cam adjustable with suitable baseplate (see page 22)
- Boring Pattern: 45mm
- All metal hinge, nickel plated

Item #	Opening	Overlay	Fixing	Closing Type
110° Hinges - Full, Half Overlay & Inset				
DSPRO110CAF	110°	Full	Screw-on	Self-close
DSPRO110CAFD	110°	Full	Dowel	Self-close
DSPRO110CAHD	110°	Half	Dowel	Self-close
DSPRO110CAID	110°	Inset	Dowel	Self-close
125° Hinges - Full & Half Overlay				
DSPRO125CAF	125°	Full	Screw-on	Self-close
DSPRO125CAFD	125°	Full	Dowel	Self-close
DSPRO125CAHD	125°	Half	Dowel	Self-close
155° Hinges - Full Overlay				
DSPRO155CAFD	155°	Full	Dowel	Self-close



PRO Soft-Close Euro Hinges




- Extra smooth soft-close action
- Soft-close mechanism integrated into hinge arm
- ANSI/BIFMA/KCMA/BHMA approved
- 3 cam adjustable with suitable baseplate (see page 22)
- Boring Pattern: 45mm
- All metal hinge, nickel plated

Item #	Opening	Overlay	Fixing	Closing Type
110° Hinges - Full, Half Overlay & Inset				
DSPRO110CAFD-SC	110°	Full	Dowel	Soft-close
DSPRO110CAHD-SC	110°	Half	Dowel	Soft-close
DSPRO110CAID-SC	110°	Inset	Dowel	Soft-close
125° Hinges - Full Overlay				
DSPRO125CAFD-SC	125°	Full	Dowel	Soft-close
155° Hinges - Full Overlay				
DSPRO155CAFOD-SC	155°	Full	Dowel	Soft-close

PRO Euro Hinge Baseplates

- Work with all PRO Euro Hinges
- Nickel-plated




	Item #	Height	Fixing Type
Standard One-Piece Wing Mounting Plates - Steel			
A	DSPRO-0ES	0mm	Pre-mounted Euro Screws
	DSPRO-2ES	2mm	Pre-mounted Euro Screws
	DSPRO-4ES	4mm	Pre-mounted Euro Screws
Cam Adjustable Wing Mounting Plates - Steel			
B	DSPRO-0C	0mm	Wood Screw
	DSPRO-2C	2mm	Wood Screw
	DSPRO-4C	4mm	Wood Screw
C	DSPRO-0CES	0mm	Pre-mounted Euro Screws
	DSPRO-2CES	2mm	Pre-mounted Euro Screws
	DSPRO-4CES	4mm	Pre-mounted Euro Screws
D	DSPRO-0CSD	0mm	5x1 1mm Split Dowel
	DSPRO-2CSD	2mm	5x1 1mm Split Dowel
	DSPRO-4CSD	4mm	5x1 1mm Split Dowel
Face Frame Adapter Plates - Steel			
E	DSPRO-0FF	0mm	Wood Screw
	DSPRO-3FF	3mm	Wood Screw
	DSPRO-6FF	6mm	Wood Screw
Face Frame Adapter Plates - Diecast			
F	DSPRO-0CDC	0mm	Wood Screw
	DSPRO-3CDC	3mm	Wood Screw
	DSPRO-6CDC	6mm	Wood Screw

PRO Value European Hinge Overlay Charts




Full Overlay Hinges - Steel



$\begin{matrix} D \\ H \end{matrix} \backslash K$	3	4	5	6	7
0	17	18	19	20	21
2	15	16	17	18	19
4	13	14	15	16	17

D = Overlay in mm
H = Base plate height
K = Boring distance


Half Overlay Hinges - Steel



$\begin{matrix} D \\ H \end{matrix} \backslash K$	3	4	5	6	7
0	8	9	10	11	12
2	6	7	8	9	10
4	4	5	6	7	8

D = Overlay in mm
H = Base plate height
K = Boring distance

Inset Hinges



$\begin{matrix} A \\ H \end{matrix} \backslash K$	3	4	5	6	7
0	1	0	-1	-2	-3
2	3	2	1	0	-1
4	5	4	3	2	1

A = Reveal in mm
H = Base plate height
K = Boring distance



Screws for Hinges & Baseplates, Flat Head



Length x Gauge	Drive	Box Qty	Item #	Box Qty	Item #
Nickel Finish					
1/2" x 6	Phillips	1,000	WW54200	5,000	WW54300
5/8" x 6	Phillips	1,000	WW54375	5,000	WW54380
3/4" x 6	Phillips	1,000	WW54680	5,000	WW54690
Zinc Finish					
1/2" x 6	Phillips	1,000	WW42100	5,000	WW42150
5/8" x 6	Phillips	1,000	WW42300	5,000	WW42390
3/4" x 6	Phillips	1,000	WW42500	5,000	WW43150



Screws for Face Frame Hinges, Modified Truss Head Type 17 Point

Length x Gauge	Drive	Box Qty	Item #
3/4" x 8	Phillips	1,000	WW46300




PRO Self-Close Face Frame Hinges



- One piece wraparound dowel hinge
- ANSI/BIFMA/KCMA/BHMA approved
- Opening angle: 105°
- 2 Cam Hinge: Height adjustment via elongated hole
- Boring pattern: 45mm
- Depth of hinge cup: 10.5mm

Item #	Overlay	Cam Adjustment
DSPRO12-2CD	1/2"	2
DSPRO114-2CD	1-1/4"	2



PRO Soft-Close Face Frame Hinges



- Extra smooth soft-close mechanism integrated into hinge cup
- ANSI/BIFMA/KCMA/BHMA approved
- One piece wraparound dowel hinge
- Opening angle: 105°
- 2 Cam Hinge: Height adjustment via elongated hole
- Boring pattern: 45mm
- Depth of hinge cup: 10.5mm

Item #	Overlay	Cam Adjustment
DSPRO12-2CDSC	1/2"	2
DSPRO114-2CDSC	1-1/4"	2



Overlay Hinges, 5 Knuckle



- Designed for a 32mm hole pattern; 2-3/4" five knuckle hinge
- Door Thickness 13/16"
- .095" Steel
- Hospital tip
- Includes #8 x 3/4" screws
- Pin Diameter 4.8mm
- BHMA/ANSI Tested Grade 1

Item #	Finish	Side Panel	Door Thickness	Hinge Overlay	Door Overlay
DSPROIH76-26D	Dull Chrome	3/4"	13/16"	23/32"	15/32"
DSPROIH76-SC	Satin Chrome	3/4"	13/16"	23/32"	15/32"



Overlay Hinges, 5 Knuckle



- Designed for 32mm hole pattern; 2-3/4" five knuckle hinge
- Door Thickness 3/4"
- .095" Steel
- Hospital tip
- Includes #8 x 3/4" screws
- Pin Diameter 4.8mm
- BHMA/ANSI Tested Grade 1

Item #	Finish	Side Panel	Door Thickness	Hinge Overlay	Door Overlay
DSPROIH74-26D	Dull Chrome	3/4"	3/4"	3/4"	1/2"
DSPROIH74-BL	Black	3/4"	3/4"	3/4"	1/2"

PRO Lift Systems

- High quality, value priced lift systems perfect for your next project
- Easy installation - Every PRO Lift Stay comes individually packaged with easy to follow instructions
- Easy lift up or lift down - we stock both the standard and reverse lift stays



Lifetime Warranty

Once you install your Würth PRO Lift Stay, you can have peace of mind that your project will function properly for years to come.



PRO Clock

- 75°, 90°, and 110° opening angles
- Braking motion is adjustable
- Heavy duty zinc die cast construction
- Works as both a lid stay and flap stay
- Door mount and cabinet mount brackets included

Item #
DSPRO-CLOCK



PRO Up & Down Stays




- Both feature soft motion movement
- Up Stays offer 75°, 90°, and 110° opening angles
- Use with 110 degree European hinges and plates
- Will hold securely in open and closed positions
- Door and cabinet brackets included

Item #	Style	Load Capacity
DSPRO-US-80N	Up Stay	80N (18 lbs)
DSPRO-US-100N	Up Stay	100N (22.5 lbs)
DSPRO-US-120N	Up Stay	120N (27 lbs)
DSPRO-DS-60N	Down Stay	60N (13.5 lbs)
DSPRO-DS-80N	Down Stay	80N (18 lbs)

PRO Heavy Duty Lid Stays

- 90° Angle Opening
- Adjustable with hex key (included)
- Left or right mounted
- Soft-close damper included
- Nickel-plated




PRO
VALUE SERIES

Item

DSPRO-HD-LS

PRO Drop Stays

- Adjustable braking action
- Screw-mounted
- 8lb load capacity
- 15.5" minimum cabinet height needed
- Nickel-plated finish
- Non-handed; works on both right and left hand applications




PRO
VALUE SERIES

Item

DSPRO-DROPSTAY-23

PRO Drop Stays

- Adjustable braking action
- Screw-mounted
- 11lb load capacity
- Nickel-plated finish
- White plastic housing
- Non-handed; works on both right and left hand applications



PRO
VALUE SERIES

Item


DSPRO-DROPSTAY-16

Lifetime Warranty

Once you install your Würth PRO Lift Stay, you can have peace of mind that your project will function properly for years to come.

PRO 2.0 Series 100 lb. Full Extension Ball Bearing Drawer Slides, Economy

PRO
VALUE SERIES




- Weight Rating: 100 lbs.
- Type: Full Extension Ball Bearing
- Mounting: Side
- Material: Cold Rolled Steel
- Industry Rated: BHMA, KCMA, BIFMA, ANSI, SEFA 8.99
- Hole Pattern: 32mm
- Finish: Bright Zinc (Black Finish - Special Order)
- Clearance: 1/2" + 1/32" -0
- Continuous bearings ensure smooth and quiet performance
- Unhanded
- Lever disconnect
- Fixed rear brackets available
- Packing: 10" slides: Packed and sold in full boxes of 10 sets.
12" - 22" slides: Packed and sold in in production packs cabinet members and drawer members packed separately (see quantities below).

Fixed Rear Brackets

- Two required per pair of slides

Item #: DSPRO2.0-RB












Item #	Size	Box Qty
DSPRO2.0-10	10"	10
DSPRO2.0-12	12"	30
DSPRO2.0-14	14"	30
DSPRO2.0-16	16"	30
DSPRO2.0-18	18"	20
DSPRO2.0-20	20"	20
DSPRO2.0-22	22"	20

PRO 100 Series 100 lb. Full Extension Ball Bearing Drawer Slides


PRO
100 SERIES

- Type: Full Extension Ball Bearing
- Mounting: Side
- Weight Rating: 100 lbs.
- Clearance: $1/2" + 1/32" -0$
- Material: Cold Rolled Steel
- Hole Pattern: 32mm
- Finish: Bright Zinc
- Industry Rated: BHMA, KCMA, BIFMA, ANSI, SEFA 8.99
- Front slotted hole for mounting directly to face frame
- Continuous bearings ensure smooth and quiet performance
- Unhanded
- Lever disconnect
- Fixed or adjustable rear brackets
- Drawer slides sold in full boxes of 10

Item #	Size
DSPRO100-10	10"
DSPRO100-12	12"
DSPRO100-14	14"
DSPRO100-16	16"
DSPRO100-18	18"
DSPRO100-20	20"
DSPRO100-22	22"
DSPRO100-24	24"
DSPRO100-26	26"
DSPRO100-28	28"




Accessories:



Item #: DSPRO100RB

- Two required per pair of slides



Item #: DSPRO100-FLOAT-L

Item #: DSPRO100-FLOAT-R


- Adjusts left or right automatically
- Prevents slide from "binding" when in operation

PRO 100SC Super Rail Soft-Close Drawer Slides

PRO
VALUE SERIES

- Type: Full Extension* Soft-Close Ball Bearing
- Mounting: Side
- Weight Rating: 100 lbs.
- Clearance: 1/2" + 1/32" -0
- Material: Cold Rolled Steel
- Hole Pattern: 32mm
- Finish: Bright Zinc
- Industry Rated: BHMA, KCMA, BIFMA, ANSI, SEFA 8.99
- * 14" size is 7/8 extension
- Low pull-out force allows drawers to open easily
- Metal piston in soft-close device ensures smooth action
- Unhanded slides with lever disconnects
- Designed for frameless and face frame applications
- Backed by a limited lifetime warranty

Packing & Sold In: Full box quantities of 10 sets.





Item #: DSPRO100SC-RB

Packing: 100 pair per box

Sold in: Pairs




Item #	Size
DSPRO100SC-14	14"
DSPRO100SC-16	16"
DSPRO100SC-18	18"
DSPRO100SC-20	20"
DSPRO100SC-22	22"
DSPRO100SC-24	24"



PRO 100SC Super Rail Drilling Instructions

Installation Dimensions (mm)

NL= Nominal Slide Length
LT= Internal Cabinet Depth



Technical drawing of the 4587110H-28H cabinet front, showing side and front views for heights from 10 inches to 28 inches. The drawing includes detailed dimensions for travel, mounting holes, and overall width. A side view shows a depth of 6.6 ± 0.2 inches. A detail view shows a mounting hole with a diameter of 4.5X9.3 and a distance of 9.4 inches between holes. The model number 4587110H-28H is printed at the bottom.



PRO
VALUE SERIES

- | Item # | Size | Item # | Size |
|----------------|------|----------------|------|
| DSPRO5000OT-14 | 14" | DSPRO5000OT-22 | 22" |
| DSPRO5000OT-16 | 16" | DSPRO5000OT-24 | 24" |
| DSPRO5000OT-18 | 18" | DSPRO5000OT-26 | 26" |
| DSPRO5000OT-20 | 20" | | |



Includes: Slides, front clips and rear sockets.


PRO 500 Series 75 lb. Full Extension Concealed Undermount Drawer Slides

PRO
500 SERIES

- Type: Soft-Close, Full Extension Concealed Undermount Slides
- Weight Rating: 75 lbs.
- Material: Cold Rolled Steel
- Hole Pattern: 32mm
- Finish: Zinc
- Industry Rated: BHMA, KCMA, BIFMA, ANSI
- Front roller allows for smooth, quiet operation and dramatically reduces deflection when fully extended
- Front clip has a three screw mounting design to allow attachment to front and side of drawer. An optimal fourth hole can be used to attach to drawer bottom when needed
- Soft-close activated at 2 inches
- One item number includes everything (slides, front clips and rear sockets)
- Slotted mounting holes for depth adjustment, ideal for inset applications
- Drawer slides sold in full boxes of 6
- Extra front clips: Sold in boxes of 200 each



Item #	Size
DSPRO500-12	12"
DSPRO500-15	15"
DSPRO500-18	18"
DSPRO500-21	21"

Item #	Description
DSKCPRO500-CLIPL	Left Clip
DSKCPRO500-CLIPR	Right Clip



Outside Drawer Dimension					
For drawer side thickness	16 (5/8")	15	14	13	12 (1/2")
Deduct from inside cabinet width	10 (3/8")	13	14	16	18 (23/32")

Note: Due to material thickness variance, it is best to work from inside of drawer dimension.



Use Euro screw or #8 flat head screw for cabinet member installation.



PRO 600 Series 100lb. Undermount Slides with Optional 2-D & 3-D Adjustment Clips







- Full extension soft-close undermount drawer slides
- Slotted mounting holes for depth adjustment, ideal for inset applications
- 4-way and 6-way adjustment front locking devices available
- 2D Adjustment: Up/Down 0-3mm, Side-to-Side +/- 1.5mm
- 3D Adjustment: Up/Down 0-3mm, Side-to-Side +/- 1.5mm, Depth 0-3.5mm
- Slides made from cold rolled steel
- 32mm hole pattern
- Zinc finish
- BHMA, KCMA, & BIFMA rated
- 100lb. load rating
- Drawer slides sold in full boxes of 6

**TESTED OVER
100,000 CYCLES
TWICE THE
INDUSTRY
STANDARD!**

Item #	Length
DSPRO600-12	12"
DSPRO600-15	15"
DSPRO600-18	18"
DSPRO600-21	21"

DSPRO600 Accessories

	Item #	Description	Box Qty
1	DSPRO6002DCLIP-L	Left 2D Front Locking Device	120
	DSPRO6002DCLIP-R	Right 2D Front Locking Device	120
2	DSPRO6002DNOFLG-L	Left 2D Front Locking Device - No Flange	120
	DSPRO6002DNOFLG-R	Right 2D Front Locking Device - No Flange	120
3	DSPRO6003DCLIP-L	Left 3D Front Locking Device	120
	DSPRO6003DCLIP-R	Right 3D Front Locking Device	120
4	DSPRO6003DNOFLG-L	Left 3D Front Locking Device - No Flange	120
	DSPRO6003DNOFLG-R	Right 3D Front Locking Device - No Flange	120
5	DSPRO600NARROW-RL	Narrow Front Locking Devices	100
6	DSPRO600-RB	Rear Metal Face Frame Bracket	200





**PRO 600 Heavy Duty Undermount
Drawer Slides**

PRO
600 SERIES




- 150 lb load capacity
- 6-way front clips included with drawer slides
- Available in 3 different lengths
- ANSI/KCMA/BIFMA certified
- Elongated holes for easy installation adjustments
- Bottom roller on cabinet member supports smooth and quiet movement
- Sold in full boxes only


3-D Front Locking Device



- 1. Side: +1.5mm
- 2. Up & Down: 0-3mm
- 3. Depth: 0-3.5mm

Item #	Description	Full Box Quantity
DSPRO600HD-24	24" Heavy Duty PRO 600 Undermount Slide w/Front Clips	3
DSPRO600HD-27	27" Heavy Duty PRO 600 Undermount Slide w/Front Clips	3
DSPRO600HD-30	30" Heavy Duty PRO 600 Undermount Slide w/Front Clips	3






Bumpers

- Easy "Peel-Off" & "Quick Stick"
- Vibration and Shock Dampening
- Crack-Resistant and Resilient
- Non-Staining and Non-Marring
- RoHS Compliant
- Stocking: Clear Bumpers, sold in sheet quantities
- Non-Stock: Black, White, & Brown Bumpers, sold in box quantities
- Non-Stock Delivery: 2-3 Weeks

	Sample Board Item #	Item #	In Stock	Color	Size	Bumpers per Sheet	Sheets per Box	Bumpers per Box
Hemispherical								
A	0683 135 589	WW0683135589	Yes	Clear	0.437"Dia x 0.2"H	50	100	5,000
	0683 135 591	WW0683135591	No	Black	0.437"Dia x 0.2"H	50	100	5,000
	0683 135 573	WW0683135573	No	White	0.375"Dia x 0.15"H	50	144	7,200
	0683 135 570	WW0683135570	Yes	Clear	0.375"Dia x 0.15"H	50	144	7,200
	0683 135 564	WW0683135564	Yes	Clear	0.312"Dia x 0.085"H	75	72	5,400
	0683 135 565	WW0683135565	No	Black	0.312"Dia x 0.085"H	75	72	5,400
	0683 135 566	WW0683135566	No	White	0.312"Dia x 0.085"H	75	72	5,400
Specialty								
B	0683 135 649	WW0683135649	Yes	Clear	0.5"Dia x 0.14"H	50	100	5,000
	0683 135 679	WW0683135679	Yes	Clear	0.5"Dia x 0.2"H	50	100	5,000
Cylindrical								
C	0683 135 515	WW0683135515	Yes	Clear	0.65"Dia x 0.4"H	32	80	2,560
	0683 135 705	WW0683135705	Yes	Clear	0.5"Dia x 0.14"H	50	100	5,000
	0683 135 707	WW0683135707	No	Brown	0.5"Dia x 0.14"H	50	100	5,000
	0683 135 545	WW0683135545	Yes	Clear	0.5"Dia x 0.25"H	50	100	5,000
	0683 135 527	WW0683135527	Yes	Clear	0.4"Dia x 0.125"H	40	154	6,160
	0683 135 694	WW0683135694	No	White	0.4"Dia x 0.125"H	40	154	6,160
	0683 135 620	WW0683135620	Yes	Clear	0.375"Dia x 0.19"H	50	145	7,250
Square								
D	0683 135 639	WW0683135639	Yes	Clear	0.5"Sq x 0.12"H	50	100	5,000



Polyurethane Bumpers Adhesive Backed

PRO
VALUE SERIES

- Made of durable polyurethane polymer
- High quality pressure sensitive adhesive backing

NOTE: Item #'s with SD are sound dampening

- Sold in full box quantities

	Item #	Size	Shape	Color	Bumpers per Sheet	Box Qty
A	PJ1CL-P	1/2" Dia. x 9/64" Thick	Cylindrical	Clear	200	1,000
	PJ1CL	1/2" Dia. x 9/64" Thick	Cylindrical	Clear	200	5,000
B	PJ27CL-P	5/16" Dia. x 3/32" Thick	Hemispherical	Clear	450	1,350
	PJ27CL	5/16" Dia. x 3/32" Thick	Hemispherical	Clear	450	5,400
C	PJ2CL-P	7/16" Dia. x 7/32" Thick	Cylindrical	Clear	242	1,210
	PJ2CL	7/16" Dia. x 7/32" Thick	Cylindrical	Clear	242	5,082
D	PJBS-33SD-P	1/2" Dia. x 5/32" Thick	Cylindrical	Clear	200	1,000
E	PJBS-58SD	1/2" Dia. x 7/32" Thick	Cylindrical	Clear	200	5,000
	PJBS-58SD-P	1/2" Dia. x 7/32" Thick	Cylindrical	Clear	200	1,000
F	PJBS-12SD	3/8" Dia. x 5/32" Thick	Hemispherical	Clear	288	7,200
	PJBS-12SD-P	3/8" Dia. x 5/32" Thick	Hemispherical	Clear	72	1,008

EZ-Kick Metal ADA Toe Kicks

Perfect solution to complying with the Americans with Disabilities Act (ADA)

EZ-Kick Toe Kick's 18 gauge steel powder coated brackets allows the toe kick to swing out with the cabinet door allowing unimpeded access for wheel chairs to sink, counter, desk, or other work areas.

- Two offsets available: 3", 4"
- Two colors available: Black and White powdercoat
- Packaged 10 pair per box; available any quantity of pairs



PRO
VALUE SERIES



Item #	Description	Finish
SZEZ2000-3WH	Toe Kick with 3" Offset, Includes: (1) 12" Left, (1) 12" Right Toe Kick and (8) screws	White
SZEZ2000-3BK	Toe Kick with 3" Offset, Includes: (1) 12" Left, (1) 12" Right Toe Kick and (8) screws	Black
SZEZ2000-4WH	Toe Kick with 4" Offset, Includes: (1) 12" Left, (1) 12" Right Toe Kick and (8) screws	White
SZEZ2000-4BK	Toe Kick with 4" Offset, Includes: (1) 12" Left, (1) 12" Right Toe Kick and (8) screws	Black

ADA Modesty Panel Bracket


For Removable Plumbing Panel

- Powder coated white
- Lift and pull to remove for easy access to plumbing
- 2mm adjustment side to side
- Uses 5mm Euro Screw
- Patent Pending
- 12 per box. Available any quantity





PRO
VALUE SERIES

Item #

SZDDLMPB-WH



2 - Panel Member



2 - Interchangeable Cabinet Member



Shelf & Countertop Supports Rigid, Heavy Duty



- Load rating 1,000 lbs. per pair
- 1/8" steel
- Multiple 1/4" mounting hole locations (mounting hardware not included)
- For use in workbenches, workstations, garage storage, ADA stations, computer stations, etc.
- Reversible design makes brackets versatile and easy to use
- Packaged in equal quantities of "rights" and "lefts"
- The six larger sizes have a 3" x 3" - 45° notch that allows for wall cleat and wire run clearance
- Stainless Steel brackets are genuine 304 series stainless steel with a natural brushed finish, 12 gauge, non-magnetic

Note: (-B) sold in full box quantities only.

Almond Item #	Black Item #	Gray Item #	Primed Item #	Stainless Steel Item #	White Item #	Box Qty
5" Shelf Length X 8" Wall Length						
DS58ALM	DS58BLK	DS58GRAY	-	-	DS58WHT	1 Pair
DS58ALM-B	DS58BLK-B	DS58GRAY-B	-	-	DS58WHT-B	5 Pair
8" Shelf Length X 12" Wall Length						
DS812ALM	DS812BLK	DS812GRAY	-	DS812SS	DS812WHT	1 Pair
DS812ALM-B	DS812BLK-B	DS812GRAY-B	-	-	DS812WHT-B	5 Pair
12" Shelf Length X 18" Wall Length						
DS1218ALM	DS1218BLK	DS1218GRAY	-	-	DS1218WHT	1 Pair
DS1218ALM-B	DS1218BLK-B	DS1218GRAY-B	-	-	DS1218WHT-B	5 Pair
15" Shelf Length X 21" Wall Length						
DS1521ALM	DS1521BLK	DS1521GRAY	DS1521PRIMED	DS1521SS	DS1521WHT	1 Pair
DS1521ALM-B	DS1521BLK-B	DS1521GRAY-B	DS1521PRIMED-B	-	DS1521WHT-B	3 Pair
18" Shelf Length X 18" Wall Length						
DS1818ALM	DS1818BLK	DS1818GRAY	-	-	DS1818WHT	1 Pair
DS1818ALM-B	DS1818BLK-B	DS1818GRAY-B	DS1818PRIMED-B	-	DS1818WHT-B	3 Pair
18" Shelf Length X 24" Wall Length						
DS1824ALM	DS1824BLK	DS1824GRAY	DS1824PRIMED	DS1824SS	DS1824WHT	1 Pair
DS1824ALM-B	DS1824BLK-B	DS1824GRAY-B	DS1824PRIMED-B	-	DS1824WHT-B	3 Pair
24" Shelf Length X 24" Wall Length						
DS2424ALM	DS2424BLK	DS2424GRAY	-	-	DS2424WHT	1 Pair
DS2424ALM-B	DS2424BLK-B	DS2424GRAY-B	-	-	DS2424WHT-B	3 Pair
24" Shelf Length X 29" Wall Length						
DS2429ALM	DS2429BLK	DS2429GRAY	-	-	DS2429WHT	1 Pair
DS2429ALM-B	DS2429BLK-B	DS2429GRAY-B	-	-	DS2429WHT-B	2 Pair

Concealed Brackets

- 1/4" steel
- Includes mounting hardware 3/8" x 4" carriage bolts, hex nuts and flat washers
- Mounts directly to wall studs
- Load limit over 1,000 lb. per pair
- All welds on reverse for easy, clean install

Note: Sold in full box quantities only.



Item #	Depth	Overall Height	Color	Box Qty
9" Support Arm Length				
DSC1/4-9-ALM	9"	12"	Almond	2 Each
DSC1/4-9-BLK	9"	12"	Black	2 Each
DSC1/4-9-GRAY	9"	12"	Gray	2 Each
DSC1/4-9-WHT	9"	12"	White	2 Each
12" Support Arm Length				
DSC1/4-12-ALM	12"	12"	Almond	2 Each
DSC1/4-12-BLK	12"	12"	Black	2 Each
DSC1/4-12-GRAY	12"	12"	Gray	2 Each
DSC1/4-12-WHT	12"	12"	White	2 Each
18" Support Arm Length				
DSC1/4-18-ALM	18"	18"	Almond	2 Each
DSC1/4-18-BLK	18"	18"	Black	2 Each
DSC1/4-18-GRAY	18"	18"	Gray	2 Each
DSC1/4-18-WHT	18"	18"	White	2 Each
24" Support Arm Length				
DSC1/4-24-ALM	24"	18"	Almond	2 Each
DSC1/4-24-BLK	24"	18"	Black	2 Each
DSC1/4-24-GRAY	24"	18"	Gray	2 Each
DSC1/4-24-WHT	24"	18"	White	2 Each

PRO
VALUE SERIES

Concealed Brackets

With Upper Extension

- 1/4" steel
- Includes mounting hardware 3/8" x 4" carriage bolts, hex nuts and flat washers
- Mounts directly to wall studs
- Load limit over 1,000 lb. per pair
- All welds on reverse for easy, clean install

Note: Sold in full box quantities only.



Item #	Depth	Overall Height	Color	Box Qty
9" Support Arm Length				
DSEC1/4-9-ALM	9"	20"	Almond	2 Each
DSEC1/4-9-BLK	9"	20"	Black	2 Each
DSEC1/4-9-GRAY	9"	20"	Gray	2 Each
DSEC1/4-9-WHT	9"	20"	White	2 Each
12" Support Arm Length				
DSEC1/4-12-ALM	12"	20"	Almond	2 Each
DSEC1/4-12-BLK	12"	20"	Black	2 Each
DSEC1/4-12-GRAY	12"	20"	Gray	2 Each
DSEC1/4-12-WHT	12"	20"	White	2 Each
18" Support Arm Length				
DSEC1/4-18-ALM	18"	26"	Almond	2 Each
DSEC1/4-18-BLK	18"	26"	Black	2 Each
DSEC1/4-18-GRAY	18"	26"	Gray	2 Each
DSEC1/4-18-WHT	18"	26"	White	2 Each
24" Support Arm Length				
DSEC1/4-24-ALM	24"	26"	Almond	2 Each
DSEC1/4-24-BLK	24"	26"	Black	2 Each
DSEC1/4-24-GRAY	24"	26"	Gray	2 Each
DSEC1/4-24-WHT	24"	26"	White	2 Each


PRO
VALUE SERIES

PRO Value Single Standards

- ANSI/BHMA Grade II rated single standards
- Standard single slots are spaced in 2" increments
- Material: Heavy Duty 12-gauge steel
- Finish: Zinc
- Dimensions: 7/8"W x 11/16"D
- Packaging: Full boxes of 10 standards.
Available any quantity.

Standard Item #	Size
DSPROSSNGL-24ZC	24"
DSPROSSNGL-30ZC	30"
DSPROSSNGL-36ZC	36"
DSPROSSNGL-48ZC	48"
DSPROSSNGL-60ZC	60"
DSPROSSNGL-72ZC	72"
DSPROSSNGL-84ZC	84"
DSPROSSNGL-96ZC	96"

PRO Value Single Brackets

PRO
VALUE SERIES


- ANSI/BHMA Grade II rated single brackets
- Equipped with locking mechanism for added security and immobilization
- Load Ratings of 250-425 lb per pair (based on length of bracket)
- Material: Heavy Duty 12-gauge steel
- Finish: Zinc
- Packaging: Full boxes of 20 brackets. Available any quantity

Bracket Item #	Size
DSPROBSNGL-8ZC	8"
DSPROBSNGL-10ZC	10"
DSPROBSNGL-12ZC	12"
DSPROBSNGL-14ZC	14"
DSPROBSNGL-16ZC	16"
DSPROBSNGL-18ZC	18"
DSPROBSNGL-20ZC	20"
DSPROBSNGL-22ZC	22"
DSPROBSNGL-24ZC	24"

PRO Value Premier Double Standards

- ANSI/BHMA Grade II rated double standards
- Standard double slots are spaced in 1" increments
- Pre-drilled for ease of installation and a smooth finish
- Material: 14-gauge steel
- Finish: White
- Dimensions: 1.05" W x 0.69" D
- Packaging: Full boxes of 10 standards.
Available any quantity

Standard Item #	Size
DSPROSPRDBL-16WH	16.5"
DSPROSPRDBL-28WH	28"
DSPROSPRDBL-39WH	39"
DSPROSPRDBL-48WH	48"
DSPROSPRDBL-63WH	63"
DSPROSPRDBL-78WH	78"
DSPROSPRDBL-94WH	94"

PRO Value Premier Double Brackets

PRO
VALUE SERIES


- ANSI/BHMA Grade II rated double brackets
- Load Ratings of 200-425 lb per pair (based on length of bracket)
- Material: 14-gauge steel
- Finish: White
- Packaging: Full boxes of 10 brackets. Available any quantity.


Bracket Item #	Size
DSPROBPRDBL-5WH	5"
DSPROBPRDBL-7WH	7"
DSPROBPRDBL-9WH	9"
DSPROBPRDBL-10WH	10.5"
DSPROBPRDBL-12WH	12.5"
DSPROBPRDBL-14WH	14.5"
DSPROBPRDBL-18WH	18.5"
DSPROBPRDBL-24WH	24.5"

PRO Value Double Standards

- ANSI/BHMA Grade II rated double standards
- Standard double slots are spaced in 1" increments
- Material: 16-gauge steel
- Finish: Zinc
- Dimensions: 1-1/4" W x 1/2" D
- Packaging: Full boxes of 20 standards (sizes: 24" - 60") and 10 standards (sizes: 72" - 96"). Available any quantity

Standard Item #	Size
DSPROSDBL-24ZC	24"
DSPROSDBL-36ZC	36"
DSPROSDBL-48ZC	48"
DSPROSDBL-60ZC	60"
DSPROSDBL-72ZC	72"
DSPROSDBL-84ZC	84"
DSPROSDBL-96ZC	96"

PRO Value Double Brackets


PRO
VALUE SERIES

- ANSI/BHMA Grade II rated double brackets
- Lip on brackets allows more level and secure shelving
- Load Ratings of 250-425 lb per pair (based on length of bracket)
- Material: 16-gauge steel
- Finish: Zinc
- Packaging: Full boxes of 20 brackets. Available any quantity

Bracket Item #	Size
DSPROBDBL-8ZC	8"
DSPROBDBL-10ZC	10"
DSPROBDBL-12ZC	12"
DSPROBDBL-14ZC	14"
DSPROBDBL-16ZC	16"
DSPROBDBL-18ZC	18"
DSPROBDBL-20ZC	20"
DSPROBDBL-22ZC	22"
DSPROBDBL-24ZC	24"


PRO Value Pilasters & Clips

- ANSI/BHMA Grade II rated single pilasters
- Designed to hold various shelf materials such as glass, particle board, and wood
- Spaced in 1/2" increments for stability
- Pre-drilled nail holes and stamped numbers for easy installation
- Finish: Zinc
- Load rating of 100 lb
- Packaging: Full boxes of 10 pilasters. Available any quantity

PRO
VALUE SERIES


Pilaster Item #	Size
DSPROPILSTR-18ZC	18"
DSPROPILSTR-24ZC	24"
DSPROPILSTR-30ZC	30"
DSPROPILSTR-36ZC	36"
DSPROPILSTR-48ZC	48"

Pilaster Item #	Size
DSPROPILSTR-60ZC	60"
DSPROPILSTR-72ZC	72"
DSPROPILSTR-84ZC	84"
DSPROPILSTR-96ZC	96"




Clip Item #	Box Qty	Clip Item #	Box Qty
DSPROCLIP-ZC	100	DSPROCLIP-BZC	1000

PRO Table Lift 2-Leg/3-Sections

Height Adjustment: 22.84"H - 48.63"H

- Total Weight Capacity: 285 Lbs.
- LED Display that shows the exact height in inches
- Collision Sensors (detect obstructions when raising or lowering the table)
- Height Adjustment Range: 25.79"
- Lowest position 22.84"H / Highest position 48.63"H
- Width Range: 43.31" - 63"
- Foot Length: 27.5"
- Shipping Weight: 61.7 Lbs.
- Number of leg sections: 3
- 3-Programmable Positions
- Non-scratch glides & casters
- 2-Motors built into legs
- Leg Profile: Rectangular
- Available in Gray or Black



3-Section Mechanisms



PRO
VALUE SERIES

2 YEAR
LIMITED
WARRANTY

c **UL** **US**
LISTED

BIFMA

ANSI

Item #	Description	Finish
SZSHLTM2L275-GA2M	Table Lift w/2-Legs & 3-Sections, Height Adj: 22.84"H - 48.63"H	Gray
SZSHLTM2L275-NR2M	Table Lift w/2-Legs & 3-Sections, Height Adj: 22.84"H - 48.63"H	Black

PRO Table Lift 2-Leg/2-Sections

Height Adjustment: 26.56"H - 46.25"H

- Total Weight Capacity: 285 Lbs.
- User can preset up to 4 different heights, LED height readout
- Height Adjustment Range: 19.69"
- Lowest position 26.56"H / Highest position 46.25"H
- Width Range: 46.56" - 63"
- Foot Length: 25.5"
- Shipping Weight: 70.5 Lbs.
- Number of leg sections: 3
- 3-Programmable Positions
- Non-scratch glides & casters
- 2-Motors built into legs
- Leg Profile: Rectangular
- Available in Gray or Black



2-Section Mechanisms



PRO
VALUE SERIES

2 YEAR
LIMITED
WARRANTY

c **UL** **US**
LISTED

BIFMA

ANSI

Item #	Description	Finish
SZAOITM2L-GAEL	Table Lift w/2-Legs & 2-Sections, Height Adj: 26.56"H - 46.25"H	Gray
SZAOITM2L-NREL	Table Lift w/2-Legs & 2-Sections, Height Adj: 26.56"H - 46.25"H	Black



PRO Desktop Sit-To-Stand Workstation

- Total Weight Capacity: 33 Lbs.
- Sit-To-Stand workstation adaptable to existing furniture
- Height Adjustment Range: 5.875"H - 19.6875"H
- No holes required on the top of the original desk
- Support groove for smart phone and tablet
- Shipping Weight: 50 Lbs.
- Easy to operate, 15 height options
- Raises vertically
- Sturdy steel structure
- Top Size: 26.77"W x 22.83"D
- Keyboard Size: 26.77"W x 12.79"D

PRO
VALUE SERIES

2 YEAR
LIMITED
WARRANTY


BIFMA



Item #	Description	Finish
SZLTPLUS-NR	Desktop Sit-To-Stand Workstation	Black

PRO Anti-Fatigue Mat




The mat's beveled edge is designed to avoid tripping and its textured surface is designed to be antiskid on both sides.

- Made of rubberized gel foam
- Great for people who work at offices, workshops, hospitals and cash registers
- Perfect for residential or commercial use



Benefits of Using the Anti-Fatigue Mat: →

1. Reduces migraines and headaches
2. Eases stiffness of neck and shoulders
3. Stimulates blood circulation
4. Minimizes pressure of the spine and strains of the back
5. Relieves lower back pain
6. Requires less energy to support the back and leg muscles
7. Reduces heel and ankle pain


PRO
VALUE SERIES


Item #	Description	Finish
SZLTACCASM50X90-NR	Anti-Fatigue Mat, 34-1/2"W x 20"L x 11/16"Thick	Black

PRO Single Monitor Arm with 2 USB Ports

PRO
 VALUE SERIES

Single Monitor Arm

- Total Weight Capacity: 11 Lbs.
- Screen Size: 10"-27"
- 2-USB Ports
- Installation: Grommet Mount or Side Mount
- The gas spring allows tilt in any position
- Swivel: 360°
- Shipping Weight: 9.5 Lbs.



Mounting:
Grommet/Side

Item #	Description	Finish
SZDTM502USB-NR	Single Screen Monitor Arm Mount	Black

PRO Pivoting Outlet | Data Strip | Recess Mount

PRO
 VALUE SERIES



- Hide Outlets by pressing "red arrow button"
- Specifications: 125Volts AC / 60Hz / 15Amps
- Light Indicator is "on" when outlet strip is plugged in

Included Cords:

- 1-72" Power Cord (Grounded Plug)
- 1-Male VGA Cord
- 1-RJ45 Cord
- 1-RJ11 Cord
- 1-HDMI Cord
- 1-Audio/Microphone Cord

Included Outlets:

- 3-Sockets (Grounded w/Safety Tabs)
- 1-USB Port (1 Amp)
- 1-Female VGA Port
- 1-HDMI Port
- 2-Audio/Microphone Ports
- 1-RJ45 Port
- 1-RJ11 Port


 c  US
 LISTED


Item #	Description	Finish
SZART918PBEL-MF	Pivoting Outlet/Data Strip, Recess Mount	Black

PRO Outlet Strips | Sockets & USB Ports



Outlet Strip / Surface Mount / 2-Sockets & 2-USB Ports (1 Amp Each)

- Specifications: 125Volts AC / 60GHz / 12Amps
- Grounded Plug & 2-Sockets Grounded
- 2-USB Ports (1Amp Each)
- 120" Power Cord



Item #	Description	Finish
SZ918PB2SURF-2U	Outlet Strip, Surface Mount, 2-Sockets & 2-USB Ports	Black

Outlet Strip / Recess Mount / 2-Sockets & 2-USB Ports (1 Amp Each)



- Specifications: 125Volts AC / 60GHz / 12Amps
- Grounded Plug & 2-Sockets Grounded
- 2-USB Ports (1Amp Each)
- 120" Power Cord




Item #	Description	Finish
SZ918PB22U-2A	Outlet Strip, Recess Mount, 2-Sockets & 2-USB Ports	Black

Outlet Strip / Recess Mount / 3-Sockets & 2-USB Ports (1 Amp Each)



- Specifications: 125Volts AC / 60GHz / 12Amps
- Grounded Plug & 3-Sockets Grounded
- 2-USB Ports (1Amp Each)
- 120" Power Cord



Item #	Description	Finish
SZ918PB32U-2A	Outlet Strip, Recess Mount, 3-Sockets & 2-USB Ports	Black

Aluminum 4 Piece Standoff Kits

Aluminum Finish



- Complete standoff kit with everything you need to install a sign or display
- Material: 6061 aluminum
- Finish: clear anodized aluminum
- Includes installation instructions



Kit Includes							
Item #	(4) Barrels	(4) Caps	(4) Studs for Material Thickness	(4) Studs for Material Thickness	(4) Screws	(4) Multi-Purpose Anchors	Designed for Material Thickness
SZG4007	3/8"Dia. x 1/2"L	3/8"Dia.	For 1/8" Thick	For 1/2" Thick	Wood Hanger	Nylon	1/8" or 1/2"
SZG4009	5/8"Dia. x 1/2"L	5/8"Dia.	For 1/4"-3/8" Thick	-	Combo	Nylon	1/4" - 3/8"
SZG4012	5/8"Dia. x 3/4"L	5/8"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4014	5/8"Dia. x 1"L	5/8"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4016	3/4"Dia. x 3/4"L	3/4"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4017	3/4"Dia. x 1"L	3/4"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4018	3/4"Dia. x 1-1/4"L	3/4"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4004	1"Dia. x 1/2"L	1"Dia.	For Up to 3/8" Thick	-	Combo	Nylon	Up to 3/8"
SZG4001	1"Dia. x 1"L	1"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4019	1"Dia. x 1-1/2"L	1"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4021	1"Dia. x 2"L	1"Dia.	For Up to 3/4" Thick	-	Combo	Nylon	Up to 3/4"
SZG4022	1-1/4"Dia. x 1"L	1-1/4"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4023	1-1/4"Dia. x 2"L	1-1/4"Dia.	For Up to 3/4" Thick	-	Combo	Nylon	Up to 3/4"
SZG4024	1-1/2"Dia. x 1"L	1-1/2"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4025	1-1/2"Dia. x 2"L	1-1/2"Dia.	For Up to 3/4" Thick	-	Combo	Nylon	Up to 3/4"

Stainless Steel 4 Piece Standoff Kits

Stainless Steel Finish



- Complete standoff kit with everything you need to install a sign or display
- Material: 316 stainless steel
- Finish: machined stainless steel
- Includes installation instructions



Kit Includes							
Item #	(4) Barrels	(4) Caps	(4) Studs for Material Thickness	(4) Studs for Material Thickness	(4) Screws	(4) Multi-Purpose Anchors	Designed for Material Thickness
SZG4026	1/2"Dia. x 1/2"L	1/2"Dia.	For 1/8" Thick	For 1/4" Thick	Wood Hanger	Nylon	1/8" or 1/4"
SZG4027	1"Dia. x 1"L	1"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"

Aluminum 4 Piece Standoff Kits

- Complete standoff kit with everything you need to install a sign or display
- Material: 6061 aluminum
- Finish: black & brass anodized
- Includes installation instructions



		Kit Includes						Designed for Material Thickness
Black Item #	Brass Item #	(4) Barrels	(4) Caps	(4) Studs for Material Thickness	(4) Studs for Material Thickness	(4) Screws	(4) Multi-Purpose Anchors	
SZG4008	-	3/8"Dia. x 1/2"L	3/8"Dia.	For 1/8" Thick	For 1/2" Thick	Wood Hanger	Nylon	1/8" or 1/2"
SZG4010	SZG4011	5/8"Dia. x 1/2"L	5/8"Dia.	For 1/4"-3/8" Thick	-	Combo	Nylon	1/4" - 3/8"
SZG4013	-	5/8"Dia. x 3/4"L	5/8"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4015	-	5/8"Dia. x 1"L	5/8"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4005	SZG4006	1"Dia. x 1/2"L	1"Dia.	For Up to 3/8" Thick	-	Combo	Nylon	Up to 3/8"
SZG4002	SZG4003	1"Dia. x 1"L	1"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"
SZG4020	-	1"Dia. x 1-1/2"L	1"Dia.	For Up to 1/2" Thick	-	Combo	Nylon	Up to 1/2"

Aluminum 4 Piece Edge Grip Kits

- Edge grips are a great solution for installing your photos, artwork or glass without having to drill into the material
- Weight capacity: 20 lbs.
- Material: 6061 aluminum
- Finish: clear anodized aluminum
- Includes installation instructions



		Kit Includes			Designed for Material Thickness
Item #	Size	(4) Edge Grips	(4) Phillip Head Screws	(4) Multi-Purpose Anchors	
SZG4028	3/4"Dia. x 1"L	3/4"Dia.	1-1/4" Length	Nylon	Up To 1/4"
SZG4029	1"Dia. x 1-1/4"L	1"Dia.	1-1/4" Length	Nylon	1/8" Up To 1/2"
SzG4030	1-1/4"Dia. x 1-1/2"L	1-1/4"Dia.	1-1/4" Length	Nylon	1/8" Up To 3/4"

Aluminum 4 Piece Panel Flush Mount Kits

- Flush mount kits are a great solution for mounting a sign, artwork or mirror flush against a wall, without having to drill into the panel
- Brushed aluminum discs attach with VHB to deter tampering
- Material: 6061 aluminum
- Finish: clear anodized aluminum
- Includes installation instructions



		Kit Includes			
Item #	(4) Panel Clips	(4) Finishing Discs	(4) Installation Screws	(8) Vinyl Shims	(4) Multi-Purpose Anchors
SZG4031	1"Dia.	Alum.	#8 x 1-1/2"L	1/16"	Nylon
SZG4032	1-1/4"Dia.	Alum.	#8 x 1-1/2"L	1/16"	Nylon

PRO Privacy Panel Standoffs



A



B



C



D



E



F

	Item #	Description	Installation	Application	Finish
A	SZB3322-BSN	Double Sided Standoff, adjustable width for panels up to 5/8" thick	Installs on the edges between two 1" thick surfaces	Mounted Between Two Desks	Brushed Nickel
B	SZB3322-GA	Double Sided Standoff, adjustable width for panels up to 5/8" thick	Installs on the edges between two 1" thick surfaces	Mounted Between Two Desks	Gray
C	SZB3321-BSN	Single Side Standoff, adjustable width for panels up to 5/8" thick	Installs on the edge of a 1" thick surface	Mounted on the Side of a Desk	Brushed Nickel
D	SZB3321-GA	Single Side Standoff, adjustable width for panels up to 5/8" thick	Installs on the edge of a 1" thick surface	Mounted on the Side of a Desk	Gray
E	SZB3320-BSN	Top/Bottom Mount Standoff, adjustable width for panels up to 5/8" thick	Installs on the top or bottom of a surface	Top or Bottom of a Desk	Brushed Nickel
F	SZB3320-GA	Top/Bottom Mount Standoff, adjustable width for panels up to 5/8" thick	Installs on the top or bottom of a surface	Top or Bottom of a Desk	Gray

L-Shaped Standoff

- Decorative standoffs with quality finishes for a sophisticated look
- Can be used to install a privacy panel
- Adjustable width for panels from 1/4" - 5/8" thick
- Can be installed up or down

PRO
VALUE SERIES


Installed up



Installed down



Brushed Nickel



Gray



Item #	Description	Finish
SZB3323-BSN	L-Shaped Standoff, adjustable width for panels from 1/4" - 5/8" thick	Brushed Nickel
SZB3323-GA	L-Shaped Standoff, adjustable width for panels from 1/4" - 5/8" thick	Gray



Round Standoff

- Decorative standoffs with quality finishes for a sophisticated look
- Can be used to install signs on the wall
- Adjustable width for panels up to 15/32" thick

PRO
VALUE SERIES

Item #	Description	Finish
SZBF311902254MC	Round Standoff, 3/4" Diameter x 1"H	Matte Chrome




Half Moon Standoff

- Decorative standoffs with quality finishes for a sophisticated look
- Can be used to install a privacy panel
- Adjustable width for panels up to 1/4" thick

PRO
VALUE SERIES

Item #	Description	Finish
SZ8910BSN-UP	Half-Moon Shaped Standoff, Top Mount	Brushed Nickel



PRO 0.8W LED Tape

- 0.8 Watt per 12", 12 V, Bulb Life: 25,000 hrs.
- 100° Beam Spread, 1 Year Warranty
- Size: 16.4' L x 3/8" W x 5/64" H (can be cut every 4")
- **Required Component:** 79" Lead Cord - sold separately below (B)
- **Required Component:** Dimmable Driver - If you are dimming from a wall dimmer sold separately below (C or D) **-OR-**
- **Required Component:** Power Supply - If you are **NOT** dimming from a wall dimmer sold separately on next page (G)




	Item #	Description
A	SZL-PT08W-3R-1	PRO 0.8W LED Tape, 16.4' Roll, 12 Volts, Warm White (3000K)
	SZL-PT08W-5R-1	PRO 0.8W LED Tape, 16.4' Roll, 12 Volts, Cool White (5000K)
⚡ Required Component - Must purchase to get power to PRO 0.8W LED Tape		
B	SZL-PTPCL-79IN-1	79" Lead Cord, Connects Tape to Power Supply



Required Component - If you are dimming from a wall dimmer.

Note: Must purchase Hardwire Power Supply with Wall Dimmer Switches.

Used to dim LED Tape with a Wall Dimmer.
Hardwire directly to a wall dimmer switch.




	Item #	Description	Tape Capacity
⚡ Required Component - If you are dimming from a wall dimmer			
C	RSL-DCE30D-CON-1	30W, 12V Dim Driver w/6 AMP Ports	37.5'
	RSL-DCE60D-CON-1	60W, 12V Dim Driver w/6 AMP Ports	75'
	SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports	
LED Wall Dimmer Switches			
D	RSLDVCL-153PH-WH1	150W, Lutron Diva® C•L™ Dimmer w/out plate	
E	RSL-CTCL-153P-WH-1	150W, Lutron Skylark Contour C•L™ Dim w/out plate	


Power Supplies



Required Component
If you are **not** dimming from a wall dimmer




Dimmer Switches



On/Off Switches




Accessories



Item #	Description	Tape Capacity
Required Component - If you are NOT dimming from a wall dimmer		
G	RSLDC-EQ30-1	30W, 12V Power Supply w/6 AMP Ports
	RSLDC-EQ60-1	60W, 12V Power Supply w/6 AMP Ports
	SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports
12V Dimmer Switches (Used with Power Supply)		
H	SZL-SQRTD-NI-1	60W, Sq. Touch Dimmer w/96" Input - 6" Output Wires
I	SZL-RNDTD-NI-1	60W, Round Touch Dimmer w/79" Input - 6" Output Wires
J	SZL-ROTDIM-BL-1	48W, Rotary Dimmer w/79" Input - 8" Output Wires
12V On/Off Switches (Used with Power Supply)		
K	SZL-RNDDS-NI-1	60W, Round Door Sensor w/79" Input - 6" Output Wires
L	SZL-RNDPS-NI-1	60W, Rnd Proximity Switch w/79" Input - 6" Output Wires
M	SZL-RNDON-BL-1	60W, Rnd On/Off Switch w/79" Input - 6" Output Wires

Accessories

Linking Wires		
N	SZL-PTCON-2IN-1	2" Linking Wire, Links Two Tapes Together
	SZL-PTCON-6IN-1	6" Linking Wire, Links Two Tapes Together
	SZL-PTCON-10IN-1	10" Linking Wire, Links Two Tapes Together
	SZL-PTCON-24IN-1	24" Linking Wire, Links Two Tapes Together
	SZL-PTCON-48IN-1	48" Linking Wire, Links Two Tapes Together
	SZL-PTCON-72IN-1	72" Linking Wire, Links Two Tapes Together
Connectors for Creating Custom Lengths of Linking Wire		
O	SZL-PTCIC-WH-1	Custom Interlink Connectors (CIC), Used to Create Custom Lengths of Linking Wire, Packed in Pairs
P	SZL-PWIRE25-RB-1	25' Roll, 18 Gauge Wire, Red/Black Color
End-To-End Connector		
Q	SZL-PTBTB-WH-1	End-To-End Connector
Extension Cords		
R	SZL-EXTCON-3IN-1	3" Extension Cord
	SZL-EXTCON-6IN-1	6" Extension Cord
	SZL-EXTCON-10IN-1	10" Extension Cord
	SZL-EXTCON-24IN-1	24" Extension Cord
	SZL-EXTCON-48IN-1	48" Extension Cord
	SZL-EXTCON-72IN-1	72" Extension Cord
	SZL-EXTCON-96IN-1	96" Extension Cord



PRO 1.5W LED Tape

- 1.5 Watts per 12", 12 V, Bulb Life: 25,000 hours
- 100° Beam Spread, 1 Year Warranty
- Size: 16.4'L x 3/8"W x 5/64"H (can be cut every 2")
- **Required Component:** 79" Lead Cord - sold separately below (B)
- **Required Component:** Dimmable Driver - If you are dimming from a wall dimmer - sold separately below (C or D) **-OR-**
- **Required Component:** Power Supply - If you are **NOT** dimming from a wall dimmer - sold separately on next page (G)




	Item #	Description
A	SZL-PT15W-3R-1	PRO 1.5W LED Tape, 16.4' Roll, 79" Lead Cord Sold Separately, Warm White (3000K)
	SZL-PT15W-5R-1	PRO 1.5W LED Tape, 16.4' Roll, 79" Lead Cord Sold Separately, Cool White (5000K)
⚡ Required Component - Must purchase to get power to PRO 1.5W LED Tape		
B	SZL-PTPCL-79IN-1	79" Lead Cord, Connects Tape to Power Supply



Required Component - If you are dimming from a wall dimmer.

Note: Must purchase Hardwire Power Supply with Wall Dimmer Switches.

Used to dim LED Tape with a Wall Dimmer.
Hardwire directly to a wall dimmer switch.




	Item #	Description	Tape Capacity
⚡ Required Component - If you are dimming from a wall dimmer			
C	RSL-DCE30D-CON-1	30W, 12V Dim Driver w/6 AMP Ports	20'
	RSL-DCE60D-CON-1	60W, 12V Dim Driver w/6 AMP Ports	40'
	SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports	
LED Wall Dimmer Switches			
D	RSLDVCL-153PH-WH1	150W, Lutron Diva® C•L™ Dimmer w/out plate	
E	RSL-CTCL-153P-WH-1	150W, Lutron Skylark Contour C•L™ Dim w/out plate	


Power Supplies



Required Component
If you are **not** dimming from a wall dimmer




Dimmer Switches



On/Off Switches




Accessories



Item #	Description	Tape Capacity
Required Component - If you are NOT dimming from a wall dimmer		
G	RSLDC-EQ30-1	30W, 12V Power Supply w/6 AMP Ports
	RSLDC-EQ60-1	60W, 12V Power Supply w/6 AMP Ports
	SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports
12V Dimmer Switches (Used with Power Supply)		
H	SZL-SQRTD-NI-1	60W, Sq. Touch Dimmer w/96" Input - 6" Output Wires
I	SZL-RNDTD-NI-1	60W, Round Touch Dimmer w/79" Input - 6" Output Wires
J	SZL-ROTDIM-BL-1	48W, Rotary Dimmer w/79" Input - 8" Output Wires
12V On/Off Switches (Used with Power Supply)		
K	SZL-RNDDS-NI-1	60W, Round Door Sensor w/79" Input - 6" Output Wires
L	SZL-RNDPS-NI-1	60W, Rnd Proximity Switch w/79" Input - 6" Output Wires
M	SZL-RNDON-BL-1	60W, Rnd On/Off Switch w/79" Input - 6" Output Wires

Accessories

Linking Wires		
N	SZL-PTCON-2IN-1	2" Linking Wire, Links Two Tapes Together
	SZL-PTCON-6IN-1	6" Linking Wire, Links Two Tapes Together
	SZL-PTCON-10IN-1	10" Linking Wire, Links Two Tapes Together
	SZL-PTCON-24IN-1	24" Linking Wire, Links Two Tapes Together
	SZL-PTCON-48IN-1	48" Linking Wire, Links Two Tapes Together
	SZL-PTCON-72IN-1	72" Linking Wire, Links Two Tapes Together
Connectors for Creating Custom Lengths of Linking Wire		
O	SZL-PTCIC-WH-1	Custom Interlink Connectors (CIC), Used to Create Custom Lengths of Linking Wire, Packed in Pairs
P	SZL-PWIRE25-RB-1	25' Roll, 18 Gauge Wire, Red/Black Color
End-To-End Connector		
Q	SZL-PTBTB-WH-1	End-To-End Connector
Extension Cords		
R	SZL-EXTCON-3IN-1	3" Extension Cord
	SZL-EXTCON-6IN-1	6" Extension Cord
	SZL-EXTCON-10IN-1	10" Extension Cord
	SZL-EXTCON-24IN-1	24" Extension Cord
	SZL-EXTCON-48IN-1	48" Extension Cord
	SZL-EXTCON-72IN-1	72" Extension Cord
	SZL-EXTCON-96IN-1	96" Extension Cord



PRO 3W LED Tape

- 3 Watts per 12", 12 Volts, Bulb Life: 25,000 hours
- 100° Beam Spread, 1 Year Warranty
- Size: 16.4'L x 3/8"W x 5/64"H (can be cut every 1")
- **Required Component:** 79" Lead Cord - sold separately below (B)
- **Required Component:** Dimmable Driver - If you are dimming from a wall dimmer - sold separately below (C or D) **-OR-**
- **Required Component:** Power Supply - If you are **NOT** dimming from a wall dimmer - sold separately on next page (G)




	Item #	Description
A	SZL-PT3W-3R-1	PRO 3W LED Tape, 16.4' Roll, 79" Lead Cord Sold Separately, Warm White (3000K)
	SZL-PT3W-5R-1	PRO 3W LED Tape, 16.4' Roll, 79" Lead Cord Sold Separately, Cool White (5000K)
⚡ Required Component - Must purchase to get power to PRO 3W LED Tape		
B	SZL-PTCL-79IN-1	79" Lead Cord, Connects Tape to Power Supply

⚡ Required Component - If you are dimming from a wall dimmer.

Note: Must purchase Hardwire Power Supply with Wall Dimmer Switches.

Used to dim LED Tape with a Wall Dimmer.
Hardwire directly to a wall dimmer switch.




	Item #	Description	Tape Capacity
⚡ Required Component - If you are dimming from a wall dimmer			
C	RSL-DCE30D-CON-1	30W, 12V Dim Driver w/6 AMP Ports	10'
	RSL-DCE60D-CON-1	60W, 12V Dim Driver w/6 AMP Ports	20'
	SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports	
LED Wall Dimmer Switches			
D	RSLDVCL-153PH-WH1	150W, Lutron Diva® C•L™ Dimmer w/out plate	
E	RSL-CTCL-153P-WH-1	150W, Lutron Skylark Contour C•L™ Dim w/out plate	


Power Supplies




Required Component
If you are **not** dimming from a wall dimmer




Dimmer Switches



On/Off Switches




Accessories



Item #	Description	Tape Capacity
Required Component - If you are NOT dimming from a wall dimmer		
G	RSLDC-EQ30-1	30W, 12V Power Supply w/6 AMP Ports
	RSLDC-EQ60-1	60W, 12V Power Supply w/6 AMP Ports
	SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports
12V Dimmer Switches (Used with Power Supply)		
H	SZL-SQRTD-NI-1	60W, Sq. Touch Dimmer w/96" Input - 6" Output Wires
I	SZL-RNDTD-NI-1	60W, Round Touch Dimmer w/79" Input - 6" Output Wires
J	SZL-ROTDIM-BL-1	48W, Rotary Dimmer w/79" Input - 8" Output Wires
12V On/Off Switches (Used with Power Supply)		
K	SZL-RNDDS-NI-1	60W, Round Door Sensor w/79" Input - 6" Output Wires
L	SZL-RNDPS-NI-1	60W, Rnd Proximity Switch w/79" Input - 6" Output Wires
M	SZL-RNDON-BL-1	60W, Rnd On/Off Switch w/79" Input - 6" Output Wires

Accessories

Linking Wires		
N	SZL-PTCON-2IN-1	2" Linking Wire, Links Two Tapes Together
	SZL-PTCON-6IN-1	6" Linking Wire, Links Two Tapes Together
	SZL-PTCON-10IN-1	10" Linking Wire, Links Two Tapes Together
	SZL-PTCON-24IN-1	24" Linking Wire, Links Two Tapes Together
	SZL-PTCON-48IN-1	48" Linking Wire, Links Two Tapes Together
	SZL-PTCON-72IN-1	72" Linking Wire, Links Two Tapes Together
Connectors for Creating Custom Lengths of Linking Wire		
O	SZL-PTCIC-WH-1	Custom Interlink Connectors (CIC), Used to Create Custom Lengths of Linking Wire, Packed in Pairs
P	SZL-PWIRE25-RB-1	25' Roll, 18 Gauge Wire, Red/Black Color
End-To-End Connector		
Q	SZL-PTBTB-WH-1	End-To-End Connector
Extension Cords		
R	SZL-EXTCON-3IN-1	3" Extension Cord
	SZL-EXTCON-6IN-1	6" Extension Cord
	SZL-EXTCON-10IN-1	10" Extension Cord
	SZL-EXTCON-24IN-1	24" Extension Cord
	SZL-EXTCON-48IN-1	48" Extension Cord
	SZL-EXTCON-72IN-1	72" Extension Cord
	SZL-EXTCON-96IN-1	96" Extension Cord



PRO 1.5W LED Splash Proof Tape

- 1.5 Watts per 12", 12 Volts, Bulb Life: 25,000 hours
- 100° Beam Spread, 1 Year Warranty
- Size: 16.4'L x 3/8"W x 5/64"H (can be cut every 2")
- **Required Component:** 79" Lead Cord - sold separately below (B)
- **Required Component:** Dimmable Driver - If you are dimming from a wall dimmer - sold separately below (C or D) **-OR-**
- **Required Component:** Power Supply - If you are **NOT** dimming from a wall dimmer - sold separately on next page (G)





PRO 1.5W LED Splash Proof Tape Accessories listed on following page ►

Item #	Description
A	SZL-PT15W-SP-3R-1 Splash Proof Tape (Clear Plastic Covering over the Tape), 16.4' Roll, Warm White (3000K)
	SZL-PT15W-SP-5R-1 Splash Proof Tape (Clear Plastic Covering over the Tape), 16.4' Roll, Cool White (5000K)
Required Component - Must purchase to get power to PRO 1.5W LED Splash Proof Tape	
B	SZL-PTPCL-79IN-1 79" Lead Cord, Connects Tape to Power Supply

Required Component - If you are dimming from a wall dimmer.

Note: Must purchase Hardwire Power Supply with Wall Dimmer Switches.

Used to dim LED Tape with a Wall Dimmer.
Hardwire directly to a wall dimmer switch.




Item #	Description	Tape Capacity
Required Component - If you are dimming from a wall dimmer		
C	RSL-DCE30D-CON-1 30W, 12V Dim Driver w/6 AMP Ports	20'
	RSL-DCE60D-CON-1 60W, 12V Dim Driver w/6 AMP Ports	40'
	SZL-PROMNTBL-1 Additional Terminal Block with 6 AMP Ports	
LED Wall Dimmer Switches		
D	RSLDVCL-153PH-WH-1 150W, Lutron Diva® C • L™ Dimmer w/out plate	
E	RSL-CTCL-153P-WH-1 150W, Lutron Skylark Contour C • L™ Dim w/out plate	

Power Supplies




Required Component


If you are **not** dimming from a wall dimmer




Dimmer Switches



On/Off Switches



Accessories




Item #	Description	Tape Capacity
Required Component - If you are NOT dimming from a wall dimmer		
G	RSLDC-EQ30-1	30W, 12V Power Supply w/6 AMP Ports
	RSLDC-EQ60-1	60W, 12V Power Supply w/6 AMP Ports
	SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports
12V Dimmer Switches (Used with Power Supply)		
H	SZL-SQRTD-NI-1	60W, Sq. Touch Dimmer w/96" Input - 6" Output Wires
I	SZL-RNDTD-NI-1	60W, Round Touch Dimmer w/79" Input - 6" Output Wires
J	SZL-ROTDIM-BL-1	48W, Rotary Dimmer w/79" Input - 8" Output Wires
12V On/Off Switches (Used with Power Supply)		
K	SZL-RNDDS-NI-1	60W, Round Door Sensor w/79" Input - 6" Output Wires
L	SZL-RNDPS-NI-1	60W, Rnd Proximity Switch w/79" Input - 6" Output Wires
M	SZL-RNDON-BL-1	60W, Rnd On/Off Switch w/79" Input - 6" Output Wires

Accessories



Linking Wires		
N	SZL-PTCON-2IN-1	2" Linking Wire, Links Two Tapes Together
	SZL-PTCON-6IN-1	6" Linking Wire, Links Two Tapes Together
	SZL-PTCON-10IN-1	10" Linking Wire, Links Two Tapes Together
	SZL-PTCON-24IN-1	24" Linking Wire, Links Two Tapes Together
	SZL-PTCON-48IN-1	48" Linking Wire, Links Two Tapes Together
	SZL-PTCON-72IN-1	72" Linking Wire, Links Two Tapes Together
Connectors for Creating Custom Lengths of Linking Wire		
O	SZL-PTCIC-WH-1	Custom Interlink Connectors (CIC), Used to Create Custom Lengths of Linking Wire, Packed in Pairs
P	SZL-PWIRE25-RB-1	25' Roll, 18 Gauge Wire, Red/Black Color
End-To-End Connector		
Q	SZL-PTBTB-WH-1	End-To-End Connector
Extension Cords		
R	SZL-EXTCON-3IN-1	3" Extension Cord
	SZL-EXTCON-6IN-1	6" Extension Cord
	SZL-EXTCON-10IN-1	10" Extension Cord
	SZL-EXTCON-24IN-1	24" Extension Cord
	SZL-EXTCON-48IN-1	48" Extension Cord
	SZL-EXTCON-72IN-1	72" Extension Cord
	SZL-EXTCON-96IN-1	96" Extension Cord

PRO 1.5W LED Stick

- 1.5 Watts, 12 Volts, Bulb Life: 25,000 hours
- Each 1.5W LED Stick includes a 79" Lead Cord and Install Brackets
- 90° Beam Spread, 1 Year Warranty
- **Required Component:** Dimmable Driver - If you are dimming from a wall dimmer - sold separately below (B or C) **-OR-**
- **Required Component:** Power Supply - If you are **NOT** dimming from a wall dimmer - sold separately below (F)

PRO
VALUE SERIES


Item #	Description
A	SZL-11SK15W-3PL-1 PRO 1.5W LED Stick, 11"L, Includes 79" Lead Cord and Install Brackets, 12 Volts, Warm White (3000K)
	SZL-11SK15W-5PL-1 PRO 1.5W LED Stick, 11"L, Includes 79" Lead Cord and Install Brackets, 12 Volts, Cool White (5000K)



Item #	Description	Stick Capacity
Required Component - If you are dimming from a wall dimmer		
B	RSL-DCE30D-CON-1 30W, 12V Dim Driver w/6 AMP Ports	20'
	RSL-DCE60D-CON-1 60W, 12V Dim Driver w/6 AMP Ports	40'
	SZL-PROMNTBL-1 Additional Terminal Block with 6 AMP Ports	
LED Wall Dimmers used with Dimmable Drivers		
C	RSLDVCL-153PH-WH-1 150W, Lutron Diva® C•L™ Dimmer without plate	
D	RSL-CTCL-153P-WH-1 150W, Lutron Skylark Contour C•L™ Dim without plate	
Required Component - If you are NOT dimming from a wall dimmer		
E	RSLDC-EQ30-1 30W, 12V Power Supply w/6 AMP Ports	20'
	RSLDC-EQ60-1 60W, 12V Power Supply w/6 AMP Ports	40'
	SZL-PROMNTBL-1 Additional Terminal Block with 6 AMP Ports	
12V Dimmer Switches & On/Off Switches (Used with Power Supplies)		
F	SZL-SQRTD-NI-1 60W, Sq. Touch Dimmer w/96" Input - 6" Output Wires	
G	SZL-RNDTD-NI-1 60W, Round Touch Dimmer w/79" Input - 6" Output Wires	
	SZL-RNDPS-NI-1 60W, Rnd Proximity Switch w/79" Input - 6" Output Wires	
	SZL-RNDDS-NI-1 60W, Round Door Sensor w/79" Input - 6" Output Wires	
H	SZL-ROTDIM-BL-1 48W, Rotary Dimmer w/79" Input - 8" Output Wires	
I	SZL-RNDON-BL-1 60W, Rnd On/Off Switch w/79" Input - 6" Output Wires	

Linking Wires (Links 2 Sticks Together)	
Item #	Size
J	SZL-SKLNK-2IN-1 2"
	SZL-SKLNK-6IN-1 6"
	SZL-SKLNK-10IN-1 10"
	SZL-SKLNK-24IN-1 24"
	SZL-SKLNK-48IN-1 48"
	SZL-SKLNK-72IN-1 72"
	SZL-SKLNK-96IN-1 96"



Extension Cords	
Item #	Size
K	SZL-EXTCON-3IN-1 3"
	SZL-EXTCON-6IN-1 6"
	SZL-EXTCON-10IN-1 10"
	SZL-EXTCON-24IN-1 24"
	SZL-EXTCON-48IN-1 48"
	SZL-EXTCON-72IN-1 72"
	SZL-EXTCON-96IN-1 96"

PRO 3W LED Stick

- 3 Watts, 12 Volts, Bulb Life: 25,000 hours
- Each 3W LED Stick includes a 79" Lead Cord and Install Brackets
- 90° Beam Spread, 1 Year Warranty
- **Required Component:** Dimmable Driver - If you are dimming from a wall dimmer - sold separately below (B or C) **-OR-**
- **Required Component:** Power Supply - If you are **NOT** dimming from a wall dimmer - sold separately below (F)


PRO
VALUE SERIES


Item #	Description
A SZL-11SK3W-3PL-1	PRO 3W LED Stick, 11"L, Includes 79" Lead Cord and Install Brackets, 12 Volts, Warm White (3000K)
A SZL-11SK3W-5PL-1	PRO 3W LED Stick, 11"L, Includes 79" Lead Cord and Install Brackets, 12 Volts, Cool White (5000K)



Item #	Description	Stick Capacity
Required Component - If you are dimming from a wall dimmer		
B RSL-DCE30D-CON-1	30W, 12V Dim Driver w/6 AMP Ports	10'
RSL-DCE60D-CON-1	60W, 12V Dim Driver w/6 AMP Ports	40'
SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports	
LED Wall Dimmers used with Dimmable Drivers		
C RSLDVCL-153PH-WH-1	150W, Lutron Diva® C•L™ Dimmer without plate	
D RSL-CTCL-153P-WH-1	150W, Lutron Skylark Contour C•L™ Dim without plate	
Required Component - If you are NOT dimming from a wall dimmer		
E RSLDC-EQ30-1	30W, 12V Power Supply w/6 AMP Ports	10'
RSLDC-EQ60-1	60W, 12V Power Supply w/6 AMP Ports	20'
SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports	
12V Dimmer Switches & On/Off Switches (Used with Power Supplies)		
F SZL-SQRTD-NI-1	60W, Sq. Touch Dimmer w/96" Input - 6" Output Wires	
SZL-RNDTD-NI-1	60W, Round Touch Dimmer w/79" Input - 6" Output Wires	
G SZL-RNDPS-NI-1	60W, Rnd Proximity Switch w/79" Input - 6" Output Wires	
SZL-RNDDS-NI-1	60W, Round Door Sensor w/79" Input - 6" Output Wires	
H SZL-ROTDIM-BL-1	48W, Rotary Dimmer w/79" Input - 8" Output Wires	
I SZL-RNDON-BL-1	60W, Rnd On/Off Switch w/79" Input - 6" Output Wires	

Linking Wires (Links 2 Sticks Together)	
Item #	Size
J SZL-SKLNK-2IN-1	2"
SZL-SKLNK-6IN-1	6"
SZL-SKLNK-10IN-1	10"
SZL-SKLNK-24IN-1	24"
SZL-SKLNK-48IN-1	48"
SZL-SKLNK-72IN-1	72"
SZL-SKLNK-96IN-1	96"

Extension Cords	
Item #	Size
K SZL-EXTCON-3IN-1	3"
SZL-EXTCON-6IN-1	6"
SZL-EXTCON-10IN-1	10"
SZL-EXTCON-24IN-1	24"
SZL-EXTCON-48IN-1	48"
SZL-EXTCON-72IN-1	72"
SZL-EXTCON-96IN-1	96"

PRO 2W LED Puck

- 2 Watts, 12 Volts, Bulb Life: 25,000 hours
- Size: 2-1/4" Diameter Bore Hole x 1/2" Height
- 53° Beam Spread, 1 Year Warranty




• **Required Component:** Dimmable Driver - If dimming from a wall dimmer - sold separately below (B or C) **-OR-**

• **Required Component:** Power Supply - If you are **NOT** dimming from a wall dimmer - sold separately below (F)

Includes attached 79" Connecting Cable


PRO
VALUE SERIES


	Item #	Description
A	SZL-PK2W-3NI-1	PRO 2W LED Puck w/ 79" cord, 12 Volts, Recess Mount, Warm White (3000K), Nickel Finish
	SZL-PK2W-5NI-1	PRO 2W LED Puck w/ 79" cord, 12 Volts, Recess Mount, Cool White (5000K), Nickel Finish



	Item #	Description	Puck Capacity
Required Component - If you are dimming from a wall dimmer			
B	RSL-DCE30D-CON-1	30W, 12V Dim Driver w/6 AMP Ports	15
	RSL-DCE60D-CON-1	60W, 12V Dim Driver w/6 AMP Ports	30
	SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports	

LED Wall Dimmers used with Dimmable Drivers

C	RSLDVCL-153PH-WH-1	150W, Lutron Diva® C • L™ Dimmer without plate
D	RSL-CTCL-153P-WH-1	150W, Lutron Skylark Contour C • L™ Dim without plate

Required Component - If you are NOT dimming from a wall dimmer

E	RSLDC-EQ30-1	30W, 12V Power Supply w/6 AMP Ports	15
	RSLDC-EQ60-1	60W, 12V Power Supply w/6 AMP Ports	30
	SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports	

12V Dimmer Switches & On/Off Switches (Used with Power Supplies)

F	SZL-SQRTD-NI-1	60W, Sq. Touch Dimmer w/96" Input - 6" Output Wires
G	SZL-RNDTD-NI-1	60W, Round Touch Dimmer w/79" Input - 6" Output Wires
	SZL-RNDPS-NI-1	60W, Rnd Proximity Switch w/79" Input - 6" Output Wires
	SZL-RNDDS-NI-1	60W, Round Door Sensor w/79" Input - 6" Output Wires
H	SZL-ROTDIM-BL-1	48W, Rotary Dimmer w/79" Input - 8" Output Wires
I	SZL-RNDON-BL-1	60W, Rnd On/Off Switch w/79" Input - 6" Output Wires

Surface Mount Ring

	Item #	Description
J	SZL-PKSMR-NI-1	PRO LED Puck Surface Mount Ring, Nickel Finish

Extension Cords

	Item #	Size	Item #	Size
K	SZL-EXTCON-3IN-1	3"	SZL-EXTCON-48IN-1	48"
	SZL-EXTCON-6IN-1	6"	SZL-EXTCON-72IN-1	72"
	SZL-EXTCON-10IN-1	10"	SZL-EXTCON-96IN-1	96"
	SZL-EXTCON-24IN-1	24"		


PRO 3W LED Puck

- 3 Watts, 12 Volts, Bulb Life: 25,000 hours
- Size: 2-1/4" Diameter Bore Hole x 7/16" Height
- 100° Beam Spread, 1 Year Warranty
- **Required Component:** Dimmable Driver - If dimming from a wall dimmer - sold separately below (C or D) **-OR-**
- **Required Component:** Power Supply - If you are **NOT** dimming from a wall dimmer - sold separately below
- (G) Includes attached 79" Connecting Cable, Frosted Lens, Recess Mount



Item #	Description
A	SZL-PK3W-3NI-1 Warm White (3000K), Nickel Finish
	SZL-PK3W-5NI-1 Cool White (5000K), Nickel Finish

Item #	Description
B	SZL-PK3W-3BL-1 Warm White (3000K), Black Finish
	SZL-PK3W-5BL-1 Cool White (5000K), Black Finish




Item #	Description	Puck Capacity
Required Component - If you are dimming from a wall dimmer		
B	RSL-DCE30D-CON-1 30W, 12V Dim Driver w/6 AMP Ports	10
	RSL-DCE60D-CON-1 60W, 12V Dim Driver w/6 AMP Ports	30
	SZL-PROMNTBL-1 Additional Terminal Block with 6 AMP Ports	
LED Wall Dimmers used with Dimmable Drivers		
C	RSLDVCL-153PH-WH-1 150W, Lutron Diva® C•L™ Dimmer without plate	
D	RSL-CTCL-153P-WH-1 150W, Lutron Skylark Contour C•L™ Dim without plate	
Required Component - If you are NOT dimming from a wall dimmer		
E	RSLDC-EQ30-1 30W, 12V Power Supply w/6 AMP Ports	10
	RSLDC-EQ60-1 60W, 12V Power Supply w/6 AMP Ports	20
	SZL-PROMNTBL-1 Additional Terminal Block with 6 AMP Ports	
12V Dimmer Switches & On/Off Switches (Used with Power Supplies)		
F	SZL-SQRTD-NI-1 60W, Sq. Touch Dimmer w/96" Input - 6" Output Wires	
	SZL-RNDTD-NI-1 60W, Round Touch Dimmer w/79" Input - 6" Output Wires	
G	SZL-RNDPS-NI-1 60W, Rnd Proximity Switch w/79" Input - 6" Output Wires	
	SZL-RNDDS-NI-1 60W, Round Door Sensor w/79" Input - 6" Output Wires	
H	SZL-ROTDIM-BL-1 48W, Rotary Dimmer w/79" Input - 8" Output Wires	
I	SZL-RNDON-BL-1 60W, Rnd On/Off Switch w/79" Input - 6" Output Wires	

Surface Mount Ring	
Item #	Description
J	SZL-PKSMR-NI-1 PRO LED Puck Surface Mount Ring, Nickel Finish
K	SZL-PKSMR-BL-1 PRO LED Puck Surface Mount Ring, Black Finish

Extension Cords			
Item #	Size	Item #	Size
L	SZL-EXTCON-3IN-1 3"	SZL-EXTCON-48IN-1 48"	
	SZL-EXTCON-6IN-1 6"	SZL-EXTCON-72IN-1 72"	
	SZL-EXTCON-10IN-1 10"	SZL-EXTCON-96IN-1 96"	
	SZL-EXTCON-24IN-1 24"		

Power Supplies


- Installs by plugging the Power Supply into an outlet
- Dimmable on the trailing edge (12V side), Class 2
- Short circuit protection (automatic reset, no fuses)
- 12V DC output, constant voltage, overcurrent protection, overload protection, RFI protection



Item #	Description
RSLDC-EQ30-1	30 Watts/12 Volts Power Supply, Includes Terminal Block with 6 AMP Ports (Terminal Block has 6" cord) and 72" Plug-In Power Cord, Size of Power Supply: 6-1/8" L X 2-1/8" W X 13/16" H
RSLDC-EQ60-1	60 Watts/12 Volts Power Supply, Includes Terminal Block with 6 AMP Ports (Terminal Block has 6" cord) and 72" Plug-In Power Cord, Size of Power Supply: 7" L X 2-3/8" W X 15/16" H

Round Switches

Nickel Finish



Item #	Description
A SZL-RNDTD-NI-1	60W, 12V Round Touch Dimmer w/79" Input - 6" Output Wires, Touch On/Off and 0-100% dimming control, Size: 17/32" Bore Hole Dia. x 2-3/8" L, Includes: Install Bracket and Screws
B SZL-RNDPS-NI-1	60W, 12V Round Proximity Switch w/79" Input - 6" Output Wires, Swipe Hand Across (2" Range) to turn On/Off, Size: 17/32" Bore Hole Dia. x 2-3/8" L, Includes: Install Bracket and Screws
C SZL-RNDDS-NI-1	60W, 12V Round Door Sensor w/79" Input - 6" Output Wires, Open Door Light is On, Close Door Light is Off (2" Range), Size: 17/32" Bore Hole Dia. x 2-3/8" L, Includes: Install Bracket and Screws



Square Dimmer Switch

Item #	Description
SZL-SQRTD-NI-1	60W, 12V Sq. Touch Dimmer with 96" Input / 6" Output Wires, Touch On/Off and 0-100% dimming control Size: 1-9/16" L x 1-1/4" W x 3/8" H, Nickel Finish



Rotary Dimmer Switch

Item #	Description
SZL-ROTDIM-BL-1	48W, 12V Rotary Dimmer with 79" Input / 8" Output Wires, On/Off and 0-100% dimming control Size: 2-1/2" L x 1-1/4" W x 1-5/16" H, Black Finish



Round On/Off Switch

Item #	Description
SZL-RNDON-BL-1	60W, 12V Round On/Off Rocker Switch w/79" Input - 6" Output Wires, Size: 3/4" Dia. Bore Hole x 5/8" Depth

Wall Dimmable LED Power Supply


- Dimmable by standard LED wall dimmers
- Electronic units are lower profile and generate less heat than magnetic transformers
- Quiet operation (no humming)
- Works with all PRO 12VDC dimmable LED fixtures
- One 6-Snap Mounting Block included
- 10% minimum load requirement
- Flicker free
- cULus Listed Class 2
- Install Instructions: Input cord is NOT included, remove cover on input side and insert 120V directly into the unit (see below drawing)



Compatible PRO Wall Dimmers
(page 64)




Item #	Description
RSL-DCE30D-CON-1	30W Wall Dimmable Hardwire Power Supply with 6 AMP Ports
RSL-DCE60D-CON-1	60W Wall Dimmable Hardwire Power Supply with 6 AMP Ports



Safety Instructions:

- The hardwired installation of the Power Supply should only be performed by a qualified electrician.
- Only install the Wall Dimmer on the input (line voltage) side of the Power Supply.
- **Do not add a plug-in to input wires and attempt to dim a receptacle.**
- Do not attempt to ground this unit. It is double-insulated.
- Not intended to be used in wet locations or outdoor areas.
- Not intended for recessed installation in ceilings or soffits.
- If any modification is made to the Power Supply, it will invalidate the warranty and may render the product unsafe.

LED DC Power Supply (60W)
L-DCE60D-CON



120V LED Wall Dimmers



Lutron Diva® C • L™ Dimmer

- Large paddle switch with a captive linear-slide dimmer for a standard designer wallplate opening
- Preset dimmer
- Offers more reliable dimming performance over standard dimmers
- HED™ technology with advanced dimming circuitry designed for compatibility with most high-efficiency light bulbs
- Low-end adjustment dial
- 150W Capacity

Lutron Skylark Contour C • L™ Dimmer

- On/off rocker switch with a captive linear-slide dimmer for a standard designer wallplate opening
- Switch returns light to preset light level
- Offers more reliable dimming performance over standard dimmers
- HED™ technology with advanced dimming circuitry designed for compatibility with most high-efficiency light bulbs
- Low-end adjustment dial
- 150W Capacity

Lutron Diva® C • L™ Dimmer




Lutron Skylark Contour C • L™ Dimmer




Compatible with 12VDC Hardwire Power Supplies. (See page 63)

Item #	Description
RSLDVCL-153PH-WH1	Lutron Diva® C • L™ Dimmer w/out plate
RSL-CTCL-153P-WH-1	Lutron Skylark Contour C • L™ Dimmer w/out plate



Additional Terminal Block

Item #	Description
SZL-PROMNTBL-1	Additional Terminal Block with 6 AMP Ports



Extension Cords

Item #	Description
SZL-EXTCON-3IN-1	3" For Power Supplies, Lead Cords & Switches
SZL-EXTCON-6IN-1	6" For Power Supplies, Lead Cords & Switches
SZL-EXTCON-10IN-1	10" For Power Supplies, Lead Cords & Switches
SZL-EXTCON-24IN-1	24" For Power Supplies, Lead Cords & Switches
SZL-EXTCON-48IN-1	48" For Power Supplies, Lead Cords & Switches
SZL-EXTCON-72IN-1	72" For Power Supplies, Lead Cords & Switches
SZL-EXTCON-96IN-1	96" For Power Supplies, Lead Cords & Switches

Wood Waste Bin Pull-Outs



Single Waste Bin Pull-Out



Double Waste Bin Pull-Out

Bottom Mount Waste Bin Pull-Out w/Soft-Close & Wood Carriage

- Soft-close undermount slides
 - Weight rating: 100 Lbs. static / 75 Lbs. dynamic
 - Exceeds BHMA requirements of 50,000 cycles
 - Patented slide strap "step" to clear face frame
 - 4 screw installation
 - Solid maple top frame & plywood box
 - Dovetail construction
 - Single units: additional storage space for trash bags
 - Door mount bracket adjustments provide 4.55" of adjustability
- **Single kit includes:**
 - (1) wood carriage w/soft-close slides,
 - (2) door mount brackets & (1) waste bin
 - **Double kit includes:**
 - (1) wood carriage w/soft-close slides,
 - (2) door mount brackets & (2) waste bins

Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Base Cabinet Size	Height	Depth
Single Wood Waste Bin Pull-Out w/Soft-Close Slides						
SZWVB135WH	35 Qt.	11.5"W	11.75"W	15"W	19.64"	21.54"
SZWVB150WH	50 Qt.	11.5"W	11.75"W	15"W	23.54"	21.54"
Double Wood Waste Bin Pull-Out w/Soft-Close Slides						
SZWVB235WH	35 Qt.	14.5"W	14.75"W	18"W	19.64"	21.54"
SZWVB250WH	50 Qt.	15"W	15"W	18"W	23.54"	21.54"

Würth/Vauth-Sagel Kitchen Accessories Program




Würth and Vauth-Sagel have partnered to create a premium line of kitchen accessories. The very essence of the product line can be summed up in one phrase, "German craftsmanship with American inspiration."

3 Types of Baskets in the Program




Planero® (PL)

- Solid steel rim wraps the outside of the basket
- A rubber insert lines the inside gap between the rim and the bottom of the basket
- Steel rim is offered in the Carbon Steel Gray finish
- Bottom of the basket is offered in Carbon Steel Gray and Walnut finishes



Scalea (SC)

- Thick wire wraps the outside of the basket
- Wire rim is offered in the Carbon Steel Gray finish
- Bottom of the basket is offered in Carbon Steel Gray, Walnut and Maple finishes



Saphir (SA)

- Thick wire wraps the outside of the basket
- Bottom of the basket is made of a wire mesh
- Wire rim is offered in the Carbon Steel Gray finish
- Bottom of the basket is offered in the Carbon Steel Gray finish

How To Read Part Numbers:

Example: Cornerstone Maxx Planero, 15", Right, Carbon Steel Gray Finish (Part# WWCMAXXPL15RCSG)

Always Starts with "WW"	Abbreviated Product Name	Basket Type: (PL) Planero (SC) Scalea (SA) Saphir	Size	Bottom Basket/Tray Finish: (CSG) Carbon Steel Gray (WNT) Walnut (MPL) Maple
WW	CMAXX	PL	15R	CSG

Definition of Terms



PAM Power Assisted Movement

- PAM is a mechanism that assists with the opening of an organizer in the pull-out direction




Unhanded Installation

- A product with Unhanded Installation can be installed on either the left or right side of the interior of a cabinet



3D Adjustment

- A product with 3D Adjustment can adjust a cabinet door up/down, left/right, and in/out



Installation Template

- All products include an installation template for quick and easy installation.
- The templates eliminates the need for measuring



EasyFit

- The products with EasyFit allow you to attach the cabinet door without tools

CUSTOMIZABLE PANELS FOR VS ENVI® BMT PLANERO®

VS ENVI® BMT Planero® Waste Container Pull-Outs are designed with the option of customizing its side panels


Add your Custom Made Panels to the ENVI BMT Planero Waste Container Pull-Out and turn the Pull-Out into the signature piece of a kitchen.



3 Easy Steps to Customized Panels

1. Side panels can be made of solid wood, melamine, or laminate panels
2. Cut your side panel to the size:
Panel Size: Inch (mm): 21.85"(555)W x 7.60"(193)D x 0.31"(8)Thick
Dimension of Groove Deep = 0.31"(8)Deep x 0.09"(2.2)Groove Width
3. Slide the side panel into your unit for a customized look

Groove Dimensions



Base Cabinet Waste Container Pull-Outs



VS ENVI BMT Planero, Carbon Steel Gray



VS ENVI BMT Planero, Walnut



VS ENVI BMT Planero, Maple



VS ENVI BMT Saphir, Carbon Steel Gray



VS ENVI BMT Saphir, Carbon Steel Gray



VS ENVI BMT Saphir, Platinum



VS ENVI Space XX, Carbon Steel Gray



VS ENVI Space XX, Carbon Steel Gray



VS ENVI Space XX, Carbon Steel Gray

VS ENVI® BMT



Planero® Bottom Mount Waste Container Pull-Outs w/Soft-Close, Single Bin

- Available in 35QT & 50QT
- Cam Adjustable Door Mount System
- Carbon Steel Gray Finish
- **Kit Includes:**
 - (1) Planero® Carriage w/Soft-Close
 - (1) Waste Bin
 - (1) Mini Storage Bin
- Sold in Kits



Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish
WWENVIBMTPL135CSG	35QT	12"W	13"W	15" Base	11.26"W x 22.09"D x 19.30"H	Carbon Steel Gray
WWENVIBMTPL150CSG	50QT	12"W	13"W	15" Base	11.26"W x 22.09"D x 23.23"H	Carbon Steel Gray

VS ENVI® BMT



Planero® Bottom Mount Waste Container Pull-Outs w/Soft-Close, Double Bins

- Available in 35QT & 50QT
- Cam Adjustable Door Mount System
- Carbon Steel Gray Finish
- **Kit Includes:**
 - (1) Planero® Carriage w/Soft-Close
 - (2) Waste Bins
- Sold in Kits



Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish
WWENVIBMTPL235CSG	35QT	15"W	16"W	18" Base	14.29"W x 22.09"D x 19.30"H	Carbon Steel Gray
WWENVIBMTPL250CSG	50QT	15"W	16"W	18" Base	14.29"W x 22.09"D x 23.23"H	Carbon Steel Gray

VS ENVI® BMT, Platinum Line

Planero® Bottom Mount Waste Container Pull-Outs w/Soft-Close, Single Bin

- Available in 35QT & 50QT
- Cam Adjustable Door Mount System
- Platinum
- **Kit Includes:**
 - (1) Planero® Carriage w/Soft-Close
 - (1) Waste Bin
 - (1) Mini Storage Bin
- Sold in Kits



Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish
WWENVIBMTPL135PLT	35QT	12"W	13"W	15" Base	11.26"W x 22.09"D x 19.30"H	Platinum
WWENVIBMTPL150PLT	50QT	12"W	13"W	15" Base	11.26"W x 22.09"D x 23.23"H	Platinum

VS ENVI® BMT, Platinum Line

Planero® Bottom Mount Waste Container Pull-Outs w/Soft-Close, Double Bins

- Available in 35QT & 50QT
- Cam Adjustable Door Mount System
- Platinum
- **Kit Includes:**
 - (1) Planero® Carriage w/Soft-Close
 - (2) Waste Bins
- Sold in Kits



Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish
WWENVIBMTPL235PLT	35QT	15"W	16"W	18" Base	14.29"W x 22.09"D x 19.30"H	Platinum
WWENVIBMTPL250PLT	50QT	15"W	16"W	18" Base	14.29"W x 22.09"D x 23.23"H	Platinum

VS ENVI® BMT



Planero® Bottom Mount Waste Pull-Outs w/Soft-Close, Single Bin & Side Panels

- Available in 35QT & 50QT
- Cam Adjustable Door Mount System
- Carbon Steel Gray Finish with either Maple or Walnut Side Panels
- **Kit Includes:**
 - (1) Planero Carriage w/Soft-Close
 - (1) Waste Bin
 - (1) Mini Storage Bin
 - (2) Side Panels
- Sold in Kits



Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish	Side Panel Finish
WWENVBMTPL135MPL	35QT	12"W	13"W	15" Base	11.26"W x 22.09"D x 19.30"H	Carbon Steel Gray	Maple
WWENVBMTPL135WNT	35QT	12"W	13"W	15" Base	11.26"W x 22.09"D x 19.30"H	Carbon Steel Gray	Walnut
WWENVBMTPL150MPL	50QT	12"W	13"W	15" Base	11.26"W x 22.09"D x 23.23"H	Carbon Steel Gray	Maple
WWENVBMTPL150WNT	50QT	12"W	13"W	15" Base	11.26"W x 22.09"D x 23.23"H	Carbon Steel Gray	Walnut

VS ENVI® BMT



Planero® Bottom Mount Waste Pull-Outs w/Soft-Close, Double Bins & Side Panels

- Available in 35QT & 50QT
- Cam Adjustable Door Mount System
- Carbon Steel Gray Finish with either Maple or Walnut Side Panels
- **Kit Includes:**
 - (1) Planero Carriage w/Soft-Close
 - (2) Waste Bins
 - (2) Side Panels
- Sold in Kits



Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish	Side Panel Finish
WWENVBMTPL235MPL	35QT	15"W	16"W	18" Base	14.29"W x 22.09"D x 19.30"H	Carbon Steel Gray	Maple
WWENVBMTPL235WNT	35QT	15"W	16"W	18" Base	14.29"W x 22.09"D x 19.30"H	Carbon Steel Gray	Walnut
WWENVBMTPL250MPL	50QT	15"W	16"W	18" Base	14.29"W x 22.09"D x 23.23"H	Carbon Steel Gray	Maple
WWENVBMTPL250WNT	50QT	15"W	16"W	18" Base	14.29"W x 22.09"D x 23.23"H	Carbon Steel Gray	Walnut

VS ENVI® BMT, Platinum Line

**Planero® Bottom Mount Waste Pull-Outs
w/Soft-Close, Single Bin & Side Panels**

- Available in 35QT & 50QT
- Cam Adjustable Door Mount System
- Platinum with Maple Side Panels
- **Kit Includes:**
 - (1) Planero® Carriage w/Soft-Close
 - (1) Waste Bin
 - (1) Mini Storage Bin
 - (2) Side Panels
- Sold in Kits



Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish	Side Panel Finish
WWENVIBMTPL135P-M	35QT	12"W	13"W	15" Base	11.26"W x 22.09"D x 19.30"H	Platinum	Maple
WWENVIBMTPL150P-M	50QT	12"W	13"W	15" Base	11.26"W x 22.09"D x 23.23"H	Platinum	Maple

VS ENVI® BMT, Platinum Line

**Planero® Bottom Mount Waste Pull-Outs
w/Soft-Close, Double Bins & Side Panels**

- Available in 35QT & 50QT
- Cam Adjustable Door Mount System
- Platinum with Maple Side Panels
- **Kit Includes:**
 - (1) Planero® Carriage w/Soft-Close
 - (2) Waste Bins
 - (2) Side Panels
- Sold in Kits




Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish	Side Panel Finish
WWENVIBMTPL235P-M	35QT	15"W	16"W	18" Base	14.29"W x 22.09"D x 19.30"H	Platinum	Maple
WWENVIBMTPL250P-M	50QT	15"W	16"W	18" Base	14.29"W x 22.09"D x 23.23"H	Platinum	Maple

VS ENVI® BMT



Saphir Bottom Mount Waste Container Pull-Outs w/Soft-Close, Single Bin

- Available in 35QT & 50QT
- Adjustable Door Mount System
- Carbon Steel Gray Finish
- **Kit Includes:**
 - (1) Saphir Carriage w/Soft-Close
 - (1) Waste Bin
 - (1) Mini Storage Bin
- Sold in Kits



Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish
WWENVIBMTSA135CSG	35QT	12"W	13"W	15" Base	11.26"W x 21.97"D x 19.30"H	Carbon Steel Gray
WWENVIBMTSA150CSG	50QT	12"W	13"W	15" Base	11.26"W x 21.97"D x 23.23"H	Carbon Steel Gray

VS ENVI® BMT



Saphir Bottom Mount Waste Container Pull-Outs w/Soft-Close, Double Bins

- Available in 35QT & 50QT
- Adjustable Door Mount System
- Carbon Steel Gray Finish
- **Kit Includes:**
 - (1) Saphir Carriage w/Soft-Close
 - (2) Waste Bins
- Sold in Kits



Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish
WWENVIBMTSA235CSG	35QT	15"W	16"W	18" Base	14.29"W x 21.97"D x 19.30"H	Carbon Steel Gray
WWENVIBMTSA250CSG	50QT	15"W	16"W	18" Base	14.29"W x 21.97"D x 23.23"H	Carbon Steel Gray

VS ENVI® BMT, Platinum Line

Saphir Bottom Mount Waste Container Pull-Outs w/Soft-Close, Single Bin

- Available in 35QT & 50QT
- Adjustable Door Mount System
- Platinum Finish
- **Kit Includes:**
 - (1) Saphir® Carriage w/Soft-Close
 - (1) Waste Bin
 - (1) Mini Storage Bin
- Sold in Kits



Item #	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish
WWENVIBMTSA135PLT	35QT	12"W	13"W	15" Base	11.26"W x 21.97"D x 19.30"H	Platinum
WWENVIBMTSA150PLT	50QT	12"W	13"W	15" Base	11.26"W x 21.97"D x 23.23"H	Platinum

VS ENVI® BMT, Platinum Line

Saphir Bottom Mount Waste Container Pull-Outs w/Soft-Close, Double Bins

- Available in 35QT & 50QT
- Adjustable Door Mount System
- Platinum Finish
- **Kit Includes:**
 - (1) Saphir® Carriage w/Soft-Close
 - (2) Waste Bins
- Sold in Kits



Item#	Bin Size	Min. Cabinet Opening for Face Frame	Min. Cabinet Opening for Frameless	Designed for Cabinet Size	Product Dimensions	Finish
WWENVIBMTSA235PLT	35QT	15"W	16"W	18" Base	14.29"W x 21.97"D x 19.30"H	Platinum
WWENVIBMTSA250PLT	50QT	15"W	16"W	18" Base	14.29"W x 21.97"D x 23.23"H	Platinum

VS ENVI® Space XX

Top Mount Waste Container Pull-Outs w/Soft-Close, Single Bin

- Available in 31QT
 - Face Frame Pull-Out Designed for 1-1/2" Face Frame
 - Integrated cam shaft 3-D front adjustment
 - Integrated soft-closing and self-closing in both synchronized runners
 - EasyFit: tool-free installation of bin support onto the runners
 - Integral installation template: no measuring necessary when installing into cabinet
 - Minimum installation depth: 20-5/16"
 - Cabinet Opening Height: 20-1/2"
 - Carbon Steel Gray Finish
 - Sold in Kits
- Kit Includes:**
- (1) Top Mount Carriage w/Lid & Soft-Close
 - (1) 31QT Waste Bin w/Collapsible Handles
 - (1) 1.5QT Mini Bin



Item #	Bin Size	Designed for Cabinet Size	Cabinet Opening	Product Dimensions	Finish	Type of Cabinet
WWENVIS131FF15CSG	31QT	15" Base	12"W	12"W x 20.35"D x 19.05"H	Carbon Steel Gray	Face Frame
WWENVIS131FL15CSG	31QT	15" Base	13.5"W	13.50"W x 20.31"D x 18.90"H	Carbon Steel Gray	Frameless

VS ENVI® Space XX

Top Mount Waste Container Pull-Outs w/Soft-Close, Double Bins

- Available in 31QT
 - Face Frame Pull-Out Designed for 1-1/2" Face Frame
 - Integrated cam shaft 3-D front adjustment
 - Integrated soft-closing and self-closing in both synchronized runners
 - EasyFit: tool-free installation of bin support onto the runners
 - Integral installation template: no measuring necessary when installing into cabinet
 - Minimum installation depth: 20-5/16"
 - Cabinet Opening Height: 20-1/2"
 - Carbon Steel Gray Finish
 - Sold in Kits
- Kit Includes:**
- (1) Top Mount Carriage w/Lid & Soft-Close
 - (2) 31QT Waste Bins w/Collapsible Handles



Item #	Bin Size	Designed for Cabinet Size	Cabinet Opening	Product Dimensions	Finish	Type of Cabinet
WWENVIS231FF18CSG	31QT	18" Base	15"W	15"W x 20.35"D x 19.05"H	Carbon Steel Gray	Face Frame
WWENVIS231FL18CSG	31QT	18" Base	16.5"W	16.50"W x 20.31"D x 18.90"H	Carbon Steel Gray	Frameless
WWENVIS231FF21CSG	31QT	21" Base	18"W	18"W x 20.35"D x 19.05"H	Carbon Steel Gray	Face Frame
WWENVIS231FL21CSG	31QT	21" Base	19.5"W	19.5"W x 20.31"D x 18.90"H	Carbon Steel Gray	Frameless

VS ENVI® Space XX, Platinum Line



Top Mount Waste Container Pull-Outs w/Soft-Close, Single Bin

- Available in 31QT
- Face Frame Pull-Out Designed for 1-1/2" Face Frame
- Integrated cam shaft 3-D front adjustment
- Integrated soft-closing and self-closing in both synchronized runners
- EasyFit: tool-free installation of bin support onto the runners
- Integral installation template: no measuring necessary when installing into cabinet
- Minimum installation depth: 20-5/16"
- Cabinet Opening Height: 20-1/2"
- Platinum Finish
- Sold in Kits



Item #	Bin Size	Designed for Cabinet Size	Cabinet Opening	Product Dimensions	Finish	Type of Cabinet
WWENVIS131FF15PLT	31QT	15" Base	12"W	12"W x 20.35"D x 19.05"H	Platinum	Face Frame
WWENVIS131FL15PLT	31QT	15" Base	13.5"W	13.50"W x 20.31"D x 18.90"H	Platinum	Frameless

VS ENVI® Space XX, Platinum Line



Top Mount Waste Container Pull-Outs w/Soft-Close, Double Bins

- Available in 31QT
- Face Frame Pull-Out Designed for 1-1/2" Face Frame
- Integrated cam shaft 3-D front adjustment
- Integrated soft-closing and self-closing in both synchronized runners
- EasyFit: tool-free installation of bin support onto the runners
- Integral installation template: no measuring necessary when installing into cabinet
- Minimum installation depth: 20-5/16"
- Cabinet Opening Height: 20-1/2"
- Platinum Finish
- **Kit Includes:**
 - (1) Top Mount Carriage w/Lid & Soft-Close
 - (2) 31QT Waste Bins w/Collapsible Handles
- Sold in Kits



Item #	Bin Size	Designed for Cabinet Size	Cabinet Opening	Product Dimensions	Finish	Type of Cabinet
WWENVIS231FF18PLT	31QT	18" Base	15"W	15"W x 20.35"D x 19.05"H	Platinum	Face Frame
WWENVIS231FL18PLT	31QT	18" Base	16.5"W	16.50"W x 20.31"D x 18.90"H	Platinum	Frameless
WWENVIS231FF21PLT	31QT	21" Base	18"W	18"W x 20.35"D x 19.05"H	Platinum	Face Frame
WWENVIS231FL21PLT	31QT	21" Base	19.5"W	19.5"W x 20.31"D x 18.90"H	Platinum	Frameless

VS ENVI® Space XX

Top Mount Waste Container Pull-Outs w/Soft-Close, Three Bins

- Available in 31QT
- Face Frame Pull-Out Designed for 1-1/2" Face Frame
- Integrated cam shaft 3-D front adjustment
- Integrated soft-closing and self-closing in both synchronized runners
- EasyFit: tool-free installation of bin support onto the runners
- Integral installation template: no measuring necessary when installing into cabinet
- Minimum installation depth: 20-5/16"
- Cabinet Opening Height: 20-1/2"
- Carbon Steel Gray Finish
- **Kit Includes:**
 - (1) Top Mount Carriage w/Lid & Soft-Close
 - (2) 31QT Waste Bins w/Collapsible Handles
 - (1) Mini Bin
- Sold in Kits



Item #	Bin Size	Designed for Cabinet Size	Cabinet Opening	Product Dimensions	Finish	Type of Cabinet
WWENVIS231FF24CSG	(2) 31QT & (1) 10QT	24" Base	21"W	21"W x 20.35"D 19.05"H	Carbon Steel Gray	Face Frame
WWENVIS231FL24CSG	(2) 31QT & (1) 22QT	24" Base	22.5"W	22.50"W x 20.31"D 18.90"H	Carbon Steel Gray	Frameless



VS ENVI® Space XX, Platinum Line



Top Mount Waste Container Pull-Outs w/Soft-Close, Three Bins

- Available in 31QT
- Face Frame Pull-Out Designed for 1-1/2" Face Frame
- Integrated cam shaft 3-D front adjustment
- Integrated soft-closing and self-closing in both synchronized runners
- EasyFit: tool-free installation of bin support onto the runners
- Integral installation template: no measuring necessary when installing into cabinet
- Minimum installation depth: 20-5/16"
- Cabinet Opening Height: 20-1/2"
- Platinum Finish
- **Kit Includes:**
 - (1) Top Mount Carriage w/Lid & Soft-Close
 - (2) 31QT Waste Bins w/Collapsible Handles
 - (1) Mini Bin
- Sold in Kits




Item #	Bin Size	Designed for Cabinet Size	Cabinet Opening	Product Dimensions	Finish	Type of Cabinet
WWENVIS231FF24PLT	(2) 31QT & (1) 10QT	24" Base	21"W	21"W x 20.35"D 19.05"H	Platinum	Face Frame
WWENVIS231FL24PLT	(2) 31QT & (1) 10QT	24" Base	22.5"W	22.50"W x 20.31"D 18.90"H	Platinum	Frameless

VS ENVI® Kick



Hands-Free Door Opening Foot Pedal

- Simple and hands-free door opening using foot pedal
- Minimum toe kick height: 70 mm, **Frameless Cabinets ONLY**
- For all front pull-outs for example VS ENVI Space with self-closing and soft-closing
- Easy installation with installation template provided with the kit
- Minimum required space under the waste bin systems or drawers
- Pedal is returned to starting position by a spring
- Virtually silent
- A thick plastic sticker is included to protect door



Item #	Description	Type of Cabinet
WWENVIKICKFLCHR	Hands-free door opening foot pedal	Frameless

Base Cabinet Organizers



VS SUB Side Planero, Walnut



VS SUB Side Planero, Walnut



VS SUB Side Planero, Carbon Steel Gray



VS SUB Side Scalea, Platinum



VS SUB Side Scalea, Maple



VS SUB Side Scalea, Walnut



VS SUB Side Scalea, Carbon Steel Gray



VS SUB Side Saphir, Carbon Steel Gray



VS SUB Side Saphir, Platinum

VS SUB® Side



Planero® 2-Baskets & 3-Baskets Base Cabinet Organizers w/Soft-Close

- Available in 2-Basket or 3-Basket Kits
- Unhanded installation
- EasyFit: tool-free connection to cabinet door
- 3D front adjustment allows simple, convenient door adjustment
- Installation template: no measuring necessary when installing in cabinet
- Individual height adjustment for baskets
- Integrated soft-closing and self-closing
- Load capacity: max. 44 lbs.
- Minimum installation depth: 23"
- Frame Finish: Carbon Steel Gray Finish
- Basket Bottom Finish: Available in Carbon Steel Gray & Walnut

• 2-Basket Kit Includes:

- (1) Frame/Slide Mechanism
- (2) Baskets

• 3-Basket Kit Includes:

- (1) Frame/Slide Mechanism
- (3) Baskets

- Sold in Kits




Carbon Steel Gray Basket Item #	Walnut Basket Item #	Number of Baskets	Designed for Cab Size	Minimum Cabinet Opening Sizes	Basket Size
WWSUBPL2B620CSG	WWSUBPL2B620WNT	2	9" Base	6"W x 20.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBPL2B625CSG	WWSUBPL2B625WNT	2	9" Base	6"W x 25.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBPL2B630CSG	WWSUBPL2B630WNT	2	9" Base	6"W x 30.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBPL2B1220CSG	WWSUBPL2B1220WNT	2	15" Base	12"W x 20.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBPL2B1225CSG	WWSUBPL2B1225WNT	2	15" Base	12"W x 25.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBPL2B1230CSG	WWSUBPL2B1230WNT	2	15" Base	12"W x 30.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBPL3B625CSG	WWSUBPL3B625WNT	3	9" Base	6"W x 25.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBPL3B630CSG	WWSUBPL3B630WNT	3	9" Base	6"W x 30.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBPL3B1225CSG	WWSUBPL3B1225WNT	3	15" Base	12"W x 25.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBPL3B1230CSG	WWSUBPL3B1230WNT	3	15" Base	12"W x 30.5"H	10.05"W x 22.05"D x 3.15"H

VS SUB® Side



Scalea 2-Baskets & 3-Baskets Base Cabinet Organizers w/Soft-Close

- Available in 2-Basket or 3-Basket Kits
- Unhanded installation
- EasyFit: tool-free connection to cabinet door
- 3D front adjustment allows simple, convenient door adjustment
- Installation template: no measuring necessary when installing in cabinet
- Individual height adjustment for baskets
- Integrated soft-closing and self-closing
- Load capacity: max. 44 lbs.
- Minimum installation depth: 23"
- Frame Finish: Carbon Steel Gray Finish
- Basket Bottom Finish: Available in Carbon Steel Gray, Walnut and Maple
- **2-Basket Kit Includes:**
 - (1) Frame/Slide Mechanism
 - (2) Baskets
- **3-Basket Kit Includes:**
 - (1) Frame/Slide Mechanism
 - (3) Baskets
- Sold in Kits



Carbon Steel Gray Baskets Item #	Walnut Baskets Item #	Maple Baskets Item #	# of Baskets	For Cabinet Size	Min. Cabinet Opening	Basket Size
WWSUBSC2B620CSG	WWSUBSC2B620WNT	WWSUBSC2B620MPL	2	9" Base	6"W x 20.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBSC2B625CSG	WWSUBSC2B625WNT	WWSUBSC2B625MPL	2	9" Base	6"W x 25.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBSC2B630CSG	WWSUBSC2B630WNT	WWSUBSC2B630MPL	2	9" Base	6"W x 30.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBSC2B1220CSG	WWSUBSC2B1220WNT	WWSUBSC2B1220MPL	2	15" Base	12"W x 20.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBSC2B1225CSG	WWSUBSC2B1225WNT	WWSUBSC2B1225MPL	2	15" Base	12"W x 25.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBSC2B1230CSG	WWSUBSC2B1230WNT	WWSUBSC2B1230MPL	2	15" Base	12"W x 30.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBSC3B625CSG	WWSUBSC3B625WNT	WWSUBSC3B625MPL	3	9" Base	6"W x 25.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBSC3B630CSG	WWSUBSC3B630WNT	WWSUBSC3B630MPL	3	9" Base	6"W x 30.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBSC3B1225CSG	WWSUBSC3B1225WNT	WWSUBSC3B1225MPL	3	15" Base	12"W x 25.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBSC3B1230CSG	WWSUBSC3B1230WNT	WWSUBSC3B1230MPL	3	15" Base	12"W x 30.5"H	10.05"W x 22.05"D x 3.15"H

VS SUB® Side, Platinum Line



Scalea 2-Baskets & 3-Baskets Base Cabinet Organizers w/Soft-Close

- Available in 2-Basket or 3-Basket Kits
- Unhanded installation
- EasyFit: tool-free connection to cabinet door
- 3D front adjustment allows simple, convenient door adjustment
- Installation template: no measuring necessary when installing in cabinet
- Individual height adjustment for baskets
- Integrated soft-closing and self-closing
- Load capacity: max. 44 lbs.
- Minimum installation depth: 23"
- Frame Finish: Platinum Finish
- Basket Bottom Finish: Maple
- **2-Basket Kit Includes:**
 - (1) Frame/Slide Mechanism
 - (2) Baskets
- **3-Basket Kit Includes:**
 - (1) Frame/Slide Mechanism
 - (3) Baskets
- Sold in Kits




Item #	# of Baskets	For Cabinet Size	Minimum Cabinet Opening	Basket Size	Basket Bottom Finish
WWSUBSC2B620P-M	2	9" Base	6"W x 20.5"H	4.09"W x 22.05"D x 3.15"H	Maple
WWSUBSC2B625P-M	2	9" Base	6"W x 25.5"H	4.09"W x 22.05"D x 3.15"H	Maple
WWSUBSC2B630P-M	2	9" Base	6"W x 30.5"H	4.09"W x 22.05"D x 3.15"H	Maple
WWSUBSC2B1220P-M	2	15" Base	12"W x 20.5"H	10.05"W x 22.05"D x 3.15"H	Maple
WWSUBSC2B1225P-M	2	15" Base	12"W x 25.5"H	10.05"W x 22.05"D x 3.15"H	Maple
WWSUBSC2B1230P-M	2	15" Base	12"W x 30.5"H	10.05"W x 22.05"D x 3.15"H	Maple
WWSUBSC3B625P-M	3	9" Base	6"W x 25.5"H	4.09"W x 22.05"D x 3.15"H	Maple
WWSUBSC3B630P-M	3	9" Base	6"W x 30.5"H	4.09"W x 22.05"D x 3.15"H	Maple
WWSUBSC3B1225P-M	3	15" Base	12"W x 25.5"H	10.05"W x 22.05"D x 3.15"H	Maple
WWSUBSC3B1230P-M	3	15" Base	12"W x 30.5"H	10.05"W x 22.05"D x 3.15"H	Maple

VS SUB® Side

Saphir 2-Baskets & 3-Baskets Base Cabinet Organizers w/Soft-Close

- Available in 2-Basket or 3-Basket Kits
- Unhanded installation
- EasyFit: tool-free connection to cabinet door
- 3D front adjustment allows simple, convenient door adjustment
- Installation template: no measuring necessary when installing in cabinet
- Individual height adjustment for baskets
- Integrated soft-closing and self-closing
- Load capacity: max. 44 lbs.
- Minimum installation depth: 23"
- Frame Finish: Carbon Steel Gray Finish
- Basket Bottom Finish: Carbon Steel Gray
- **2-Basket Kit Includes:**
 - (1) Frame/Slide Mechanism
 - (2) Baskets
- **3-Basket Kit Includes:**
 - (1) Frame/Slide Mechanism
 - (3) Baskets
- Sold in Kits




Item #	Number of Baskets	Designed for Cab Size	Minimum Cabinet Opening Sizes	Basket Size	Basket Bottom Finish
WWSUBSA2B620CSG	2	9" Base	6"W x 20.5"H	4.09"W x 22.05"D x 3.15"H	Carbon Steel Gray
WWSUBSA2B625CSG	2	9" Base	6"W x 25.5"H	4.09"W x 22.05"D x 3.15"H	Carbon Steel Gray
WWSUBSA2B630CSG	2	9" Base	6"W x 30.5"H	4.09"W x 22.05"D x 3.15"H	Carbon Steel Gray
WWSUBSA2B1220CSG	2	15" Base	12"W x 20.5"H	10.05"W x 22.05"D x 3.15"H	Carbon Steel Gray
WWSUBSA2B1225CSG	2	15" Base	12"W x 25.5"H	10.05"W x 22.05"D x 3.15"H	Carbon Steel Gray
WWSUBSA2B1230CSG	2	15" Base	12"W x 30.5"H	10.05"W x 22.05"D x 3.15"H	Carbon Steel Gray
WWSUBSA3B625CSG	3	9" Base	6"W x 25.5"H	4.09"W x 22.05"D x 3.15"H	Carbon Steel Gray
WWSUBSA3B630CSG	3	9" Base	6"W x 30.5"H	4.09"W x 22.05"D x 3.15"H	Carbon Steel Gray
WWSUBSA3B1225CSG	3	15" Base	12"W x 25.5"H	10.05"W x 22.05"D x 3.15"H	Carbon Steel Gray
WWSUBSA3B1230CSG	3	15" Base	12"W x 30.5"H	10.05"W x 22.05"D x 3.15"H	Carbon Steel Gray

VS SUB® Side, Platinum Line



Saphir 2-Baskets & 3-Baskets Base Cabinet Organizers w/Soft-Close

- Available in 2-Basket or 3-Basket Kits
- Unhanded installation
- EasyFit: tool-free connection to cabinet door
- 3D front adjustment allows simple, convenient door adjustment
- Installation template: no measuring necessary when installing in cabinet
- Individual height adjustment for baskets
- Integrated soft-closing and self-closing
- Load capacity: max. 44 lbs.
- Minimum installation depth: 23"
- Frame Finish: Platinum Finish
- Basket Bottom Finish: Platinum
- **2-Basket Kit Includes:**
 - (1) Frame/Slide Mechanism
 - (2) Baskets
- **3-Basket Kit Includes:**
 - (1) Frame/Slide Mechanism
 - (3) Baskets
- Sold in Kits



Item #	# of Baskets	For Cabinet Size	Minimum Cabinet Opening	Basket Size
WWSUBSA2B620PLT	2	9" Base	6"W x 20.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBSA2B625PLT	2	9" Base	6"W x 25.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBSA2B630PLT	2	9" Base	6"W x 30.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBSA2B1220PLT	2	15" Base	12"W x 20.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBSA2B1225PLT	2	15" Base	12"W x 25.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBSA2B1230PLT	2	15" Base	12"W x 30.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBSA3B625PLT	3	9" Base	6"W x 25.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBSA3B630PLT	3	9" Base	6"W x 30.5"H	4.09"W x 22.05"D x 3.15"H
WWSUBSA3B1225PLT	3	15" Base	12"W x 25.5"H	10.05"W x 22.05"D x 3.15"H
WWSUBSA3B1230PLT	3	15" Base	12"W x 30.5"H	10.05"W x 22.05"D x 3.15"H

Corner Organizers



CORNERSTONE® MAXX Planero, Walnut



CORNERSTONE® MAXX Scalea, Platinum



CORNERSTONE® Swing Scalea, Walnut



VS COR Flex Planero, Carbon Steel Gray



VS COR Flex Scalea, Platinum



VS COR Flex Saphir, Carbon Steel Gray



VS COR® Wheel Pro Kidney, Carbon Steel Gray



VS COR® Wheel Pro Round, Walnut




VS COR® Wheel Pro Kidney, Platinum

CORNERSTONE® MAXX



Planero® Blind Corner Pull-Out w/PAM® & Soft-Close

- Load capacity: max. 55 lbs. per shelf
- Installation height: 25-1/5" - 33-1/2"
- EasyFit: tool-free assembly of shelf elements on the support arms
- PAM®: power assisted movement for soft-open and soft-close
- Installation template: no measuring necessary when installing
- Simple height adjustment, even when installed
- Shelves can be moved in and out independently
- Floating design due to hidden fastening
- Frame Finish: Carbon Steel Gray Finish
- Tray Bottom Finish: Available in Carbon Steel Gray & Walnut
- If the blind space is to the right, then the correct trays are Cornerstone Maxx Left Trays
- If the blind space is to the left, then the correct trays are Cornerstone Maxx Right Trays
- **2-Tray Kit Includes:**
 - (1) Slide Mechanism w/PAM Movement
 - (2) Trays
- Sold in Kits



Left Tray Kit Item #	Right Tray Kit Item #	Designed for Cabinet Size	Min. Cabinet Opening Size	Tray Size	Tray Bottom Finish
WWCMAXXPL15LCSG	WWCMAXXPL15RCSG	36"W Blind	15"W	33"W (E) x 14.68"D (F) x 2.56"H	Carbon Steel Gray
WWCMAXXPL15LWNT	WWCMAXXPL15RWNT	36"W Blind	15"W	33"W (E) x 14.68"D (F) x 2.56"H	Walnut
WWCMAXXPL18LCSG	WWCMAXXPL18RCSG	39"W Blind	18"W	37"W (E) x 16.65"D (F) x 2.56"H	Carbon Steel Gray
WWCMAXXPL18LWNT	WWCMAXXPL18RWNT	39"W Blind	18"W	37"W (E) x 16.65"D (F) x 2.56"H	Walnut
WWCMAXXPL21LCSG	WWCMAXXPL21RCSG	39"W Blind	21"W	37"W (E) x 18.19"D (F) x 2.56"H	Carbon Steel Gray
WWCMAXXPL21LWNT	WWCMAXXPL21RWNT	39"W Blind	21"W	37"W (E) x 18.19"D (F) x 2.56"H	Walnut

CORNERSTONE® MAXX



Scalea Blind Corner Pull-Out w/PAM® & Soft-Close

- Load capacity: max. 55 lbs. per shelf
- Installation height: 25-1/5" - 33-1/2"
- PAM®: power assisted movement for soft-open and soft-close
- Installation template: no measuring necessary when installing
- Shelves can be moved in and out independently
- Frame Finish: Carbon Steel Gray Finish
- If the blind space is to the right, then the correct trays are Cornerstone Maxx Left Trays
- If the blind space is to the left, then the correct trays are Cornerstone Maxx Right Trays
- **2-Tray Kit Includes:**
 - (1) Slide Mechanism w/PAM Movement
 - (2) Trays
- Sold in Kits




Left Tray Kit Item #	Right Tray Kit Item #	Designed for Cabinet Size	Min. Cabinet Opening Size	Tray Size	Tray Bottom Finish
WWCMAXXSC15LCSG	WWCMAXXSC15RCSG	36"W Blind	15"W	33"W (E) x 14.68"D (F) x 2.36"H	Carbon Steel Gray
WWCMAXXSC15LWNT	WWCMAXXSC15RWNT	36"W Blind	15"W	33"W (E) x 14.68"D (F) x 2.36"H	Walnut
WWCMAXXSC15LMPL	WWCMAXXSC15RMPL	36"W Blind	15"W	33"W (E) x 14.68"D (F) x 2.36"H	Maple
WWCMAXXSC18LCSG	WWCMAXXSC18RCSG	39"W Blind	18"W	37"W (E) x 16.65"D (F) x 2.36"H	Carbon Steel Gray
WWCMAXXSC18LWNT	WWCMAXXSC18RWNT	39"W Blind	18"W	37"W (E) x 16.65"D (F) x 2.36"H	Walnut
WWCMAXXSC18LMPL	WWCMAXXSC18RMPL	39"W Blind	18"W	37"W (E) x 16.65"D (F) x 2.36"H	Maple
WWCMAXXSC21LCSG	WWCMAXXSC21RCSG	39"W Blind	21"W	37"W (E) x 18.19"D (F) x 2.36"H	Carbon Steel Gray
WWCMAXXSC21LWNT	WWCMAXXSC21RWNT	39"W Blind	21"W	37"W (E) x 18.19"D (F) x 2.36"H	Walnut
WWCMAXXSC21LMPL	WWCMAXXSC21RMPL	39"W Blind	21"W	37"W (E) x 18.19"D (F) x 2.36"H	Maple

CORNERSTONE® MAXX, Platinum Line

Scalea Blind Corner Pull-Out w/PAM® & Soft-Close

- Load capacity: max. 55 lbs. per shelf
- Installation height: 25-1/5" - 33-1/2"
- PAM®: power assisted movement for soft-open and soft-close
- Installation template: no measuring necessary when installing
- Shelves can be moved in and out independently
- Frame Finish: Platinum & Tray Bottom Finish: Maple
- If the blind space is to the right, then the correct trays are Cornerstone Maxx Left Trays
- If the blind space is to the left, then the correct trays are Cornerstone Maxx Right Trays
- **2-Tray Kit Includes:**
 - (1) Slide Mechanism w/PAM Movement
 - (2) Trays
- Sold in Kits




Left Tray Kit Item #	Right Tray Kit Item #	For Cabinet Size	Min. Cabinet Opening	Tray Size	Tray Bottom
WWCMAXXSC15LP-M	WWCMAXXSC15RP-M	36"W Blind	15"W	33"W (E) x 14.68"D (F) x 2.36"H	Maple
WWCMAXXSC18LP-M	WWCMAXXSC18RP-M	39"W Blind	18"W	37"W (E) x 16.65"D (F) x 2.36"H	Maple
WWCMAXXSC21LP-M	WWCMAXXSC21RP-M	39"W Blind	21"W	37"W (E) x 18.19"D (F) x 2.36"H	Maple

CORNERSTONE® Swing

Scalea Blind Corner Pull-Out w/Soft-Close

- Load capacity: max. 40 lbs. per shelf
- Minimum installation depth: 19.3125"
- Unhanded installation
- Installation height: 25.6" - 27.2"
- Easy assembly - only support tube needs to be mounted
- Bottom shelf has the option of attaching to the door (included in kit)
- Post Hardware Finish: Silver
- Tray Bottom Finish: Available in Carbon Steel Gray, Walnut and Maple
- **2-Tray Kit Includes:**
 - (1) Slide Mechanism w/Soft-Close & (2) Trays and Door Mount hardware for bottom tray
- Sold in Kits




Carbon Steel Gray Tray Item #	Walnut Tray Item #	Maple Tray Item #	Designed for Cabinet Size	Min. Cabinet Opening	Tray Size
WWCSWINGSC18CSG	WWCSWINGSC18WNT	WWCSWINGSC18MPL	36"W Blind	18"W	30.55"W (E) x 14.80"D (F) x 2.36"H
WWCSWINGSC21CSG	WWCSWINGSC21WNT	WWCSWINGSC21MPL	39"W Blind	21"W	32.16"W (E) x 15.98"D (F) x 2.36"H
WWCSWINGSC24CSG	WWCSWINGSC24WNT	WWCSWINGSC24MPL	39"W Blind	24"W	36.18"W (E) x 15.90"D (F) x 2.36"H

CORNERSTONE® Swing, Platinum Line

Scalea Blind Corner Pull-Out w/Soft-Close

- Load capacity: max. 40 lbs. per shelf
- Minimum installation depth: 19.3125"
- Unhanded installation
- Installation height: 25.6" - 27.2"
- Easy assembly - only support tube needs to be mounted
- Bottom shelf has the option of attaching to the door (included in kit)
- Post Hardware Finish: Platinum
- Tray Bottom Finish: Maple
- **2-Tray Kit Includes:**
 - (1) Slide Mechanism w/Soft-Close & (2) Trays and Door Mount hardware for bottom tray
- Sold in Kits



Maple Tray Item #	For Cabinet Size	Min Cabinet Opening	Tray Size	Tray Bottom
WWCSWINGSC18P-M	36"W Blind	18"W	30.55"W (E) x 14.80"D (F) x 2.36"H	Maple
WWCSWINGSC21P-M	39"W Blind	21"W	32.16"W (E) x 15.98"D (F) x 2.36"H	Maple
WWCSWINGSC24P-M	39"W Blind	24"W	36.18"W (E) x 15.90"D (F) x 2.36"H	Maple

VS COR® Flex



Planero® Full Access Blind Corner Pull-Out w/Soft-Close

- Minimum installation depth: 21-5/8"
- Minimum installation height: 20-1/3"
- Unhanded installation
- Integrated soft-closing and self-closing on both pull-outs
- Installation template: no measuring necessary
- Maximum load: 17 lbs. per shelf
- Frame Finish: Carbon Steel Gray
- Tray Bottom Finish: Available in Carbon Steel Gray & Walnut
- **4-Tray Kit Includes:**
 - (1) Frame/Slide Mechanism w/Soft-Close
 - (4) Trays
- Sold in Kits




Carbon Steel Gray Tray Item #	Walnut Tray Item #	Designed for Cabinet Size	Min Cab Opening Size	Front Tray Size	Back Tray Size
WWCORFLEXPL15CSG	WWCORFLEXPL15WNT	36"W Blind	15"W	11.02"W x 16.34"D x 3.15"H	11.02"W x 19.69"D x 3.15"H
WWCORFLEXPL17CSG	WWCORFLEXPL17WNT	39"W Blind	17.5"W	13.78"W x 16.34"D x 3.15"H	12.80"W x 19.69"D x 3.15"H

VS COR® Flex

Scalea Full Access Blind Corner Pull-Out w/Soft-Close

- Minimum installation depth: 21-5/8"
- Minimum installation height: 20-1/3"
- Unhanded installation
- Integrated soft-closing and self-closing on both pull-outs
- Installation template: no measuring necessary
- Maximum load: 17 lbs. per shelf
- Frame Finish: Carbon Steel Gray
- Tray Bottom Finish: Available in Carbon Steel Gray, Walnut & Maple
- **4-Tray Kit Includes:**
 - (1) Frame/Slide Mechanism w/Soft-Close
 - (4) Trays
- Sold in Kits




Carbon Steel Gray Tray Item #	Walnut Tray Item #	Maple Tray Item #	Designed for Cabinet Size	Min. Cabinet Opening Size	Front Tray Size	Back Tray Size
WWCORFLEXSC15CSG	WWCORFLEXSC15WNT	WWCORFLEXSC15MPL	36"W Blind	15"W	11.02"W x 16.34"D x 3.15"H	11.02"W x 19.69"D x 3.15"H
WWCORFLEXSC17CSG	WWCORFLEXSC17WNT	WWCORFLEXSC17MPL	39"W Blind	17.5"W	13.78"W x 16.34"D x 3.15"H	12.80"W x 19.69"D x 3.15"H

VS COR® Flex, Platinum Line



Scalea Full Access Blind Corner Pull-Out w/Soft-Close

- Minimum installation depth: 21-5/8"
- Minimum installation height: 20-1/3"
- Unhanded installation
- Integrated soft-closing and self-closing on both pull-outs
- Installation template: no measuring necessary
- Maximum load: 17 lbs. per shelf
- Frame Finish: Platinum
- Tray Bottom Finish: Maple
- **4-Tray Kit Includes:**
 - (1) Frame/Slide Mechanism w/Soft-Close
 - (4) Trays
- Sold in Kits



Maple Tray Item #	Designed For Cabinet Size	Min. Cabinet Opening Size	Front Tray Size	Back Tray Size
WWCORFLEXSC15P-M	36"W Blind	15"W	11.02"W x 16.34"D x 3.15"H	11.02"W x 19.69"D x 3.15"H
WWCORFLEXSC17P-M	39"W Blind	17.5"W	13.78"W x 16.34"D x 3.15"H	12.80"W x 19.69"D x 3.15"H




VS COR® Flex



Saphir Full Access Blind Corner Pull-Out w/Soft-Close

- Minimum installation depth: 21-5/8"
- Minimum installation height: 20-1/3"
- Unhanded installation
- Integrated soft-closing and self-closing on both pull-outs
- Installation template: no measuring necessary
- Maximum load: 17 lbs. per shelf
- Frame Finish: Carbon Steel Gray
- Tray Bottom Finish: Carbon Steel Gray Wire
- **4-Tray Kit Includes:**
 - (1) Frame/Slide Mechanism w/Soft-Close
 - (4) Trays
- Sold in Kits




Carbon Steel Gray Tray Item #	Designed for Cabinet Size	Min. Cabinet Opening Size	Front Tray Size	Back Tray Size
WWCORFLEXSA15CSG	36"W Blind	15"W	11.02"W x 16.34"D x 3.15"H	11.02"W x 19.69"D x 3.15"H
WWCORFLEXSA17CSG	39"W Blind	17.5"W	13.78"W x 16.34"D x 3.15"H	12.80"W x 19.69"D x 3.15"H

VS COR® Flex, Platinum Line



Saphir Full Access Blind Corner Pull-Out w/Soft-Close

- Minimum installation depth: 21-5/8"
- Minimum installation height: 20-1/3"
- Unhanded installation
- Integrated soft-closing and self-closing on both pull-outs
- Installation template: no measuring necessary
- Maximum load: 17 lbs. per shelf
- Frame Finish: Platinum
- Tray Bottom Finish: Platinum
- **4-Tray Kit Includes:**
 - (1) Frame/Slide Mechanism w/Soft-Close
 - (4) Trays
- Sold in Kits



Platinum Item #	Designed For Cabinet Size	Min. Cabinet Opening Size	Front Tray Size	Back Tray Size
WWCORFLEXSA15PLT	36"W Blind	15"W	11.02"W x 16.34"D x 3.15"H	11.02"W x 19.69"D x 3.15"H
WWCORFLEXSA17PLT	39"W Blind	17.5"W	13.78"W x 16.34"D x 3.15"H	12.80"W x 19.69"D x 3.15"H

VS COR® Wheel Pro



Planero® 2-Tray Kidney & Round "Poleless" Lazy Susan Kits

- Poleless design has 20% more storage space vs a design with a pole
- Minimum height: 24.375"
- Minimum side installation depth: 19.29"
- EasyFit: tool-free installation of storage units onto the supporting arms
- Load capacity: max. 60 lbs. per shelf
- Can be installed into an existing kitchen
- Frame Finish: Carbon Steel Gray
- Tray Bottom Finish: Available in Carbon Steel Gray & Walnut
- **2-Tray Kit Includes:**
 - (1) Frame & (2) Trays
- Sold in Kits



Kidney, Carbon Steel Gray

Round, Walnut

Carbon Steel Gray Tray Item #	Walnut Tray Item #	Lazy Susan Shape	Designed for Cabinet Size	Tray Size
WWCORWHPLK27CSG	WWCORWHPLK27WNT	Kidney	32" x 32"	26.75" Dia.
WWCORWHPLK29CSG	WWCORWHPLK29WNT	Kidney	36" x 36"	30" Dia.
WWCORWHPLR27CSG	WWCORWHPLR27WNT	Full Round	32" x 32"	26.75" Dia.
WWCORWHPLR29CSG	WWCORWHPLR29WNT	Full Round	36" x 36"	30" Dia.

VS COR® Wheel Pro



Scalea 2-Tray Kidney & Round "Poleless" Lazy Susan Kits

- Poleless design has 20% more storage space vs a design with a pole
- Minimum height: 24.375"
- Minimum side installation depth: 19.29"
- EasyFit: tool-free installation of storage units onto the supporting arms
- Load capacity: max. 60 lbs. per shelf
- Can be installed into an existing kitchen
- Frame Finish: Carbon Steel Gray
- Tray Bottom Finish: Available in Carbon Steel Gray, Walnut & Maple
- **2-Tray Kit Includes:**
 - (1) Frame & (2) Trays
- Sold in Kits



Kidney,
Carbon Steel Gray

Round, Walnut

Kidney, Maple

Carbon Steel Gray Tray Item #	Walnut Tray Item #	Maple Tray Item #	Lazy Susan Shape	Designed for Cabinet Size	Tray Size
WWCORWHSCCK27CSG	WWCORWHSCCK27WNT	WWCORWHSCCK27MPL	Kidney	32" x 32"	26.75" Dia.
WWCORWHSCCK29CSG	WWCORWHSCCK29WNT	WWCORWHSCCK29MPL	Kidney	36" x 36"	30" Dia.
WWCORWHSCR27CSG	WWCORWHSCR27WNT	WWCORWHSCR27MPL	Full Round	32" x 32"	26.75" Dia.
WWCORWHSCR29CSG	WWCORWHSCR29WNT	WWCORWHSCR29MPL	Full Round	36" x 36"	30" Dia.

VS COR® Wheel Pro, Platinum Line

Scalea 2-Tray Kidney & Round "Poleless" Lazy Susan Kits

- Poleless design has 20% more storage space vs a design with a pole
- Minimum height: 24.375"
- Minimum side installation depth: 19.29"
- EasyFit: tool-free installation of storage units onto the supporting arms
- Load capacity: max. 60 lbs. per shelf
- Can be installed into an existing kitchen
- Frame Finish: Platinum
- Tray Bottom Finish: Maple
- **2-Tray Kit Includes:**
 - (1) Frame & (2) Trays
- Sold in Kits



Kidney Shape

Round Shape

Maple Tray Item #	Lazy Susan Shape	Designed For Cabinet Size	Tray Size
WWCORWHSC27P-M	Kidney	32" x 32"	26.75" Dia.
WWCORWHSC29P-M	Kidney	36" x 36"	30" Dia.
WWCORWHSCR27P-M	Full Round	32" x 32"	26.75" Dia.
WWCORWHSCR29P-M	Full Round	36" x 36"	30" Dia.

VS COR Susan, Platinum Line

Polymer Lazy Susan Kits

- Rigid double wall construction with conical ribs guarantee a high weight capacity
- Independent rotation of trays
- Telescoping post: 26" - 32"
- Available in round & kidney shapes
- Post Finish: Platinum
- Tray Finish: White
- **2-Tray Kit Includes:**
 - (1) Post & (2) Trays
- Sold in Kits



Kidney Shape

Round Shape

Maple Tray Item #	Lazy Susan Shape	Designed For Cabinet Width Size	Tray Size
WWVSUSANK18WHT	Kidney	24"	18" Dia.
WWVSUSANK24WHT	Kidney	27"	24" Dia.
WWVSUSANK28WHT	Kidney	39"	28" Dia.
WWVSUSANK32WHT	Kidney	42"	32" Dia.
WWVSUSANR18WHT	Full Round	24"	18" Dia.
WWVSUSANR24WHT	Full Round	27"	24" Dia.
WWVSUSANR28WHT	Full Round	39"	28" Dia.
WWVSUSANR32WHT	Full Round	42"	32" Dia.

Pantry Pull-Out Organizers



TAL Pantry Planero, Carbon Steel Gray



TAL Pantry Planero, Walnut



TAL Pantry Planero, Walnut



TAL Pantry Scalea, Platinum



TAL Pantry Scalea, Carbon Steel Gray



TAL Pantry Scalea, Maple



TAL Pantry Saphir, Platinum



TAL Pantry Saphir, Carbon Steel Gray

VS TAL® Pantry

Planero® 3-Basket, 4-Basket & 5-Basket Pantry Pull-Outs w/PAM® & Soft-Close

- Available in 3-Basket, 4-Basket or 5-Basket Kits
- Unhanded installation
- EasyFit: self-locking system for tool-free installation of frame into upper and lower guide rails
- 3-D front adjustment allows for simple door adjustment
- Individual height adjustment for baskets
- Heavy-duty, noise-reducing roller guides
- Synchronized upper and lower end stops
- Full synchronized bottom runner
- PAM Power Assisted Movement In Pull-Out Direction
- Self-closing and soft-closing
- Minimum Installation Depth: 23"
- Total load capacity: max. 265 lbs.
- Frame Finish: Carbon Steel Gray Finish
- Basket Bottom Finish: Available in Carbon Steel Gray & Walnut
- 3-Basket Kit Includes: (1) Frame/Glides, (1) PAM Mechanism & (3) Baskets
- 4-Basket Kit Includes: (1) Frame/Glides, (1) PAM Mechanism & (4) Baskets
- 5-Basket Kit Includes: (1) Frame/Glides, (1) PAM Mechanism & (5) Baskets
- Sold in Kits



Carbon Steel Gray Basket Item #	Walnut Basket Item #	# of Baskets	Min. Cabinet Width Opening	Cabinet Height Opening	Designed For Cabinet Size	Basket Size
WWTALPPL3B937CSG	WWTALPPL3B937WNT	3	9"	37.5" - 47.25"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPPL3B1237CSG	WWTALPPL3B1237WNT	3	12"	37.5" - 47.25"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPPL3B1537CSG	WWTALPPL3B1537WNT	3	15"	37.5" - 47.25"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPPL3B1837CSG	WWTALPPL3B1837WNT	3	18"	37.5" - 47.25"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPPL3B2137CSG	WWTALPPL3B2137WNT	3	21"	37.5" - 47.25"	24"	20.47"W x 20.98"D x 3.15"H
WWTALPPL4B947CSG	WWTALPPL4B947WNT	4	9"	47.25" - 57"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPPL4B1247CSG	WWTALPPL4B1247WNT	4	12"	47.25" - 57"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPPL4B1547CSG	WWTALPPL4B1547WNT	4	15"	47.25" - 57"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPPL4B1847CSG	WWTALPPL4B1847WNT	4	18"	47.25" - 57"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPPL4B2147CSG	WWTALPPL4B2147WNT	4	21"	47.25" - 57"	24"	20.47"W x 20.98"D x 3.15"H
WWTALPPL4B957CSG	WWTALPPL4B957WNT	4	9"	57" - 67"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPPL4B1257CSG	WWTALPPL4B1257WNT	4	12"	57" - 67"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPPL4B1557CSG	WWTALPPL4B1557WNT	4	15"	57" - 67"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPPL4B1857CSG	WWTALPPL4B1857WNT	4	18"	57" - 67"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPPL4B2157CSG	WWTALPPL4B2157WNT	4	21"	57" - 67"	24"	20.47"W x 20.98"D x 3.15"H
WWTALPPL5B967CSG	WWTALPPL5B967WNT	5	9"	67" - 76.75"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPPL5B1267CSG	WWTALPPL5B1267WNT	5	12"	67" - 76.75"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPPL5B1567CSG	WWTALPPL5B1567WNT	5	15"	67" - 76.75"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPPL5B1867CSG	WWTALPPL5B1867WNT	5	18"	67" - 76.75"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPPL5B2167CSG	WWTALPPL5B2167WNT	5	21"	67" - 76.75"	24"	20.47"W x 20.98"D x 3.15"H

VS TAL® Pantry

Scalea 3-Basket, 4-Basket & 5-Basket Pantry Pull-Outs w/PAM® & Soft-Close

- Available in 3-Basket, 4-Basket or 5-Basket Kits
- Unhanded installation
- EasyFit: self-locking system for tool-free installation of frame into upper and lower guide rails
- 3-D front adjustment allows for simple door adjustment
- Individual height adjustment for baskets
- Heavy-duty, noise-reducing roller guides
- Synchronized upper and lower end stops
- Full synchronized bottom runner
- PAM Power Assisted Movement In Pull-Out Direction
- Self-closing and soft-closing
- Minimum Installation Depth: 23"
- Total load capacity: max. 265 lbs.
- Frame Finish: Carbon Steel Gray Finish
- Basket Bottom Finish: Available in Carbon Steel Gray, Walnut & Maple
- **3-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (3) Baskets
- **4-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (4) Baskets
- **5-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (5) Baskets
- Sold in Kits



Carbon Steel Gray Basket Item #	Walnut Basket Item #	Maple Basket Item #	# of Baskets	Min. Cab. Width Opening	Cabinet Height Opening	For Cab. Size	Basket Size
WWTALPSC3B937CSG	WWTALPSC3B937WNT	WWTALPSC3B937MPL	3	9"W	37.5" - 47.25"	12"	8.50"W x 20.98"D 3.15"H
WWTALPSC3B1237CSG	WWTALPSC3B1237WNT	WWTALPSC3B1237MPL	3	12"W	37.5" - 47.25"	15"	11.50"W x 20.98"D 3.15"H
WWTALPSC3B1537CSG	WWTALPSC3B1537WNT	WWTALPSC3B1537MPL	3	15"W	37.5" - 47.25"	18"	14.50"W x 20.98"D 3.15"H
WWTALPSC3B1837CSG	WWTALPSC3B1837WNT	WWTALPSC3B1837MPL	3	18"W	37.5" - 47.25"	21"	17.50"W x 20.98"D 3.15"H
WWTALPSC3B2137CSG	WWTALPSC3B2137WNT	WWTALPSC3B2137MPL	3	21"W	37.5" - 47.25"	24"	20.47"W x 20.98"D 3.15"H
WWTALPSC4B947CSG	WWTALPSC4B947WNT	WWTALPSC4B947MPL	4	9"W	47.25" - 57"	12"	8.50"W x 20.98"D 3.15"H
WWTALPSC4B1247CSG	WWTALPSC4B1247WNT	WWTALPSC4B1247MPL	4	12"W	47.25" - 57"	15"	11.50"W x 20.98"D 3.15"H
WWTALPSC4B1547CSG	WWTALPSC4B1547WNT	WWTALPSC4B1547MPL	4	15"W	47.25" - 57"	18"	14.50"W x 20.98"D 3.15"H
WWTALPSC4B1847CSG	WWTALPSC4B1847WNT	WWTALPSC4B1847MPL	4	18"W	47.25" - 57"	21"	17.50"W x 20.98"D 3.15"H
WWTALPSC4B2147CSG	WWTALPSC4B2147WNT	WWTALPSC4B2147MPL	4	21"W	47.25" - 57"	24"	20.47"W x 20.98"D 3.15"H
WWTALPSC4B957CSG	WWTALPSC4B957WNT	WWTALPSC4B957MPL	4	9"W	57" - 67"	12"	8.50"W x 20.98"D 3.15"H
WWTALPSC4B1257CSG	WWTALPSC4B1257WNT	WWTALPSC4B1257MPL	4	12"W	57" - 67"	15"	11.50"W x 20.98"D 3.15"H
WWTALPSC4B1557CSG	WWTALPSC4B1557WNT	WWTALPSC4B1557MPL	4	15"W	57" - 67"	18"	14.50"W x 20.98"D 3.15"H
WWTALPSC4B1857CSG	WWTALPSC4B1857WNT	WWTALPSC4B1857MPL	4	18"W	57" - 67"	21"	17.50"W x 20.98"D 3.15"H
WWTALPSC4B2157CSG	WWTALPSC4B2157WNT	WWTALPSC4B2157MPL	4	21"W	57" - 67"	24"	20.47"W x 20.98"D 3.15"H
WWTALPSC5B967CSG	WWTALPSC5B967WNT	WWTALPSC5B967MPL	5	9"W	67" - 76.75"	12"	8.50"W x 20.98"D 3.15"H
WWTALPSC5B1267CSG	WWTALPSC5B1267WNT	WWTALPSC5B1267MPL	5	12"W	67" - 76.75"	15"	11.50"W x 20.98"D 3.15"H
WWTALPSC5B1567CSG	WWTALPSC5B1567WNT	WWTALPSC5B1567MPL	5	15"W	67" - 76.75"	18"	14.50"W x 20.98"D 3.15"H
WWTALPSC5B1867CSG	WWTALPSC5B1867WNT	WWTALPSC5B1867MPL	5	18"W	67" - 76.75"	21"	17.50"W x 20.98"D 3.15"H
WWTALPSC5B2167CSG	WWTALPSC5B2167WNT	WWTALPSC5B2167MPL	5	21"W	67" - 76.75"	24"	20.47"W x 20.98"D 3.15"H

VS TAL® Pantry, Platinum Line

Scalea 3-Basket, 4-Basket & 5-Basket Pantry Pull-Outs w/PAM® & Soft-Close

- Available in 3-Basket, 4-Basket or 5-Basket Kits
- Unhanded installation
- EasyFit: self-locking system for tool-free installation of frame into upper and lower guide rails
- 3-D front adjustment allows for simple door adjustment
- Individual height adjustment for baskets
- Heavy-duty, noise-reducing roller guides
- Synchronized upper and lower end stops
- Full synchronized bottom runner
- PAM Power Assisted Movement In Pull-Out Direction
- Self-closing and soft-closing
- Minimum Installation Depth: 23"
- Total load capacity: max. 265 lbs.
- Frame Finish: Platinum
- Basket Bottom Finish: Maple
- **3-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (3) Baskets
- **4-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (4) Baskets
- **5-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (5) Baskets
- Sold in Kits



Maple Basket Item #	# of Baskets	Min. Cabinet Width Opening	Cabinet Height Opening	For Cab Size	Basket Size
WWTALPSC3B937P-M	3	9"W	37.5" - 47.25"	12"	8.50"W x 20.98"D 3.15"H
WWTALPSC3B1237P-M	3	12"W	37.5" - 47.25"	15"	11.50"W x 20.98"D 3.15"H
WWTALPSC3B1537P-M	3	15"W	37.5" - 47.25"	18"	14.50"W x 20.98"D 3.15"H
WWTALPSC3B1837P-M	3	18"W	37.5" - 47.25"	21"	17.50"W x 20.98"D 3.15"H
WWTALPSC3B2137P-M	3	21"W	37.5" - 47.25"	24"	20.47"W x 20.98"D 3.15"H
WWTALPSC4B947P-M	4	9"W	47.25" - 57"	12"	8.50"W x 20.98"D 3.15"H
WWTALPSC4B1247P-M	4	12"W	47.25" - 57"	15"	11.50"W x 20.98"D 3.15"H
WWTALPSC4B1547P-M	4	15"W	47.25" - 57"	18"	14.50"W x 20.98"D 3.15"H
WWTALPSC4B1847P-M	4	18"W	47.25" - 57"	21"	17.50"W x 20.98"D 3.15"H
WWTALPSC4B2147P-M	4	21"W	47.25" - 57"	24"	20.47"W x 20.98"D 3.15"H
WWTALPSC4B957P-M	4	9"W	57" - 67"	12"	8.50"W x 20.98"D 3.15"H
WWTALPSC4B1257P-M	4	12"W	57" - 67"	15"	11.50"W x 20.98"D 3.15"H
WWTALPSC4B1557P-M	4	15"W	57" - 67"	18"	14.50"W x 20.98"D 3.15"H
WWTALPSC4B1857P-M	4	18"W	57" - 67"	21"	17.50"W x 20.98"D 3.15"H
WWTALPSC4B2157P-M	4	21"W	57" - 67"	24"	20.47"W x 20.98"D 3.15"H
WWTALPSC5B967P-M	5	9"W	67" - 76.75"	12"	8.50"W x 20.98"D 3.15"H
WWTALPSC5B1267P-M	5	12"W	67" - 76.75"	15"	11.50"W x 20.98"D 3.15"H
WWTALPSC5B1567P-M	5	15"W	67" - 76.75"	18"	14.50"W x 20.98"D 3.15"H
WWTALPSC5B1867P-M	5	18"W	67" - 76.75"	21"	17.50"W x 20.98"D 3.15"H
WWTALPSC5B2167P-M	5	21"W	67" - 76.75"	24"	20.47"W x 20.98"D 3.15"H

VS TAL® Pantry

Saphir 3-Basket, 4-Basket & 5-Basket Pantry Pull-Outs w/PAM® & Soft-Close

- Available in 3-Basket, 4-Basket or 5-Basket Kits
- Unhanded installation
- EasyFit: self-locking system for tool-free installation of frame into upper and lower guide rails
- 3-D front adjustment allows for simple door adjustment
- Individual height adjustment for baskets
- Heavy-duty, noise-reducing roller guides
- Synchronized upper and lower end stops
- Full synchronized bottom runner
- PAM Power Assisted Movement In Pull-Out Direction
- Self-closing and soft-closing
- Minimum Installation Depth: 23"
- Total load capacity: max. 265 lbs.
- Frame Finish: Carbon Steel Gray Finish
- Basket Bottom Finish: Available in Carbon Steel Gray
- **3-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (3) Baskets
- **4-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (4) Baskets
- **5-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (5) Baskets
- Sold in Kits



Carbon Steel Gray Basket Item #	# of Baskets	Min. Cabinet Width Opening	Cabinet Height Opening	For Cabinet Size	Basket Size
WWTALPSA3B937CSG	3	9"	37.5" - 47.25"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPSA3B1237CSG	3	12"	37.5" - 47.25"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPSA3B1537CSG	3	15"	37.5" - 47.25"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPSA3B1837CSG	3	18"	37.5" - 47.25"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPSA3B2137CSG	3	21"	37.5" - 47.25"	24"	20.47"W x 20.98"D x 3.15"H
WWTALPSA4B947CSG	4	9"	47.25" - 57"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPSA4B1247CSG	4	12"	47.25" - 57"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPSA4B1547CSG	4	15"	47.25" - 57"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPSA4B1847CSG	4	18"	47.25" - 57"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPSA4B2147CSG	4	21"	47.25" - 57"	24"	20.47"W x 20.98"D x 3.15"H
WWTALPSA4B957CSG	4	9"	57" - 67"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPSA4B1257CSG	4	12"	57" - 67"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPSA4B1557CSG	4	15"	57" - 67"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPSA4B1857CSG	4	18"	57" - 67"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPSA4B2157CSG	4	21"	57" - 67"	24"	20.47"W x 20.98"D x 3.15"H
WWTALPSA5B967CSG	5	9"	67" - 76.75"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPSA5B1267CSG	5	12"	67" - 76.75"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPSA5B1567CSG	5	15"	67" - 76.75"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPSA5B1867CSG	5	18"	67" - 76.75"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPSA5B2167CSG	5	21"	67" - 76.75"	24"	20.47"W x 20.98"D x 3.15"H

VS TAL® Pantry, Platinum Line


Saphir 3-Basket, 4-Basket & 5-Basket Pantry Pull-Outs w/PAM® & Soft-Close

- Available in 3-Basket, 4-Basket or 5-Basket Kits
- Unhanded installation
- EasyFit: self-locking system for tool-free installation of frame into upper and lower guide rails
- 3-D front adjustment allows for simple door adjustment
- Individual height adjustment for baskets
- Heavy-duty, noise-reducing roller guides
- Synchronized upper and lower end stops
- Full synchronized bottom runner
- PAM Power Assisted Movement In Pull-Out Direction
- Self-closing and soft-closing
- Minimum Installation Depth: 23"
- Total load capacity: max. 265 lbs.
- Frame Finish: Platinum
- Basket Bottom Finish: Platinum
- **3-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (3) Baskets
- **4-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (4) Baskets
- **5-Basket Kit Includes:** (1) Frame/Glides, (1) PAM Mechanism & (5) Baskets
- Sold in Kits



Platinum Item #	# of Baskets	Min. Cabinet Width Opening	Cabinet Height Opening	For Cab Size	Basket Size
WWTALPSA3B937PLT	3	9"	37.5" - 47.25"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPSA3B1237PLT	3	12"	37.5" - 47.25"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPSA3B1537PLT	3	15"	37.5" - 47.25"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPSA3B1837PLT	3	18"	37.5" - 47.25"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPSA3B2137PLT	3	21"	37.5" - 47.25"	24"	20.47"W x 20.98"D x 3.15"H
WWTALPSA4B947PLT	4	9"	47.25" - 57"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPSA4B1247PLT	4	12"	47.25" - 57"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPSA4B1547PLT	4	15"	47.25" - 57"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPSA4B1847PLT	4	18"	47.25" - 57"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPSA4B2147PLT	4	21"	47.25" - 57"	24"	20.47"W x 20.98"D x 3.15"H
WWTALPSA4B957PLT	4	9"	57" - 67"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPSA4B1257PLT	4	12"	57" - 67"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPSA4B1557PLT	4	15"	57" - 67"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPSA4B1857PLT	4	18"	57" - 67"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPSA4B2157PLT	4	21"	57" - 67"	24"	20.47"W x 20.98"D x 3.15"H
WWTALPSA5B967PLT	5	9"	67" - 76.75"	12"	8.50"W x 20.98"D x 3.15"H
WWTALPSA5B1267PLT	5	12"	67" - 76.75"	15"	11.50"W x 20.98"D x 3.15"H
WWTALPSA5B1567PLT	5	15"	67" - 76.75"	18"	14.50"W x 20.98"D x 3.15"H
WWTALPSA5B1867PLT	5	18"	67" - 76.75"	21"	17.50"W x 20.98"D x 3.15"H
WWTALPSA5B2167PLT	5	21"	67" - 76.75"	24"	20.47"W x 20.98"D x 3.15"H


Wood Corbels, Mission



	Item #	Description	Dimensions
A	SZDW11001	Extra Large Corbel	4-3/4"W x 22"H x 12"D
B	SZDW11002	Large Corbel	3"W x 14"H x 8-1/2"D
C	SZDW11003	Medium Corbel	3"W x 10"H x 6"D
D	SZDW11004	Small Corbel	3"W x 7"H x 4-1/2"D
E	SZDW11005	X-Small Corbel	3"W x 5"H x 3"D

NOTE: See below for wood species codes.

Wood Bun Feet, Mission



	Item #	Dimensions
A	SZDW11006	2-1/2"sq. x 4"H
B	SZDW11007	3-1/2"sq. x 4"H
C	SZDW11008	3-3/4"sq. x 4"H

NOTE: See below for wood species codes.

Wood Columns, Mission



	Item #	Dimensions
A	SZDW11009	3"sq. x 36"H
	SZDW11010*	3"W x 36"H x 1-1/2"D
	SZDW11011	3"sq. x 42"H
	SZDW11012*	3"W x 42"H x 1-1/2"D
	SZDW11013	3-1/2"sq. x 36"H
	SZDW11014*	3-1/2"W x 36"H x 1-3/4"D
	SZDW11015	3-1/2"sq. x 42"H
	SZDW11016*	3-1/2"W x 42"H x 1-3/4"D
	SZDW11017	5"sq. x 36"H
	SZDW11018*	5"W x 36"H x 2-1/2"D
C	SZDW11019	5"sq. x 42"H
	SZDW11020*	5"W x 42"H x 2-1/2"D
	SZDW11033	3"sq. x 36"H
	SZDW11034	3"sq. x 42"H
	SZDW11035	3-1/2"sq. x 36"H
	SZDW11036	3-1/2"sq. x 42"H
	SZDW11037	5"sq. x 36"H
	SZDW11038	5"sq. x 42"H

	Item #	Dimensions
B	SZDW11021	3"sq. x 36"H
	SZDW11022*	3"W x 36"H x 1-1/2"D
	SZDW11023	3"sq. x 42"H
	SZDW11024*	3"W x 42"H x 1-1/2"D
	SZDW11025	3-1/2"sq. x 36"H
	SZDW11026*	3-1/2"W x 36"H x 1-3/4"D
	SZDW11027	3-1/2"sq. x 42"H
	SZDW11028*	3-1/2"W x 42"H x 1-3/4"D
	SZDW11029	5"sq. x 36"H
	SZDW11030*	5"W x 36"H x 2-1/2"D
	SZDW11031	5"sq. x 42"H
	SZDW11032*	5"W x 42"H x 2-1/2"D

NOTE: See below for wood species codes.


* = Sold in pairs.

Species Codes

Alder = AL
Cherry = CH
Maple = MA

Add species code to the end of the item number.


Wood Corbels, Metro



	Item #	Description	Dimensions
A	SZDW11039	Extra Large Corbel	8-1/2"W x 22"H x 5-1/2"D
B	SZDW11040	Large Corbel	8"W x 12"H x 5"D
C	SZDW11041	Medium Corbel	6-1/2"W x 9"H x 4-1/2"D
D	SZDW11042	Small Corbel	5-1/4"W x 6"H x 2-1/2"D
E	SZDW11043	X-Small Corbel	4"W x 4"H x 1-7/8"D

NOTE: See below for wood species codes.

Wood Bun Feet, Metro



	Item #	Dimensions
A	SZDW11059	5-1/4"sq. x 6"H
B	SZDW11060	4-3/4"sq. x 4"H
C	SZDW11061	4"sq. x 4"H

NOTE: See below for wood species codes.

Wood Columns, Metro



	Item #	Dimensions
A	SZDW11044	3"sq. x 36"H
	SZDW11045*	3"W x 36"H x 1-1/2"D
	SZDW11046	3"sq. x 42"H
	SZDW11047*	3"W x 42"H x 1-1/2"D
	SZDW11048	3-1/2"sq. x 36"H
	SZDW11049*	3-1/2"W x 36"H x 1-3/4"D
	SZDW11050	3-1/2"sq. x 42"H
	SZDW11051*	3-1/2"W x 42"H x 1-3/4"D
	SZDW11052	5"sq. x 36"H
	SZDW11053*	5"W x 36"H x 2-1/2"D
	SZDW11054	5"sq. x 42"H
B	SZDW11055*	5"W x 42"H x 2-1/2"D
	SZDW11056	2-3/4"sq. x 36"H
	SZDW11057	3-1/2"sq. x 36"H
	SZDW11058	4-3/4"sq. x 36"H

NOTE: See below for wood species codes.


* = Sold in pairs.

Species Codes
Alder = AL
Cherry = CH
Maple = MA

Add species code to the end of the item number.

Wood Corbels, Transitional


PRO
VALUE SERIES



	Item #	Description	Dimensions
A	SZDW11062	Rangehood Corbel	3"W x 18"H x 16"D
	SZDW11063	Rangehood Corbel	4-3/4"W x 18"H x 16"D
B	SZDW11064	Overhang Bracket	1-3/4"W x 10"H x 10"D
	SZDW11065	Overhang Bracket	3"W x 10"H x 10"D
	SZDW11066	Overhang Bracket	4-3/4"W x 10"H x 10"D
C	SZDW11067	Large Bar Bracket	1-3/4"W x 12-3/4"H x 6-9/16"D
	SZDW11068	Large Bar Bracket	3"W x 12-3/4"H x 6-9/16"D
	SZDW11069	Large Bar Bracket	4-3/4"W x 12-3/4"H x 6-9/16"D
D	SZDW11070	Medium Bar Bracket	1-3/4"W x 9-1/2"H x 4-7/8"D
	SZDW11071	Medium Bar Bracket	3"W x 9-1/2"H x 4-7/8"D
	SZDW11072	Medium Bar Bracket	4-3/4"W x 9-1/2"H x 4-7/8"D
E	SZDW11073	Small Bar Bracket	1-3/4"W x 7-1/2"H x 4-1/4"D
	SZDW11074	Small Bar Bracket	3"W x 7-1/2"H x 4-1/4"D
	SZDW11075	Small Bar Bracket	4-3/4"W x 7-1/2"H x 4-1/4"D
F	SZDW11076	X-Small Bar Bracket	1-3/4"W x 6-1/8"H x 3-1/2"D
	SZDW11077	X-Small Bar Bracket	3"W x 6-1/8"H x 3-1/2"D
	SZDW11078	X-Small Bar Bracket	4-3/4"W x 6-1/8"H x 3-1/2"D

NOTE: See below for wood species codes.

Wood Bun Feet, Transitional



	Item #	Dimensions
A	SZDW11079	3-1/2"sq. x 4"H
B	SZDW11080	4-1/2"sq. x 4"H
C	SZDW11081	3-1/2"sq. x 3-3/4"H
D	SZDW11082	4-1/2"sq. x 3-3/4"H

NOTE: See below for wood species codes.

Wood Columns, Transitional



	Item #	Dimensions
A	SZDW11083	2-3/4"sq. x 36"H *2-3/4" at beads
	SZDW11084	2-3/4"sq. x 42"H *2-3/4" at beads
B	SZDW11085	4-3/4"sq. x 36"H *4-3/4" at beads
	SZDW11086	4-3/4"sq. x 42"H *4-3/4" at beads
C	SZDW11087	3-3/8"sq. x 36"H *3-3/8" at beads
	SZDW11088	3-3/8"sq. x 42"H *3-3/8" at beads


NOTE: See below for wood species codes.

Species Codes

Alder = AL
Cherry = CH
Maple = MA

Add species code to the end of the item number.


Wood Corbels, Shaker



	Item #	Description	Dimensions
A	SZDW11089	Rangehood Corbel	3"W x 18"H x 16"D
	SZDW11090	Rangehood Corbel	4-3/4"W x 18"H x 16"D
B	SZDW11091	Overhang Bracket	1-3/4"W x 10"H x 10"D
	SZDW11092	Overhang Bracket	3"W x 10"H x 10"D
	SZDW11093	Overhang Bracket	4-3/4"W x 10"H x 10"D
C	SZDW11094	Large Bar Bracket	1-3/4"W x 14-5/32"H x 8"D
	SZDW11095	Large Bar Bracket	3"W x 14-5/32"H x 8"D
	SZDW11096	Large Bar Bracket	4-3/4"W x 14-5/32"H x 8"D
D	SZDW11097	Medium Bar Bracket	1-3/4"W x 10-5/8"H x 5-1/2"D
	SZDW11098	Medium Bar Bracket	3"W x 10-5/8"H x 5-1/2"D
	SZDW11099	Medium Bar Bracket	4-3/4"W x 10-5/8"H x 5-1/2"D
E	SZDW11100	Small Bar Bracket	1-3/4"W x 9"H x 5"D
	SZDW11101	Small Bar Bracket	3"W x 9"H x 5"D
	SZDW11102	Small Bar Bracket	4-3/4"W x 9"H x 5"D
F	SZDW11103	X-Small Bar Bracket	1-3/4"W x 7-3/16"H x 4"D
	SZDW11104	X-Small Bar Bracket	3"W x 7-3/16"H x 4"D
	SZDW11105	X-Small Bar Bracket	4-3/4"W x 7-3/16"H x 4"D

NOTE: See below for wood species codes.

Wood Bun Feet, Shaker



	Item #	Dimensions
A	SZDW11106	2-1/4"sq. x 5"H
B	SZDW11107	3-1/2"sq. x 4-1/2"H
C	SZDW11108	4-1/2"sq. x 4-1/2"H

NOTE: See below for wood species codes.

Wood Columns, Shaker



	Item #	Dimensions
A	SZDW11109	3"sq. x 36"H
	SZDW11110	3"sq. x 42"H
B	SZDW11111	3-1/2"sq. x 36"H
	SZDW11112	3-1/2"sq. x 42"H
C	SZDW11113	5"sq. x 36"H
	SZDW11114	5"sq. x 42"H


NOTE: See below for wood species codes.

Species Codes

Alder = AL
Cherry = CH
Maple = MA

Add species code to the end of the item number.


Wood Corbels, Contemporary

PRO
 VALUE SERIES


	Item #	Description	Dimensions
A	SZDW11089	Rangehood Corbel	3"W x 18"H x 16"D
	SZDW11090	Rangehood Corbel	4-3/4"W x 18"H x 16"D
B	SZDW11091	Overhang Bracket	1-3/4"W x 10"H x 10"D
	SZDW11092	Overhang Bracket	3"W x 10"H x 10"D
	SZDW11093	Overhang Bracket	4-3/4"W x 10"H x 10"D
C	SZDW11094	Large Bar Bracket	1-3/4"W x 14-5/32"H x 8"D
	SZDW11095	Large Bar Bracket	3"W x 14-5/32"H x 8"D
	SZDW11096	Large Bar Bracket	4-3/4"W x 14-5/32"H x 8"D
D	SZDW11097	Medium Bar Bracket	1-3/4"W x 10-5/8"H x 5-1/2"D
	SZDW11098	Medium Bar Bracket	3"W x 10-5/8"H x 5-1/2"D
	SZDW11099	Medium Bar Bracket	4-3/4"W x 10-5/8"H x 5-1/2"D
E	SZDW11100	Small Bar Bracket	1-3/4"W x 9"H x 5"D
	SZDW11101	Small Bar Bracket	3"W x 9"H x 5"D
	SZDW11102	Small Bar Bracket	4-3/4"W x 9"H x 5"D
F	SZDW11103	X-Small Bar Bracket	1-3/4"W x 7-3/16"H x 4"D
	SZDW11104	X-Small Bar Bracket	3"W x 7-3/16"H x 4"D
	SZDW11105	X-Small Bar Bracket	4-3/4"W x 7-3/16"H x 4"D

NOTE: See below for wood species codes.

Wood Bun Feet, Contemporary



	Item #	Dimensions
A	SZDW11106	2-1/4"sq. x 5"H
B	SZDW11107	3-1/2"sq. x 4-1/2"H
C	SZDW11108	4-1/2"sq. x 4-1/2"H

NOTE: See below for wood species codes.

Wood Columns, Contemporary



	Item #	Dimensions
A	SZDW11109	3"sq. x 36"H
	SZDW11110	3"sq. x 42"H
B	SZDW11111	3-1/2"sq. x 36"H
	SZDW11112	3-1/2"sq. x 42"H
C	SZDW11113	5"sq. x 36"H
	SZDW11114	5"sq. x 42"H


NOTE: See below for wood species codes.

Species Codes

 Alder = AL
 Cherry = CH
 Maple = MA

 Add species code to the
 end of the item number.

Wood Corbels, Classic



PRO
VALUE SERIES

	Item #	Description	Dimensions
A	SZDW11115	Rangehood Corbel	3"W x 18"H x 16"D
	SZDW11116	Rangehood Corbel	4-3/4"W x 18"H x 16"D
B	SZDW11117	Overhang Bracket	1-3/4"W x 10"H x 10"D
	SZDW11118	Overhang Bracket	3"W x 10"H x 10"D
	SZDW11119	Overhang Bracket	4-3/4"W x 10"H x 10"D
C	SZDW11120	Large Bar Bracket	1-3/4"W x 12"H x 8"D
	SZDW11121	Large Bar Bracket	3"W x 12"H x 8"D
D	SZDW11123	Medium Bar Bracket	1-3/4"W x 9"H x 6-1/2"D
	SZDW11124	Medium Bar Bracket	3"W x 9"H x 6-1/2"D
	SZDW11125	Medium Bar Bracket	4-3/4"W x 9"H x 6-1/2"D
E	SZDW11126	Small Bar Bracket	1-3/4"W x 7-1/2"H x 5"D
	SZDW11127	Small Bar Bracket	3"W x 7-1/2"H x 5"D
	SZDW11128	Small Bar Bracket	4-3/4"W x 7-1/2"H x 5"D
F	SZDW11129	X-Small Bar Bracket	1-3/4"W x 6"H x 4"D
	SZDW11130	X-Small Bar Bracket	3"W x 6"H x 4"D
G	SZDW11132	Petite Bar Bracket	1-3/4"W x 3"H x 3"D
	SZDW11133	Petite Bar Bracket	3"W x 3"H x 3"D
	SZDW11134	Petite Bar Bracket	4-3/4"W x 3"H x 3"D

NOTE: See below for wood species codes.

Wood Bun Feet, Classic



	Item #	Dimensions
A	SZDW11141	2-3/4"sq. x 4-1/4"H
B	SZDW11142	4-3/4"sq. x 4-1/4"H

NOTE: See below for wood species codes.

Wood Columns, Classic



	Item #	Dimensions
A	SZDW11135	3"sq. x 36"H
	SZDW11136	3"sq. x 42"H
B	SZDW11137	3-1/2"sq. x 36"H
	SZDW11138	3-1/2"sq. x 42"H
C	SZDW11139	5"sq. x 36"H
	SZDW11140	5"sq. x 42"H


NOTE: See below for wood species codes.

Species Codes

Alder = AL
Cherry = CH
Maple = MA

Add species code to the end of the item number.

Wood Corbels, Traditional




PRO
VALUE SERIES

	Item #	Description	Dimensions
A	SZDW11175	Large Corbel	6-3/4"W x 22"H x 7-5/8"D
B	SZDW11176	Medium Corbel	5"W x 14"H x 7"D
C	SZDW11177	Small Corbel	4-1/2"W x 10"H x 5-1/4"D
D	SZDW11178	Mini Corbel	2-7/8"W x 4-1/4"H x 1-3/4"D
E	SZDW11179	Bar Bracket	3-3/8"W x 13"H x 7-3/4"D

NOTE: See below for wood species codes.


Wood Columns,, Traditional



	Item #	Dimensions		Item #	Dimensions
A	SZDW11180	3-3/4"sq. x 36"H	C	SZDW11188†	3"sq. x 36"H
	SZDW11181	3-3/4"sq. x 42"H		SZDW11189	3"sq. x 42"H
	SZDW11182	5"sq. x 36"H		SZDW11190	3-1/2"sq. x 36"H
	SZDW11183	5"sq. x 42"H		SZDW11191	3-1/2"sq. x 42"H
B	SZDW11184	3-3/4"sq. x 36"H	D	SZDW11192	3"sq. x 36"H
	SZDW11185	3-3/4"sq. x 42"H		SZDW11193	3"sq. x 42"H
	SZDW11186	5"sq. x 36"H		SZDW11194	3-1/2"sq. x 36"H
	SZDW11187	5"sq. x 42"H		SZDW11195	3-1/2"sq. x 42"H

NOTE: See below for wood species codes.

Wood Bun Feet, Traditional



	Item #	Dimensions
A	SZDW11196	3-1/2" dia. x 4"H
B	SZDW11197	4-3/4" dia. x 4"H
C	SZDW11198	3-1/2" dia. x 4-1/2"H
D	SZDW11199	3-1/2" dia. x 4"H

NOTE: See below for wood species codes.

Species Codes

Alder = AL


Cherry = CH

Maple = MA

Add species code to the end of the item number.

† = Not offered in Alder.


Wood Pedestal Feet, Traditional

PRO
 VALUE SERIES


	Item #	Description	Dimensions
A	SZDW11204†	Round Faced Corner Pedestal Foot	4"H x 6"W x 6"D
	SZDW11205†	Round Faced Corner Pedestal Foot	4-1/2"H x 6"W x 6"D
B	SZDW11206	Square Faced Corner Pedestal Foot	4"H x 6"W x 6"D
	SZDW11207†	Square Faced Corner Pedestal Foot	4-1/2"H x 6"W x 6"D
C	SZDW11208†	Curved Edge Pedestal Foot (Left)	4"H x 6"W x 1"D
	SZDW11209†	Curved Edge Pedestal Foot (Left)	4-1/2"H x 6"W x 1"D
D	SZDW11210†	Curved Edge Pedestal Foot (Right)	4"H x 6"W x 1"D
	SZDW11211†	Curved Edge Pedestal Foot (Right)	4-1/2"H x 6"W x 1"D
E	SZDW11212†	Straight Edge Pedestal Foot (Left)	4"H x 6"W x 1"D
	SZDW11213†	Straight Edge Pedestal Foot (Left)	4-1/2"H x 6"W x 1"D
F	SZDW11214†	Straight Edge Pedestal Foot (Right)	4"H x 6"W x 1"D
	SZDW11215†	Straight Edge Pedestal Foot (Right)	4-1/2"H x 6"W x 1"D

NOTE: See below for wood species codes.

Wood Columns, Traditional



	Item #	Dimensions
A	SZDW11200	5"sq. x 36"H
B	SZDW11201	3-1/2"sq. x 36"H
C	SZDW11202	5"sq. x 36"H

NOTE: See below for wood species codes.

Species Codes

 Alder = AL
 Cherry = CH
 Maple = MA

Add species code to the end of the item number.

† = Not offered in Alder.



Spoon Shaped Shelf Support, 5mm & 1/4" Bores



- 5mm bore spoon shaped supports have 3/8" L x 5/16" W shelf rest area
- 1/4" bore spoon shaped supports have a 1/2" L x 5/16" W shelf rest area
- 5mm bore pin is 3/8" L and 1/4" bore pin is 5/16" L
- Sold in full box quantity

Finish	Item #	Box Qty	Item #	Box Qty
5mm Bore				
Brass	IF515BP-C	100	IF515BP	1,000
Nickel	IF711NP-C	100	IF711NP	1,000
Black	IF613BL-C	100	IF613BL	1,000
1/4" Bore				
Brass	IF533BP-C	100	IF533BP	1,000
Nickel	IF739NP-C	100	IF739NP	1,000



Steel Rod Shaped Shelf Support 5mm Bore With Center Stop



- Overall rod length is 5/8"
- Sold in full box quantity

Item #	Finish	Box Qty
IF1401ZN	Zinc	1,000



Shelf Support Grommet, 5mm & 1/4" Bores



- Sized to accept 5mm and 1/4" bore shelf pins
- 5mm grommet requires 7/32" (5.3mm) diameter hole size while 1/4" grommet requires 17/64" (6.7mm) diameter hole to accommodate grommet
- 5mm bore grommet depth of 3/16", while the 1/4" bore grommet depth is 1/4"
- Sold in full box quantity

Shelf Pin Bore Size	Finish	Item #	Box Qty
5mm	Nickel Plated	IF1326NP	1,000
1/4"	Nickel Plated	IF1325NP-C	100
1/4"	Nickel Plated	IF1325NP	1,000



"L" Shaped Steel Shelf Support 5mm & 1/4" Bores



- "L" shaped supports have 5/8" L x 1/2" W shelf rest area
- Support has hole to accommodate screw for affixing to shelf
- 5mm bore pin length is 5/16", 1/4" bore pin length is 3/8"
- Sold in full box quantity

Finish	Item #	Box Qty	Item #	Box Qty
5mm Bore				
Brass	IF1345BP-C	100	IF1345BP	1,000
Nickel	IF1345NP-C	100	IF1345NP	1,000
Brown	IF1345WAL-C	100	IF1345WAL	1,000
1/4" Bore				
Brass	IF1346BP-C	100	IF1346BP	1,000
Nickel	IF1346NP-C	100	IF1346NP	1,000
Brown	-	100	IF1346WAL	1,000



"L" Shaped Steel Shelf Support With Vinyl Tip, 5mm Bore



- "L" shaped supports have 3/4" L x 5/8" W shelf rest area
- Pin length is 5/16"
- Sold in full box quantity

Item #	Support Finish	Viny Tip Color	Box Qty
IF1348BRN	Brass	Brown	1,000
IF1348VWH	Nickel	White	1,000



Plastic Shelf Support With Steel Pin 5mm Bore, Value Priced



- Pin length is 5/16"
- Shelf rest area is 13/32" L x 7/16" W
- Plastic support with steel pin
- Sold in full box quantity

Finish	Item #	Box Qty	Item #	Box Qty
Clear	IF1338CLR-C	100	IF1338CLR	1,000
White	-	-	IF1338WHT	1,000
Almond	-	-	IF1338ALM	1,000



A


180 Lb Rated Hanging Rail System



- Steel Hanging Rail with oval holes
- Brackets are rated at 180 lbs. per pair
- Brackets Left/Right adjustment is 11mm, Up/Down adjustment is 14mm



B



C



D



E

	Item #	Description
A	CM875-Z1-24	Steel Hanging Rail with oval holes, 1"W x 93-3/8"L
B	CM883-01-24	Cover for 1" Steel Hanging Rail, White
	CM883-55-24	Cover for 1" Steel Hanging Rail, Almond
	CM883-04-24	Cover for 1" Steel Hanging Rail, Brown
C	CM16-85450	Hanging Rail Bracket, Left Sided, Zinc plated
D	CM16-85451	Hanging Rail Bracket, Right Sided, Zinc plated
E	CM16-85252-680	Cover Cap for Hanging Rail Bracket, Left Sided, White
	CM16-85253-680	Cover Cap for Hanging Rail Bracket, Right Sided, White



1-1/16" Diameter Round Chrome Tubing, Value Priced Steel



- High quality steel with a wall thickness of .080"
- Material is 14 gauge steel with Polished Chrome finish

Item #	Length
UF53431-46-017	4 ft.
UF53431-46-030	5 ft.
UF53431-46-031	6 ft.

Item #	Length
UF53431-46-008	8 ft.
UF53431-46-032	10 ft.
UF53431-46-006	12 ft.



Closed




Open

1-1/16" Diameter Chrome Flanges Value Priced Round Open & Closed Style



- Flange is made of steel
- Three screw hole design (sold without screws)

Item #	Flange Type	Finish
UF54133-46-019	Open	Polished Chrome
UF54233-46-028	Closed	



1-5/16" Diameter Round Tubing, Value Priced

- Wall thickness .078"



Item #	Length	Finish	Material
UF53435-47-024	8 ft.	Dull Brass	Aluminum
UF53435-48-025	8 ft.	Dull Chrome	Aluminum
UF53435-49-026	8 ft.	Dull Nickel	Aluminum
UF53435-51-023	8 ft.	Matte Black	Aluminum
UF53435-53-027	8 ft.	Oil Rubbed Bronze	Aluminum

Item #	Length	Finish	Material
UF53431-46-033	4 ft.	Polished Chrome	Steel
UF53431-46-034	5 ft.	Polished Chrome	Steel
UF53431-46-035	6 ft.	Polished Chrome	Steel
UF53431-46-015	8 ft.	Polished Chrome	Steel
UF53431-46-036	10 ft.	Polished Chrome	Steel
UF53431-46-014	12 ft.	Polished Chrome	Steel



1-5/16" Diameter Flanges, Open & Closed

- Flanges are made of a zinc alloy
- Holds a 1-5/16" dia. outside dimension tube
- Flanges have three screw holes (screws not included)



Open Item #	Finish	Type
UF54133-49-022	Dull Nickel	Open
UF54133-48-042	Dull Chrome	Open
UF54133-47-043	Dull Brass	Open
UF54133-51-044	Matte Black	Open
UF54133-53-077	Oil Rubbed Bronze	Open
UF54133-46-021	Polished Chrome	Open

Closed Item #	Finish	Type
UF54233-49-088	Dull Nickel	Closed
UF54233-48-034	Dull Chrome	Closed
UF54233-47-035	Dull Brass	Closed
UF54233-51-036	Matte Black	Closed
UF54233-53-075	Oil Rubbed Bronze	Closed
UF54233-46-027	Polished Chrome	Closed



1-5/16" Diameter Flanges Round Open & Closed With Pins

- Flanges are made of a zinc alloy
- Holds a 1-5/16" diameter outside dimension tube
- Flange has two pins, 32mm on center for 5mm bore holes and center screw hole, screws not included



Open Item #	Finish	Type
UF54131-49-083	Dull Nickel	Open
UF54131-48-046	Dull Chrome	Open
UF54131-47-047	Dull Brass	Open
UF54131-51-048	Matte Black	Open
UF54131-53-090	Oil Rubbed Bronze	Open
UF54131-46-058	Polished Chrome	Open

Closed Item #	Finish	Type
UF54231-49-076	Dull Nickel	Closed
UF54231-48-038	Dull Chrome	Closed
UF54231-47-039	Dull Brass	Closed
UF54231-51-040	Matte Black	Closed
UF54231-53-041	Oil Rub Bronze	Closed
UF54231-46-089	Polished Chrome	Closed



Oval Chrome Tubing, 30mm x 15mm Value Priced, Steel



- Tubing is made of steel with a Polished Chrome finish
- .039" Wall Thickness
- Available in 8' and 12' lengths

Packing: 20 each per box.

Sold In: Both broken and full box quantities.

Item #	Length
UF53111-46-003	8 ft. Closet Rod
UF53111-46-001	12 ft. Closet Rod



Oval Tubing, 30mm x 15mm Aluminum, Varied Finishes



- Tubing is made of 100% aluminum
- .039" wall thickness
- Available in 8' lengths only

Packing: 20 each per box.

Sold In: Both broken and full box quantities.

Item #	Finish
UF53315-47-019	Dull Brass
UF53315-48-020	Dull Chrome
UF53315-49-021	Dull Nickel
UF53315-51-018	Matte Black
UF53315-53-022	Oil Rubbed Bronze



Center Support for Oval Tubing



- Size: 9/16" x 1-3/16"
- For oval tubing: 1-1/8" x 5/8" (30mm x 15mm)
- For oval tubing part# UF53111-46-003 8'L or UF53111-46-001 12'L
- (2) holes for mounting screws, 1-3/16" C/C
- Includes #6 x 3/4" screws

Item #	Description	Finish
UF54215-46-079	Center Support for 30mm x 15mm Oval Tubing	Chrome



Oval Flange, 30mm X 15mm Open Style, 3 Hole/No Pins



- Flanges are made of a zinc alloy
- Flanges have 3 screw holes with no pins

Packing: 50 per box, screws not included.

Sold In: Both broken and full box quantities

Item #	Finish
UF54113-49-084	Dull Nickel
UF54113-48-091	Dull Chrome
UF54113-47-054	Dull Brass
UF54113-51-055	Matte Black
UF54113-53-085	Oil Rubbed Bronze
UF54113-46-013	Polished Chrome



Oval Flange, 30mm x 15mm Open Style With Dual Pins



- Flanges are made of a zinc alloy
- Flanges have two 5mm pins for use in 32mm systems and a single screw hole

Packing: 50 per box, screws not included.

Sold In: Both broken and full box quantities


Item #	Finish
UF54111-49-086	Dull Nickel
UF54111-48-078	Dull Chrome
UF54111-47-051	Dull Brass
UF54111-51-052	Matte Black
UF54111-53-008	Oil Rubbed Bronze
UF54111-46-068	Polished Chrome



Wall Bed Hardware Vertical Mount Kit

- Completely secure, easy to operate and assemble
- Sturdy tubular steel construction provides years of reliable use
- Designed for mattresses up to 10" thick
- Door stays closed without requiring a latch
- **Kit Includes: Sturdy steel frame, poplar slats, mounting brackets, pistons, legs with connecting bar, mattress retaining brackets and assembly hardware**
- This kit does not include a mattress or a cabinet
- Must ship on a truck

Item #	Description	Load Rating		Weight
		Dynamic	Static	
SZWALLBED-TWIN-VT	Twin Size Wall Bed, Vertical Kit	300 Lbs.	1,000 Lbs.	54.6 Lbs.
SZWALLBED-FULL-VT	Full Size Wall Bed, Vertical Kit	340 Lbs.	1,000 Lbs.	88 Lbs.
SZWALLBED-QUEEN-VT	Queen Size Wall Bed, Vertical Kit	400 Lbs.	1,000 Lbs.	96 Lbs.






Wall Bed Hardware Horizontal Mount Kit




- Completely secure, easy to operate and assemble
- Sturdy tubular steel construction provides years of reliable use
- Designed for mattresses up to 10" thick
- Door stays closed without requiring a latch
- Semi-assembled frame for easy shipping
- **Kit Includes: Sturdy steel frame, poplar slats, mounting brackets, pistons, legs with connecting bar, mattress retaining brackets and assembly hardware**
- This kit does not include a mattress or a cabinet
- Must ship on a truck

Item #	Description	Load Rating		Weight
		Dynamic	Static	
SZWALLBED-TWIN-HZ	Twin Size Wall Bed, Horizontal Kit	300 Lbs.	1,000 Lbs.	54 Lbs.
SZWALLBED-FULL-HZ	Full Size Wall Bed, Horizontal Kit	340 Lbs.	1,000 Lbs.	95.7 Lbs.
SZWALLBED-QUEEN-HZ	Queen Size Wall Bed, Horizontal Kit	400 Lbs.	1,000 Lbs.	111.60 Lbs.





Flat Rail Kits with Soft-Close Option

PRO
VALUE SERIES



	Item #	Type	Material	Finish	Kit Includes
Barn Door Hardware Flat Rail Kits - Face Mount - Maximum Door Weight: 350 lbs.					
A	UF77214-51-005	Face Mount	Steel	Matte Black	(1) 78"L Flat Rail, (5) Clamps for Fixing to Rail, (2) Door Stoppers, (2) Anti-Jump Blocks, (2) Sliding Door Rollers, & (1) Floor Guide
	UF77214-53-007	Face Mount	Steel	Oil Rubbed Bronze	(1) 78"L Flat Rail, (5) Clamps for Fixing to Rail, (2) Door Stoppers, (2) Anti-Jump Blocks, (2) Sliding Door Rollers, & (1) Floor Guide
	UF77214-56-006	Face Mount	Stainless Steel	Stainless Steel	(1) 78"L Flat Rail, (5) Clamps for Fixing to Rail, (2) Door Stoppers, (2) Anti-Jump Blocks, (2) Sliding Door Rollers, & (1) Floor Guide
Barn Door Hardware Flat Rail Kits - Top Mount - Maximum Door Weight: 300 lbs.					
B	UF77224-51-008	Top Mount	Steel	Matte Black	(1) 78"L Flat Rail, (5) Clamps for Fixing to Rail, (2) Door Stoppers, (2) Anti-Jump Blocks, (2) Sliding Door Rollers, & (1) Floor Guide
	UF77224-56-009	Top Mount	Stainless Steel	Stainless Steel	(1) 78"L Flat Rail, (5) Clamps for Fixing to Rail, (2) Door Stoppers, (2) Anti-Jump Blocks, (2) Sliding Door Rollers, & (1) Floor Guide
Accessories - Soft-Close Mechanism for Flat Rail Barn Door Hardware Only					
C	UF77253-51-100	Soft-Close Mechanism, Matte Black Finish			
	UF77253-53-108	Soft-Close Mechanism, Oil Rubbed Bronze Finish			
	UF77253-56-109	Soft-Close Mechanism, Stainless Steel Finish			
Accessories - Designed for Flat Rail Barn Door Hardware Only					
D	UF77259-51-104	Flat Rail Connector, Connects Two Flat Rails Together, Matte Black Finish			
	UF77259-53-106	Flat Rail Connector, Connects Two Flat Rails Together, Oil Rubbed Bronze Finish			
	UF77259-56-105	Flat Rail Connector, Connects Two Flat Rails Together, Stainless Steel Finish			
E	UF77919-51-101	Bypass Door Brackets, Designed for Two Door Application, Matte Black Finish			
	UF77919-53-103	Bypass Door Brackets, Designed for Two Door Application, Oil Rubbed Bronze Finish			
	UF77919-56-102	Bypass Door Brackets, Designed for Two Door Application, Stainless Steel Finish			

Round Rail Kits with Soft-Close Option



	Item #	Type	Material	Finish	Kit Includes
Barn Door Hardware Round Rail Kits - Face Mount - Maximum Door Weight: 260 lbs.					
A	UF77114-56-001	Face Mount	Stainless Steel	Stainless Steel	(1) 78"L Round Rail, (4) Clamps for Fixing to Rail, (2) Door Stoppers, (2) End Caps, (2) Sliding Door Rollers, (1) Floor Guide, & (1) Tool
	UF77113-56-002	Face Mount w/Soft-Close	Stainless Steel	Stainless Steel	(1) 78"L Round Rail, (4) Clamps for Fixing to Rail, (2) Door Stoppers, (2) End Caps, (2) Sliding Door Rollers, (1) Floor Guide, (1) Tool, (2) Soft-Closing Mechanisms, & (2) Triggers for the Soft-Close
Barn Door Hardware Round Rail Kits - Top Mount - Maximum Door Weight: 260 lbs.					
B	UF77124-56-003	Top Mount	Stainless Steel	Stainless Steel	(1) 78"L Round Rail, (4) Clamps for Fixing to Rail, (2) Door Stoppers, (2) End Caps, (2) Sliding Door Rollers, & (1) Floor Guide
	UF77123-56-004	Top Mount w/Soft-Close	Stainless Steel	Stainless Steel	(1) 78"L Round Rail, (4) Clamps for Fixing to Rail, (2) Door Stoppers, (2) End Caps, (2) Sliding Door Rollers, (1) Floor Guide, (2) Soft-Closing Mechanisms, & (2) Triggers for the Soft-Close
Accessory - Round Rail Connector					
C	UF77159-56-107	Round Rail Connector, designed to connect two round rails together, Stainless Steel Finish			

Mini-Barn Door Hardware Face Mount Kit



- Applications: kitchen islands, bathroom vanities, dressers, decorative window coverings, & hidden TV solutions
- Suitable for door thickness of 1" - 1-3/16" (25 - 30 mm)
- Door Weight Capacity: 44 Lbs.
- Available Finishes: Matte Black
- Steel with powder coat
- Kit Includes:
 - (1) 70"L Flat Rail
 - (5) Clamps for Fixing to Rail
 - (2) Door Stoppers
 - (2) Anti-Jump Blocks
 - (2) Sliding Door Rollers
 - (1) Floor Guide
 - (1) Allen Key & Screws



Item #	Description	Finish
UF77214-51-010	Mini-Barn Door Hardware Flat Rail Kit, Face Mount	Matte Black
UF77219-51-136	Accessory - Extra Sliding Door Roller, Face Mount	Matte Black

Mini-Barn Door Hardware Top Mount Kit




- Applications: kitchen islands, bathroom vanities, dressers, decorative window coverings, & hidden TV solutions
- Suitable for door thickness of 1" - 1-3/16" (25 - 30 mm)
- Door Weight Capacity: 44 Lbs.
- Available Finishes: Matte Black
- Steel with powder coat
- Kit Includes:
 - (1) 70"L Flat Rail
 - (5) Clamps for Fixing to Rail
 - (2) Door Stoppers
 - (2) Anti-Jump Blocks
 - (2) Sliding Door Rollers
 - (1) Floor Guide
 - (1) Allen Key & Screws



Item #	Description	Finish
UF77224-51-011	Mini-Barn Door Hardware Flat Rail Kit, Top Mount	Matte Black
UF77229-51-135	Accessory - Extra Sliding Door Roller, Top Mount	Matte Black

C-Guides, T-Guides & Latches



PRO
VALUE SERIES

	Item #	Description	Finish
A	UF77919-51-110	C-Guide for Regular & Mini Barn Door	Matte Black
	UF77919-53-111	C-Guide for Regular & Mini Barn Door	Oil Rubbed Bronze
	UF77919-56-112	C-Guide for Regular & Mini Barn Door	Stainless Steel
B	UF77919-51-113	T-Guide for Regular & Mini Barn Door	Matte Black
	UF77919-53-114	T-Guide for Regular & Mini Barn Door	Oil Rubbed Bronze
	UF77919-56-115	T-Guide for Regular & Mini Barn Door	Stainless Steel
C	UF77519-51-201	Latch for Regular & Mini Barn Door	Matte Black
	UF77519-53-202	Latch for Regular & Mini Barn Door	Oil Rubbed Bronze
	UF77519-59-200	Latch for Regular & Mini Barn Door	Satin Nickel

Handles

PRO
VALUE SERIES



	Item #	Style	Finish
A	UF77519-51-307	Rectangle	Matte Black
	UF77519-53-308	Rectangle	Oil Rubbed Bronze
	UF77519-59-306	Rectangle	Satin Nickel
B	UF77519-51-310	Fleur-de-lys	Matte Black
	UF77519-53-311	Fleur-de-lys	Oil Rubbed Bronze
	UF77519-59-309	Fleur-de-lys	Satin Nickel
C	UF77519-51-313	Octagon	Matte Black
	UF77519-53-314	Octagon	Oil Rubbed Bronze
	UF77519-59-312	Octagon	Satin Nickel
D	UF77519-51-319	Spade	Matte Black
	UF77519-53-320	Spade	Oil Rubbed Bronze

	Item #	Description	Finish
E	UF77519-51-316	Rounded	Matte Black
	UF77519-53-317	Rounded	Oil Rubbed Bronze
	UF77519-59-315	Rounded	Satin Nickel
F	UF77539-51-301	6.5"OL Flush	Matte Black
	UF77539-53-302	6.5"OL Flush	Oil Rubbed Bronze
	UF77539-59-300	6.5"OL Flush	Satin Nickel
G	UF77539-51-304	8"OL Flush	Matte Black
	UF77539-53-305	8"OL Flush	Oil Rubbed Bronze
	UF77539-59-303	8"OL Flush	Satin Nickel

NOTE: All handles are non-stock items and the delivery is 10-12 working days.



Panel Spacers

- No Oil, Carbon Black or Phthalates
- Eliminate panel rattle and cracking glue joints
- Absolutely no bleeding into your panel door
- .270" diameter, best for use in 1/4" groove
- Recommended minimum spacing is 3/16" (8 - 10 spacers per 5 panel door)

**Perfect for automatic insertion.
No talc needed! ***

* If you are currently using another style of panel spacer with automatic insertion, make sure you run some isopropyl alcohol through to remove any talc or oil residue in the channel

Item #	Bag Qty
WW0683135800-1M	1,000
WW0683135800-5M	5,000



Panel Spacer Insertion Gun, Handheld Pneumatic

- Compatible with various spacer sizes and styles via adjustable set screws
- Easily and accurately insert spacers into your doors
- Every pull of the trigger inserts a spacer right where you need it
- Normal Operating Pressure is 80-140 psi
- Works with Würth Panel Spacers and other styles of panel spacers .260 and .232
- Talc powder included for other types of panel spacers where it may be needed

Item #
QGINSTIONGUN



MicroPinner/Bradder, 23 Gauge


- Auto adjust push for different lengths
- Lock-out to prevent dry firing
- Removable no mar tip; belt hook
- Steel driver blade; for longer life
- Rear exhaust with muffler
- Swivel adapter for hose connection

Item #	Gauge	Range	Capacity
WW11191W	23	Microbrads 7/8" - 1-3/8" Micropins 1/2" - 1"	120 Pins or Brads

**Shoots micropins
and microbrads**

Item #	Description
Replacement Items	
WW166050	Gasket
WW166052	Gasket
WW280075	Bumper

Item #	Description
Replacement Items	
WW300820	CPL Driver Piston
WW302046	CPL Driver Piston
WW622176	O-Ring (Mult 10)
WW622178	O-Ring (Mult 10)



Micro Brads 23 Gauge

- Applications: Cabinet doors, light trim, carvings and ornamentals and picture frames


Length	Item #	Box Qty
7/8"	WWN23088B	10,000
1"	WWN23100B	10,000
1-3/16"	WWN23119B	10,000
1-3/8"	WWN23138B	10,000



Micro Pins 23 Gauge

- Applications: Cabinet doors, light trim, carvings and ornamentals and picture frames

Length	Item #	Box Qty
1/2"	WWN23050F10	10,000
5/8"	WWN23058F10	10,000
3/4"	WWN23075F10	10,000
1"	WWN23100F10	10,000




Headless Pins 18 Gauge

- Applications: Vanities, molding and trim, dowels and joints, cabinet door frames, drawer assembly, picture frames, scribe moldings, furniture repair, carvings, ornamentals, blind pinning of upholstered and trim panels, and rattan

Length	Item #	Box Qty
1/2"	WWFAEB812P	5,000
3/4"	WWN18075C	5,000
1"	WWN18100C	5,000






Staples, 3/16" Crown 20 Gauge

- Applications: Finish & Trim, Furniture & Bedding, Manufactured Housing, Millwork


Length	Item #	Box Qty
1/2"	WWFAESE-08-12	10,000



Staples, 7/16" Medium Crown 16 Gauge

- Applications: Furniture and case good face frames and side stiles, desk and cabinet box build up, soffit and fascia, casebacks, countertop build up, hardwood pallets, shipping crates and boxes, sash and millwork


Length	Item #	Box Qty
1-1/4"	WWS16125L	10,000
1-1/2"	WWS16150L	10,000
1-3/4"	WWS16175L	10,000
2"	WWS16200L	10,000



Staples, 7/32" Crown 18 Gauge

- Applications: Cabinet building, underlayment, moldings

Length	Item #	Box Qty
3/4"	WWS18075N	5,000
1"	WWS18100N	5,000
1-3/16"	WWS18119N	3,000
1-1/4"	WWS18125N	3,000



Staples, 3/8" Crown 18 Gauge

- Applications: Cabinetry and furniture, aluminum siding, mobile homes and RV's, and light metal to wood attachment

Length	Item #	Box Qty
5/8"	WWS18063M	5,000
3/4"	WWS18075M	5,000






**TOP
SELLER!**

Staples, 1/4" Narrow Crown 18 Gauge



- Applications: Casebacks, pre-hung units, paneling, interior trim, drawers underlayment, door and window casings, cabinet assembly, lattice glue blocks, moldings and cabinet box assembly

Length	Item #	Box Qty
1/2"	WWS18050KT	5,000
5/8"	WWS18063KT	5,000
3/4"	WWS18075KT	5,000
7/8"	WWS18088KT	5,000
1"	WWS18100KT	5,000
1-1/8"	WWS18113KT	5,000
1-1/4"	WWS18125KT	5,000
1-1/2"	WWS18150KT	5,000




Staples, 1/4" Crown 19 Gauge



- Applications: Cabinets, casebacks, underlayment, molding and trim, lattice, and hardwood floors

Length	Item #	Box Qty
3/4"	WWS19075R	5,000




Staples, 1/2" Crown 20 Gauge



- Applications: Casebacks, molding, upholstery, and dust covers

Length	Item #	Box Qty
3/8"	WWS20038S	5,000



Slight Head Brad Nails 18 Gauge



- Applications: Cabinets, furniture, woodworking, trim, dowels and joints, cabinet door frames and panels, drawer assembly, decorative wood, and plastic pieces

Length	Item #	Box Qty
5/8"	WWN18063B	5,000
3/4"	WWN18075B	5,000
1"	WWN18100B	5,000




Brad Nails 18 Gauge



- Applications: Carvings and ornamentals, furniture repair, cabinets and drawers, casebacks, small trim and baseboards

Length	Item #	Box Qty
5/8"	WWN18063A	5,000
3/4"	WWN18075A	5,000
1"	WWN18100A	5,000
1-3/16"	WWN18119A	5,000
1-1/4"	WWN18125A	5,000
1-1/2"	WWN18150A	5,000
1-9/16"	WWN18156A	5,000
1-3/4"	WWN18175A	5,000
2"	WWN18200A	5,000



Angled Finish Nails 15 Gauge



- Applications: Vanities, molding and trim, dowels and joints, cabinet door frames, drawer assembly, picture frames, scribe moldings, furniture repair, carvings, ornamentals, blind pinning of upholstered and trim panels, and rattan

Length	Item #	Box Qty
1"	WWN15100E	4,000
1-1/4"	WWN15125E	4,000
1-1/2"	WWN15150E	4,000
1-3/4"	WWN15175E	4,000
2"	WWN15200E	4,000
2-1/4"	WWN15225E	4,000
2-1/2"	WWN15250E	4,000



Finish Nails, 16 Gauge




- Applications: Cabinets, shelving, drawer boxes, trim and molding build-ups, and chair railings

Length	Item #	Box Qty
3/4"	WWN16075D	5,000
1"	WWN16100D	5,000
1-1/4"	WWN16125D	5,000
1-1/2"	WWN16150D	5,000
1-3/4"	WWN16175D	5,000
2"	WWN16200D	5,000
2-1/2"	WWN16250D	5,000

Head Guide




Drive Guide



FIND IT FAST!

Checkout our **Screw & Fastener Quickfind** at:
www.wurthbaersupply.com



Located on our home page.



Thread and Point Guide

Fine Thread

General woodworking use, primarily with solid woods and hardwood. Requires pre-drilling and pre-countersinking.



Turbo Thread

Virtually eliminates pre-drilling and countersinking. With features like nibs and a patented serrated tooth thread for less driving torque and reduced splitting.



Hi-Lo Thread

"All-purpose" thread. Designed for greater holding and less strip-out in all woods.



Type 17 Auger Point

Sharp slotted point acts as drill to eliminate pre-drilling for quicker, faster installation.



Coarse Thread

Used in particleboard and soft woods. Best results require pre-drilling and countersinking.



Flat Screw Point

Machine screws. Used to attach decorative hardware and in RTA applications.



Flat Head Phillips Drive Screws, Coarse Thread Without Nibs, Regular Point



- 3/4" and 1" lengths are threaded fully - all other sizes are threaded 2/3's from bottom of the screw
- Case hardened, finishes listed below
- Uses #2 Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only



Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
3/4" x 6	Lubricated	1,000	WW38720	15,000	WW38710
1" x 8	Lubricated	1,000	WW38730	10,000	WW38732
1-1/4" x 8	Lubricated	-	-	7,500	WW38738
1-1/2" x 8	Lubricated	-	-	5,000	WW38742
4" x 10	Lubricated	-	-	1,000	WW37400
3/4" x 6	Black	1,000	WW38330	-	-
1-1/4" x 8	Black	1,000	WW38350	-	-
1-1/2" x 8	Black	1,000	WW38360	7,000	WW38365
1-5/8" x 8	Black	-	-	5,500	WW38375
1-3/4" x 8	Black	-	-	4,800	WW38385
2" x 8	Black	-	-	4,000	WW38395
2-1/2" x 8	Black	-	-	2,500	WW38415
3" x 8	Black	1,000	WW38425	-	-

Visit our new website




[Contact](#)
[Register / Sign In](#)

[ALL PRODUCTS](#)
[QUICK ORDER](#)
[QUOTES](#)
[PROMOTIONS](#)
[RESOURCE CENTER](#)
[DIGITAL TOOLS](#)
[CAREERS](#)
[HELP](#)
[CHAT](#)

MPL 50

MULTI-PURPOSE LUBRICANT, SILICONE FREE



 **LOOSEN**
 **LUBRICATE**
 **CLEAN**
 **PREVENT**
 **REPEL**

50 STATE COMPLIANT

MPL 50 works hard and digs deep. Unlike ordinary penetrating oils, this specially designed, state-of-the-art formula goes to work FAST and loosens almost any part frozen by rust, corrosion, carbon, varnish, gum or paint. Cleans dirty, corroded machinery and aids in disassembly of equipment and pipe joints. It may also be used for cleaning yard tools, shop equipment and hand tools.

FEATURED PRODUCTS



BLADE DUO OUTLET 2-AC 2-USB-C 4-USB-A WH
\$299.8500/EA



ICS 10 SAW KIT 5HP 1PH 230V 52 RAILS
\$5355.0000/ST



NITRILE GLOVE BLUE TEXTURE 5MIL L
\$0.0900/EA



DEADBOLT DOOR KA101 SATIN CHRM
\$20.4900/EA



EMERALD PSA DISC 120G 5 NO HOLE
\$0.2400/EA



TIGERFLEX LIGHT SIZE 9 LRG
\$2.2900/PR

LARGE MACHINERY

ARCHITECTS & DESIGNERS

INTERACTIVE CATALOGS



Flat Head Phillips Drive, Coarse Thread With Nibs, Type 17 Auger Point

- 1" lengths are threaded fully - all other sizes are threaded 2/3's from bottom of the screw
 - Case hardened, finishes listed below
 - Uses #2 Phillips Drive bits
 - Box quantities as shown below
- Sold in full boxes only.



	Box		Bucket		Bulk	
Size	Item #	Box Qty	Item #	Bucket Qty	Item #	Bulk Qty
Black Oxidized Finish						
1" x 8	WW34200	1,000	WW34220-PAIL	7,000	WW34220	11,000
1-1/4" x 8	WW34240	1,000	WW34260-PAIL	5,000	WW34260	9,000
1-1/2" x 8	WW34280	1,000	WW34300-PAIL	5,000	WW34300	7,000
1-5/8" x 8	WW34320	1,000	WW34340-PAIL	3,500	WW34340	5,500
1-3/4" x 8	WW34350	1,000	-	-	WW34360	4,800
2" x 8	WW34400	1,000	WW34420-PAIL	3,000	WW34420	4,000
2-1/4" x 8	-	-	WW34460-PAIL	2,500	WW34460	3,500
2-1/2" x 8	WW34480	1,000	WW34500-PAIL	2,500	WW34500	2,500
3" x 8	-	-	WW34580-PAIL	2,000	WW34580	2,000
Zinc Finish						
1" x 8	WW30000	1,000	WW30100-PAIL	7,000	WW30100	11,000
1-1/4" x 8	WW30200	1,000	WW30300-PAIL	5,000	WW30300	9,000
1-1/2" x 8	WW30400	1,000	WW30500-PAIL	5,000	WW30500	7,000
1-5/8" x 8	WW30600	1,000	WW30700-PAIL	3,500	WW30700	5,500
1-3/4" x 8	WW30795	1,000	-	-	WW30798	4,800
2" x 8	WW30800	1,000	WW30900-PAIL	3,000	WW30900	4,000
2-1/4" x 8	-	-	WW31100-PAIL	2,500	WW31100	3,500
2-1/2" x 8	WW31200	1,000	WW31300-PAIL	2,500	WW31300	2,500
3" x 8	WW31400	1,000	WW31500-PAIL	2,000	WW31500	2,000

Flat Head Recex (Combo Phillips & Square) Drive, Coarse Thread With or Without Nibs, Regular Point



- 1" lengths are threaded fully - all other sizes are threaded 2/3's from bottom of the screw
- Case hardened, Lubricated
- Uses #2 Square Drive bits to insert; #2 Phillips Drive bits can be used for aftermarket adjustment
- Box quantities as shown below. Sold in full boxes only



Without Nibs, With Regular Point



With Nibs, With Regular Point

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
Without Nibs, Regular Point					
1" x 8	Lubricated	1,000	WW38820	10,000	WW38822
1-1/4" x 8	Lubricated	1,000	WW38825	7,500	WW38827
1-1/2" x 8	Lubricated	1,000	WW38830	5,000	WW38832
1-3/4" x 8	Lubricated	-	-	4,000	WW38837
2" x 8	Lubricated	1,000	WW38842	3,500	WW38840
2-1/2" x 8	Lubricated	-	-	2,500	WW38852
3" x 8	Lubricated	-	-	1,500	WW38870
With Nibs, Regular Point					
1-1/4" x 8	Lubricated	1,000	WW39020	7,500	WW39022
1-1/2" x 8	Lubricated	1,000	WW39025	5,000	WW39027
1-3/4" x 8	Lubricated	1,000	WW39030	4,000	WW39032
2" x 8	Lubricated	-	-	3,500	WW39037
2-1/2" x 8	Lubricated	-	-	2,500	WW39055
3" x 8	Lubricated	-	-	1,500	WW39075



Turbo Thread Jars



- Our top selling Turbo Thread screw, shown at bottom of next page, but in convenient smaller jar quantities
- Flip up handle plastic jar is convenient to move around the shop or jobsite

Length x Gauge	Finish	Jar Qty	Item #
1-1/4" x 8	Lubricated	500	WW32550-JAR
1-1/2" x 8	Lubricated	500	WW32950-JAR
2" x 8	Lubricated	250	WW33350-JAR
2-1/2" x 8	Lubricated	250	WW33750-JAR



FREE 2" DRIVE BIT IN EACH JAR!

Flat Head Recex (Combo Phillips & Square) Drive, Coarse Thread With Nibs and Type 17 Auger Point



- 1" lengths are threaded fully - all other sizes are threaded 2/3's from bottom of the screw
- Case hardened, finishes listed below
- Uses #2 Square Drive bits to insert; #2 Phillips Drive bits can be used for aftermarket adjustment
- Box quantities as shown below. Sold in full boxes only



Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
1" x 8	Black	1,000	WW36710	11,000	WW36715
1-1/4" x 8	Black	1,000	WW36720	9,000	WW36725
1-1/2" x 8	Black	1,000	WW36730	7,000	WW36735
1-3/4" x 8	Black	1,000	WW36750	4,800	WW36755
2" x 8	Black	1,000	WW36760	4,000	WW36765
2-1/4" x 8	Black	1,000	WW36770	3,500	WW36775
2-1/2" x 8	Black	1,000	WW36780	2,500	WW36785
3" x 8	Black	1,000	WW36790	2,000	WW36793
1" x 8	Zinc	1,000	WW36820	-	-
1-1/4" x 8	Zinc	1,000	WW36822	9,000	WW36830
1-1/2" x 8	Zinc	1,000	WW36835	7,000	WW36840
1-5/8" x 8	Zinc	1,000	WW36845	5,500	WW36850
2" x 8	Zinc	1,000	WW36870	4,000	WW36875
2-1/4" x 8	Zinc	-	-	3,500	WW36885
2-1/2" x 8	Zinc	1,000	WW36890	2,500	WW36895
3" x 8	Zinc	-	-	2,000	WW36910

Flat Head Recex (Combo Phillips & Square) Drive, Turbo Thread w/Nibs, Regular Point



- Patented serrated tooth turbo thread allows for quick starting, reduced splitting and less drive torque
- Use in all wood working applications: assembly, face frame, slides, hinges and hardware
- 3/4" and 1" lengths are threaded fully - all other sizes are threaded 2/3's from bottom of the screw
- Case hardened, Lubricated
- Uses #2 Square Drive bits to insert; #2 Phillips Drive bits used for aftermarket adjustment
- Box quantities as shown below. Sold in full boxes only



Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
3/4" x 8	Lubricated	-	-	15,000	WW31950
1" x 8	Lubricated	1,000	WW32000	10,000	WW32100
1-1/8" x 8	Lubricated	1,000	WW32200	8,000	WW32300
1-1/4" x 8	Lubricated	1,000	WW32400	7,500	WW32500
1-1/2" x 8	Lubricated	1,000	WW32800	5,000	WW32900
1-3/4" x 8	Lubricated	1,000	WW33000	4,000	WW33100
2" x 8	Lubricated	1,000	WW33200	3,500	WW33300
2-1/2" x 8	Lubricated	1,000	WW33600	2,500	WW33700
2-3/4" x 8	Lubricated	1,000	WW33800	2,000	WW33900
3" x 8	Lubricated	1,000	WW34000	1,500	WW34100

Flat Head Square Drive, Coarse Thread Without Nibs, Regular Point

- 3/4" and 1" lengths are threaded fully - all other sizes are threaded 2/3's from bottom of the screw
- Case hardened, Lubricated
- Uses #2 Square Drive bits
- Box quantities as shown on right
Sold in full boxes only



Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
3/4" x 6	Lubricated	1,000	WW39215	15,000	WW39217
1" x 8	Lubricated	1,000	WW39230	10,000	WW39232
1-1/4" x 8	Lubricated	1,000	WW39235	7,500	WW39237
1-1/2" x 8	Lubricated	1,000	WW39240	5,000	WW39242
1-3/4" x 8	Lubricated	1,000	WW39250	4,000	WW39252
2" x 8	Lubricated	1,000	WW39255	3,500	WW39257
2-1/4" x 8	Lubricated	-	-	3,000	WW39262
2-1/2" x 8	Lubricated	1,000	WW39265	2,500	WW39267
3" x 8	Lubricated	1,000	-	1,500	WW39270

Flat Head Square Drive, Coarse Thread With Nibs, Type I7 Auger Point

- 1" are threaded fully - all other sizes are threaded 2/3's from bottom of the screw
- Case hardened finishes listed on right
- #2 Square Drive bits
- Box quantities as shown on right
Sold in full boxes only



Size	Box		Bucket		Bulk	
	Item #	Box Qty	Item #	Bucket Qty	Item #	Bulk Qty
Black Oxidized Finish						
1" x 8	WW37100	1,000	WW37120-PAIL	7,000	WW37120	11,000
1-1/4" x 8	WW37140	1,000	WW37160-PAIL	5,000	WW37160	9,000
1-1/2" x 8	WW37180	1,000	WW37200-PAIL	5,000	WW37200	7,000
1-5/8" x 8	WW37220	1,000	WW37240-PAIL	3,500	WW37240	5,500
1-3/4" x 8	WW37260	1,000	-	-	WW37265	4,800
2" x 8	WW37280	1,000	WW37300-PAIL	3,000	WW37300	4,000
2-1/4" x 8	WW37305	1,000	WW37310-PAIL	2,500	WW37310	3,500
2-1/2" x 8	WW37340	1,000	WW37350-PAIL	2,500	WW37350	2,500
3" x 8	WW37380	1,000	WW37390-PAIL	2,000	WW37390	2,000
Zinc Finish						
1" x 8	WW31600	1,000	WW31700-PAIL	7,000	WW31700	11,000
1-1/4" x 8	WW31800	1,000	WW31900-PAIL	5,000	WW31900	9,000
1-1/2" x 8	WW38800	1,000	WW38900-PAIL	5,000	WW38900	7,000
1-5/8" x 8	WW39000	1,000	WW39100-PAIL	3,500	WW39100	5,500
1-3/4" x 8	WW39110	1,000	-	-	WW39120	4,800
2" x 8	WW39200	1,000	WW39300-PAIL	3,000	WW39300	4,000
2-1/4" x 8	WW39400	1,000	WW39500-PAIL	2,500	WW39500	3,500
2-1/2" x 8	WW39710	1,000	WW39715-PAIL	2,500	WW39715	2,500
3" x 8	WW39800	1,000	WW39900-PAIL	2,000	WW39900	2,000



Serrated thread for quick start and reduced splitting.



Washer Head Recex (Combo Phillips & Square) Drive Turbo Thread, Regular Point



- Round Washerhead typically used in soft woods to prevent head from sinking into wood
- Patented serrated tooth turbo thread allows for quick starting, reduced splitting, and less drive torque. Used in all woodworking applications: assembly, face frame, slides, hinges and hardware
- 1" lengths are threaded fully - all other sizes are threaded 2/3's from bottom of the screw
- Case hardened, Lubricated
- Uses #2 Square Drive bits to insert; #2 Phillips Drive bits can be used for aftermarket adjustment
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
1" x 8	Lubricated	1,000	WW34600	8,000	WW34700
1-1/8" x 8	Lubricated	1,000	WW34800	6,000	WW34900
1-1/4" x 8	Lubricated	1,000	WW35000	6,500	WW35100
1-3/8" x 8	Lubricated	1,000	WW35200	5,000	WW35300
1-1/2" x 8	Lubricated	1,000	WW35400	5,000	WW35500
1-3/4" x 8	Lubricated	1,000	WW35600	-	-
2" x 8	Lubricated	1,000	WW35800	3,000	WW35900
2-1/2" x 8	Lubricated	1,000	WW36200	2,000	WW36300
2-3/4" x 8	Lubricated	-	-	1,500	WW36500
3" x 8	Lubricated	1,000	WW36600	1,500	WW36700



Turbo Thread Jars



- Our top selling Turbo Thread screw, shown above, but in convenient smaller jar quantities
- Flip up handle plastic jar is convenient to move around the shop or jobsite

Length x Gauge	Finish	Jar Qty	Item #
1" x 8	Lubricated	500	WW34750-JAR
1-1/4" x 8	Lubricated	500	WW35150-JAR
1-1/2" x 8	Lubricated	500	WW35550-JAR
2" x 8	Lubricated	250	WW35950-JAR
2-1/2" x 8	Lubricated	125	WW36350-JAR
3" x 8	Lubricated	125	WW36705-JAR

FREE 2" DRIVE BIT IN EACH JAR!



**FREE 1-1/2" X #2
PHILLIPS INSERT BIT
INCLUDED IN
EACH 5 LB BOX!**

Bugle Head Phillips Drive Coarse Thread, Sharp Point



- #2 Phillips Drive, Coarse Thread
- Used for fastening a combination of woods, metals, plastics, fiberglass and more
- Bugle head design countersinks neatly into drywall and eliminates unsightly head pops
- Manufactured in an ISO 9001 factory from 1022 case hardened steel and feature rolled threads for exceptional strength and holding power
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Approx Box Qty (5 lb Box)	Item #	Approx Box Qty (1/4 Keg)	Item #
1" x 6	Black	1,770	SC1DWC5	10,000	SC1DWCK
1-1/4" x 6	Black	1,425	SC114DWC5	8,000	SC114DWCK
1-5/8" x 6	Black	1,175	SC158DWC5	5,000	SC158DWCK
2-1/2" x 8	Black	570	SC212DWC5	2,500	SC212DWCK
3" x 8	Black	465	SC3DWC5	2,000	SC3DWCK



Bugle Head Phillips Drive Coarse Thread, Sharp Point



- Fully threaded
- Case hardened, Black
- Uses #2 Phillips Drive bits
- Box quantities as shown on right.
Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
1" x 7	Black	1,000	WW19000	10,000	WW19010
1-1/8" x 7	Black	-	-	10,000	WW19110
1-1/4" x 7	Black	1,000	WW19200	8,000	WW19210
1-5/8" x 7	Black	1,000	WW19300	5,000	WW19310
2" x 7	Black	-	-	3,500	WW19410
2-1/4" x 7	Black	1,000	WW19500	3,000	WW19510
2-1/2" x 8	Black	1,000	WW21000	2,500	WW21100
3" x 8	Black	-	-	2,000	WW21400
4" x 10	Black	1,000	WW29340	-	-
6" x 10	Black	500	WW29500	-	-



Bugle Head Square Drive, Coarse Thread, Sharp Point



- Fully threaded
- Case hardened, Black
- Uses #2 Square Drive bits
- Box quantities as shown below.
Sold in full boxes only

Length x Gauge	Box Qty	Item #	Bulk Qty	Item #
1" x 7	1,000	WW22000	-	-
2-1/2" x 8	-	-	3,000	WW22700
3" x 9	1,000	WW23200	2,000	WW23300



Bugle Head Phillips Drive, Fine Thread, Sharp Point



- Fully threaded the length of the screw
- Case hardened, Black
- Uses #2 Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #
1-1/4" x 7	Black	8,000	WW29200
1-5/8" x 7	Black	5,000	WW29220



Trim-It Screws, Square Drive, Twinfast Thread, Sharp Point



- Normally used for fastening trim moldings or jams
- Extremely small head (7/32") is hardly seen; can be countersunk and puttied over
- Type "A" point is very sharp and eliminates pre-drilling in most materials
- Case hardened, Black
- #6 screws use #1 Square Drive bits; #8 screws use #2 Square Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #
1-5/8" x 6	Black	1,000	WW24010
2-1/4" x 6	Black	1,000	WW24120
3" x 8	Black	100	WW24200



Flat Head Phillips Drive Twinfast Thread, Without Nibs, With Sharp Point, Black Finish



- Twinfast screws drive 66% faster than a standard wood screw; double lead threads drive into the hardest woods
- Case hardened, Black
- Uses #2 Phillips bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
1-1/4" x 8	Black	1,000	WW30915	9,000	WW30920
2" x 8	Black	1,000	WW30955	3,500	WW30960




Washer Head Recex (Combo Phillips & Square Drive), Coarse Thread Regular Point WÜRTH

- Case hardened, finishes listed below
- Uses #2 Square drive bit to insert & #2 Phillips Drive bit for aftermarket adjustment
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
Regular Point, .375" Diameter Head					
2-1/2" x 8	Black	-	-	2,000	WW38990
3" x 8	Black	-	-	1,500	WW38995
1-1/8" x 8	Zinc	-	-	6,500	WW82600
2-1/2" x 8	Zinc	-	-	2,000	WW39770
3" x 8	Zinc	-	-	1,500	WW39785
Regular Point, .443" Diameter Head					
2-1/2" X 10	Zinc	500	WW39350	1,500	WW39360
3" X 10	Zinc	500	WW39370	1,500	WW30995
3-1/2" X 10	Zinc	800	WW39385	-	-
2-1/2" X 10	Zinc w/White Head	-	-	1,500	WW39320
3" X 10	Zinc w/White Head	-	-	1,000	WW39335

Visit our new website



STOCK-UP SALE! STRONGHOLD BRACKET

Concealed Floating Countertop Brackets

FEATURED PRODUCTS

 24VDC 5.5W/FT 16.4FT 4800K COB FLEXTAPE \$199.9900/EA	 L350MM H86MM PRO2000 DRAWER SET GREY \$12.3400/ST	 29008 EAR PLUGS NON-CORDED	 17.25 W WOOD VANITY RACK FOR 21 FF CAB \$54.9900/EA	 12 C/C WEATHERED NICKEL FINISH \$10.0000/EA	 TXT 72 CURVED EXTRUSION BLACK \$40.9900/EA
--	--	--	--	--	---

LARGE MACHINERY **ARCHITECTS & DESIGNERS** **INTERACTIVE CATALOGS**



For use with Metal Studs

Truss Head Phillips Drive, Fine Thread (2/3 Thread) Needle Point



- #8 gauge needle point for light metal studs and sheetmetal
- Large truss head provides large bearing surface and hides rough screw hole edges
- Case hardened, finishes listed below
- Uses #2 Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #
2-1/2" x 8	Zinc with White Head	2,000	WW39140



For use with Metal Studs

Truss Head Phillips Drive, Fine Thread (Full Thread) #2 Drill Point



- #2 drill point for use on heavier gauge metal studs. Eliminates the need for pilot hole/pre drilling studs
- Large truss head provides large bearing surface and hides rough edges
- Case hardened, finishes listed below
- Uses #3 Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
2-1/2" x 10	Zinc with White Head	500	WW39180	-	-
2-1/2" x 10	Zinc with Zinc Head	-	-	2,000	WW39185



For use with Wood Studs

Truss Head Phillips Drive, Coarse Thread (1/2 Thread) Needle Point



- Deep thread for secure fastening to wood studs
- Large truss head provides large bearing surface and hides rough edges
- 1/2" head allows cabinet to "float" for final adjustment
- Case hardened, finishes listed below
- Uses #3 Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
2-1/2" x 10	Zinc with Sand Head	500	WW37020	-	-
3" x 10	Zinc with Sand Head	500	WW37060	1,000	WW37065
3" x 10	Zinc with White Head	-	-	1,000	WW37055
2-1/2" x 10	Zinc with Zinc Head	-	-	1,500	WW37045
3" x 10	Zinc with Zinc Head	500	WW37075	-	-



Modified Pan Head, Square Drive Fine Thread, Type 17 Auger Point



- For hardwoods such as Oak and Maple
 - Case hardened, Black
 - Uses #2 Square Drive bits
 - Box quantities as shown below.
- Sold in full boxes only.

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
1-1/4" x 7	Black	1,000	WW16000	7,500	WW16100
1-1/2" x 7	Black	1,000	WW16200	6,000	WW16300



Modified Pan Head, Square Drive Hi-Lo Thread, Type 17 Auger Point



- All purpose screw with Hi-Lo thread for greater holding power and less strip out in hardwoods, medium woods, and soft woods
- Case hardened, Lubricated
- Uses #2 Square Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
1-1/4" x 7	Lubricated	1,000	WW15000	7,500	WW15100
1-1/2" x 7	Lubricated	1,000	WW15200	6,000	WW15300



Modified Pan Head, Square Drive Coarse Thread Extra Long Type 17 Auger Point



- Features an extra long aggressive cutting point that cuts through the toughest materials
- Elongated cutting flute reduces splitting and cracking
- Case hardened, Lubricated
- Uses #2 Square Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
1" x 7*	Lubricated	-	-	10,000	WW16900
1-1/4" x 7	Lubricated	1,000	WW17000	7,500	WW17100
1-1/2" x 7	Lubricated	1,000	WW17200	6,000	WW17300

*Standard Type 17

**OUR TOP SELLING
POCKETMASTER SCREW!**



PocketMaster Jars

- Our top selling Face Frame screw, shown above, but in convenient smaller jar quantities
- Flip up handle plastic jar is convenient to move around the shop or jobsite

**FREE 2" DRIVE BIT
IN EACH JAR!**

Length x Gauge	Finish	Jar Qty	Item #
1-1/4" x 7	Lubricated	500	WW17150-JAR
1-1/2" x 7	Lubricated	500	WW17350-JAR



Pan Head Square or Phillips Drive, Fine Thread Type 17 Auger Point



- Standard fine thread for hardwoods such as Oak and Maple
- Case hardened, Black
- Uses #2 Square or Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
Square Drive					
1-1/4" x 6	Black	1,000	WW12500	10,000	WW12520
1-1/2" x 6	Black	1,000	WW12800	8,500	WW12820
Phillips Drive					
1-1/4" x 6	Black	1,000	WW10200	10,000	WW18000



Pan Head Square or Phillips Drive, Coarse Thread Type 17 Auger Point



- Excellent holding in soft woods, MDF and particleboard
- Case hardened, finishes listed below
- Uses #2 Square or Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
Square Drive					
1-1/4" x 7	Black	1,000	WW12000	7,500	WW12100
1-1/2" x 7	Black	1,000	WW12200	6,000	WW12300
Phillips Drive					
1-1/4" x 6	Lubricated	1,000	WW10000	10,000	WW10100



Round Washer Head Square or Recex (Combo Phillips & Square) Drive, Coarse Thread, Type 17 Auger Point



- Excellent holding in soft woods, MDF, and particleboard
- Round washer head prevents crushing into the bottom of the face frame hole
- Case hardened, finishes listed below
- Uses #2 Square Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
Combo Phillips & Square Drive					
1-1/4" x 8	Black	1,000	WW18500	7,000	WW18520
1-1/2" x 8	Black	1,000	WW18600	5,000	WW18620



Round Washer Head Square Drive Fine Thread Type 17 Auger Point



- Standard fine thread for hardwoods such as Oak and Maple
- Prevents the head from crushing into the bottom of the face frame hole
- Case hardened, Black
- Uses #2 Square Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
1-1/4" x 7	Black	1,000	WW18705	8,000	WW18700



Truss Head Phillips Drive, Coarse Thread Type 17 Auger Point



- Large truss head reduces sinking of head in soft woods
- Designed to prevent splitting in hardwoods when attached into or near the edge of material
- Case hardened, finishes listed below
- Uses #2 Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
5/8" x 8	Zinc	1,000	WW58120	10,000	WW58130
3/4" x 8	Zinc	1,000	WW58140	10,000	WW58150
5/8" x 8	Antique English	1,000	WW59120	10,000	WW59130



Truss Head Recex (Combo Phillips & Square) Drive Coarse Thread, Extra Long Type 17 Auger Point



- Extra long aggressive cutting point that cuts through the toughest materials
- Elongated cutting flute greatly reduces splitting and cracking
- Case hardened, Zinc
- Uses #2 Square Drive bits for insertion and #2 Phillips Drive bits for aftermarket adjustment
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
3/4" x 8	Zinc	1,000	WW59000	12,000	WW59050



Truss Head (Combo Phillips & Square) Drive, Coarse Thread, Regular Point



- Case hardened, Zinc
- Uses #2 Square Drive bits for insertion and #2 Phillips Drive bits for aftermarket adjustment
- .366" diameter head
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
7/16" x 8	Zinc	1,000	WW44120	5,000	WW44125



Truss Head Low Profile Phillips Drive Coarse Thread, Regular Point



- Low Truss Head screw for use on ball bearing slides
- Case hardened, finishes listed below
- .366" diameter head
- Uses #2 Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
7/16" x 8	Zinc	1,000	WW46000	5,000	WW46005
7/16" x 8	Zinc	-	-	14,000	WW46010
7/16" x 8	White	1,000	WW46200	-	-



Type 17 Auger Point



Regular Point

Modified Truss Phillips Drive Coarse Thread, Regular or Type 17 Auger Point



- Uses #2 Phillips Drive bits
- Case hardened, finishes listed below
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
Type 17 Auger Point					
3/4" x 8	Nickel	1,000	WW46300	-	-
Regular Point					
7/16" x 8	Zinc	1,000	SCCSMMXA08716R2Z	-	-
1/2" x 8	Zinc	1,000	WW46750	5,000	WW46790



Flat Head Phillips Drive, Fine Thread, Sharp Point



- Steel woodscrews in short sizes for hinges, KD fittings, piano hinges and small assembly
- Holds in both hardwoods and softwoods
- Case hardened, finishes listed below
- Uses #2 Phillips Drive bits

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
1/2" x 5	Zinc	100	WW40205	1,000	WW40200
1/2" x 6	Zinc	100	-	1,000	WW41100
5/8" x 5	Zinc	100	WW40505	1,000	WW40500
5/8" x 6	Zinc	100	WW41210	1,000	WW41900
5/8" x 6	Zinc	-	-	30,000	WW41200
5/8" x 8	Zinc	100	-	1,000	WW41800
3/4" x 6	Zinc	100	WW41410	1,000	WW41400
3/4" x 8	Zinc	-	-	1,000	WW41950
1/2" x 5	Bright Brass	-	-	1,000	WW40400
5/8" x 5	Bright Brass	-	-	1,000	WW40700
5/8" x 6	Bright Brass	-	-	1,000	WW41350
5/8" x 5	Antique English	100	WW40605	1,000	WW40600
5/8" x 6	Antique English	100	-	1,000	WW41300



Flat Head Phillips Drive, Coarse Thread, Regular Point



- Case hardened, finishes listed on right
- Uses #2 Phillips Drive bits
- Box quantities as shown on right. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
1/2" x 6	Antique English	-	-	18,000	WW42000
1/2" x 5	Zinc	1,000	WW42075	5,000	WW42050
5/8" x 5	Zinc	1,000	WW42080	5,000	WW42070
1/2" x 6	Zinc	1,000	WW42100	5,000	WW42150
5/8" x 6	Zinc	1,000	WW42300	5,000	WW42390
5/8" x 6	Zinc	-	-	30,000	WW42400
3/4" x 6	Zinc	1,000	WW42500	5,000	WW43150
1" x 6	Zinc	1,000	WW38120	-	-
1/2" x 6	Nickel	1,000	WW54200	5,000	WW54300
5/8" x 6	Nickel	1,000	WW54375	5,000	WW54380
3/4" x 6	Nickel	1,000	WW54680	5,000	WW54690
1" x 6	Nickel	1,000	WW54900	-	-
5/8" x 7	Nickel	1,000	WW46800	-	-
3/4" x 7	Nickel	1,000	WW43700	5,000	WW43750



Flat Head Phillips Drive Coarse Thread, Type 17 Auger Point



- Case hardened, Zinc
- Uses #2 Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #	Super Bulk Qty	Item #
5/8" x 6	Zinc	1,000	WW43000	5,000	WW43020	30,000	WWDW658T17Z
3/4" x 6	Zinc	1,000	WW43100	5,000	WW54765	-	-



Square Drive, Coarse Thread Regular or Type 17 Auger Point



- Case hardened, finishes listed below
- Uses #2 Square Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
Regular Point					
1/2" x 6	Zinc	1,000	WW53100	-	-
Type 17 Auger Point					
5/8" x 6	Zinc	1,000	WW53250	30,000	WW53200



Flat Head Recex (Combo Phillips/ Square Drive) Coarse Thread, Regular Point



- Case hardened, Zinc
- Uses #2 Phillips Drive bits for insertion and #2 Phillips Drive bits for aftermarket adjustment
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
1/2" x 6	Zinc	1,000	WW39080	-	-
5/8" x 6	Zinc	1,000	WW39090	15,000	WW39085



Undercut Flat Head Phillips Drive, Coarse Thread, Regular Point



- Undercut head sits flush in the recessed hole of European drawer slides
- Case hardened, finishes listed below
- Uses #2 Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
5/8" x 6	Zinc	1,000	WW43420	30,000	WW43440



Pan Head, Fine Thread, Regular Point



- Steel woodscrews in short sizes for hinges, KD fittings and small assembly
- Holds in both hardwoods and softwoods
- Case hardened, finishes listed below
- Uses #2 Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Bulk Qty	Item #
1/2" x 6	Zinc	1,000	WW44060
1/2" x 8	Zinc	1,000	WW44130
5/8" x 6	Zinc	1,000	WW44165



Regular Point

Pan Head Phillips Drive, Coarse Thread Regular or Type 17 Auger Point



Type 17 Auger Point

- Edge application screws are designed to prevent splitting in hardwoods when hardware is attached into or near the edge of the material
- Used with European style face frame hinges, pin and pivot hinges, or with catches and latches.
- Case hardened, finishes listed below
- Uses #2 Phillips Drive bits
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
Regular Point					
5/8" x 10	Nickel	1,000	WW45600	-	-
1" x 10	Nickel	1,000	WW45810	-	-
Type 17 Auger Point					
5/8" x 10	Nickel	1,000	WW45630	-	-
3/4" x 10	Nickel	1,000	WW45820	9,000	WW45830
5/8" x 6	Antique English	1,000	WW45330	-	-
1/2" x 6	Zinc	1,000	WW45230	-	-
5/8" x 6	Zinc	1,000	WW45340	-	-
5/8" x 8	Zinc	1,000	WW45560	15,000	WW45570
3/4" x 8	Zinc	1,000	WW46500	10,000	WW46520



Washer Head Recex (Combo Phillips & Square) Drive Coarse Thread Type 17 Auger Point



- Edge application screws prevent splitting in hardwoods when hardware is attached into or near the edge of the material. Used with European style face frame hinges, pin and pivot hinges, or with catches and latches
- Case hardened, finishes listed below
- Uses #2 Square Drive bits for for insertion and #2 Phillips Drive bits for aftermarket adjustment
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Finish	Box Qty	Item #	Bulk Qty	Item #
3/4" x 8	Lubricated	1,000	WW39390	-	-
3/4" x 8	Zinc	1,000	WW55500	10,000	WW55550



WW903252



WW903251

Drywall Anchor, Multi-Drive



- Install into 3/8" to 1" wallboard
- Patented drive can be installed with Pozi, AW or Torx bits
- Minimal space requirement behind sheet (only 1.5mm)
- Use with sheet metal or drywall screws - screws are removable (not included)
- Sold in full boxes of 200 only

Length x Gauge	Material	Item #
1-3/8" x 6	Zinc	WW903252
1-3/8" x 6	Nylon	WW903251

Visit our new website




[Contact](#) | [Register / Sign In](#) |  

[ALL PRODUCTS](#)
[QUICK ORDER](#)
[QUOTES](#)
[PROMOTIONS](#)
[RESOURCE CENTER](#)
[DIGITAL TOOLS](#)
[CAREERS](#)
[HELP](#)
[CHAT](#)

MPL 50

MULTI-PURPOSE LUBRICANT, SILICONE FREE



 **LOOSEN**
 **LUBRICATE**
 **CLEAN**
 **PREVENT**
 **REPEL**

50 STATE COMPLIANT

MPL 50 works hard and digs deep. Unlike ordinary penetrating oils, this specially designed, state-of-the-art formula goes to work FAST and loosens almost any part frozen by rust, corrosion, carbon, varnish, gum or paint. Cleans dirty, corroded machinery and aids in disassembly of equipment and pipe joints. It may also be used for cleaning yard tools, shop equipment and hand tools.

FEATURED PRODUCTS









8-32 Thread Machine Screws Combo Phillips/Slotted Drive



- For surface mounted knobs and pulls screw length should be 1/4" greater than the material thickness
- Uses #2 Phillips Drive bit
- Box quantities as shown below. Sold in full boxes only

Length	Finish	Box Qty	Item #	Bulk Qty	Item #
1/2"	Zinc	100	-	1,000	WW47120
5/8"	Zinc	100	-	1,000	WW46950
3/4"	Zinc	100	-	1,000	WW47130
7/8"	Zinc	100	WW47200	1,000	WW47220
1"	Zinc	100	WW47300	1,000	WW47320
1-1/8"	Zinc	100	WW47400	1,000	WW47420
1-1/4"	Zinc	100	WW47500	1,000	WW47520
1-3/8"	Zinc	100	WW47600	1,000	WW47620
1-1/2"	Zinc	100	WW47700	1,000	WW47720
1-5/8"	Zinc	100	WW47800	1,000	WW47820
1-3/4"	Zinc	100	WW47900	1,000	WW47920
2"	Zinc	100	WW48000	1,000	WW48020



8-32 Thread (Breakaway) Combo Phillips/Slotted Drive



- For use with 8-32 thread visual hardware
- 1-3/4" long with break-a-ways at 3/4", 1", 1-1/4" and 1-1/2"
- Uses #2 Phillips Drive bit
- Box quantities as shown below. Sold in full boxes only

Length	Finish	Box Qty	Item #	Bulk Qty	Item #
1-3/4"	Zinc	100	WW48700	1,000	WW48720



M4 Thread Machine Screws, Combo Phillips/Slotted Drive



- For use with M4 threaded visual hardware
- For surface mounted knobs and pulls it is recommended that the screw length be 6mm (1/4") greater than the material thickness
- Uses #2 Phillips Drive bit
- Box quantities as shown below. Sold in full boxes only

Length	Finish	Box Qty	Item #
7/8" (22mm)	Zinc	100	WW48340
1" (25mm)	Zinc	100	WW48400
1-3/16" (30mm)	Zinc	100	WW48450
1-5/8" (39mm)	Zinc	100	WW48600



M4 Thread (Breakaway), Machine Screws Combo Phillips/Slotted Drive



- For use with M4 threaded visual hardware
- 45mm long with break-a-ways at 19mm, 25mm, 32mm, and 38mm
- Uses #2 Phillips Drive bit
- Box quantities as shown below. Sold in full boxes only


Length	Finish	Box Qty	Item #
1-3/4" (45mm)	Zinc	100	WW48900



Phillips Drive, Type 17 Auger Point



Recex Drive, Type 17 Auger Point



1. Drill oversize 5/16" hole in drawer box.
2. Attach drawer front.
3. Adjust drawer front.
4. Fix drawer front with knob or pull screws.

Modified Washer Head Phillips or Recex (Combo Phillips & Square) Drive, Coarse Thread Type 17 Auger Drive, Drawer Front Adjusting Screw




- 1/2" diameter washer head screw
- Uses #2 Phillips or Square Drive bits
- Case Hardened, Zinc
- Box quantities as shown below. Sold in full boxes only

Length x Gauge	Box Qty	Item #	Box Qty	Item #	Bulk Qty	Item #
Phillips Drive						
1" x 8	100	WW80110	1,000	WW80330	7,000	WW80340
1-1/8" x 8	-	-	1,000	WW80450	6,500	WW80760
1-1/4" x 8	100	WW81810	1,000	WW80750	6,500	WW80930
1-1/2" x 8	-	-	1,000	WW81010	-	-
Recex (Combo Phillips & Square) Drive						
1" x 8	1,000	WW81200	-	-	7,000	WW81300
1-1/8" x 8	1,000	WW81500	-	-	6,500	WW81600
1-1/4" x 8	1,000	WW81800	-	-	6,500	WW81900



#2 Phillips Drive



#2 Square Drive

Flat Head, #2 Phillips or Square Drive 7.5mm Head Diameter

- Case hardened, Nickel
- Box quantities as shown below. Sold in full boxes only

Length	Finish	Box Qty	Item #
#2 Phillips Drive			
13mm	Nickel	1,000	WW60260
#2 Square Drive			
13mm	Nickel	1,000	WW60250



Flat Head, Pozidrive, 7.2mm Head Diameter

- Case hardened, Nickel
- Uses #2 Pozidrive bits
- Box quantities as shown below. Sold in full boxes only

Length	Finish	Box Qty	Item #
7.5mm	Nickel	1,000	WW59920
10mm	Nickel	1,000	WW60000
11.5mm	Nickel	1,000	WW60100
13mm	Nickel	1,000	WW60200
14.5mm	Nickel	1,000	WW60300
20mm	Nickel	1,000	WW60420
25mm	Nickel	1,000	WW60520



A Blunt Point without Nibs




B Sharp Point with Nibs

Confirmat Screws, Pozidrive

- Designed for use in case assembly
- Pilot hole diameter 5.4mm, shank dia. 7mm, and Pozidrive head dia. 10mm
- Uses #3 Pozidrive bits
- Box quantities as shown below. Sold in full boxes only



	Size	Finish	Bulk Qty	Item #
Blunt Point Without Nibs				
A	7 x 50mm	Zinc	2,000	WW70450
Sharp Point With Nibs				
B	7 x 50mm	Zinc	2,000	WW70410



Economy Tite-Joint (Dog Bone) Fasteners

- Hex head
- Ideal for field joints in countertops
- Steel, bright zinc plated
- Box quantities as shown below. Sold in full boxes only

Item #	Bolt Size	Box Qty
WW49600	3-1/2"	100
WW49700	3-1/2"	500
WW49610	4"	350



Deluxe Tite-Joint (Dog Bone) Fasteners

- Designed for 3/4" thick substrate
- Center to center 2" to 3-1/2"

Packing: As shown below.

Sold In: Complete Tite Joints sold in full box quantities only.

Components sold in both broken and full box quantities

Item #	Description	Box Qty
WWTJDELUXE-100	Complete Tite Joint, Economy	100
Components		
WWTR	Tightening Rod, WW	1



Zipbolt™ Tite-Joint Fastener

- Integrated gearing system
- Tighten using a 4mm hex drive bit in a drill, hand driver, or Allen key
- Can be tightened in just 3 seconds using the driver bit in a drill
- Each box contains a 4mm hex drive bit
- Box quantities as shown below. Sold in full boxes only



Item #	Description	Box Qty
SCZIPBOLT	Zipbolt Fastener	60
SC4MMBIT	4mm Hex Drive Bit	1



Finishing Washer

- Provides a clean, finished look for flat head screws
- Box quantities as shown below. Sold in full boxes only



Item #	Material	Fits Screw Size	Finish	Box Qty
WW49025	Steel	#6	Nickel	1,000
WW49175	Steel	#8	Black	1,000
WW49125	Steel	#8	Nickel	1,000
WW49400	Steel	#10	Nickel	1,000




No Hole



5 Hole



8 Hole



Multi-hole

5" A/O Discs, C-Weight Paper Back



- Aluminum oxide on latex coated C-weight paper
- Latex coated paper increases disc's flexibility and moisture resistance
- Open coat design provides no load performance
- The right choice for general shop use, fine sanding and heavy stock removal


Packing: PSA discs are flat packed (tabbed) 100 discs per box.

Hook and loop discs are flat packed 50 discs per box.

Sold In: Full box quantities only.

Grit	5" No Hole		5" 5 Hole
	PSA Item #	Hook & Loop Item #	PSA Item #
P60	WWGDP60G-5NH	WWGDV60G-5NH	-
P80	WWGDP80G-5NH	WWGDV80G-5NH	WWGDP80G-5H
P100	WWGDP100G-5NH	WWGDV100G-5NH	WWGDP100G-5H
P120	WWGDP120G-5NH	WWGDV120G-5NH	WWGDP120G-5H
P150	WWGDP150G-5NH	WWGDV150G-5NH	WWGDP150G-5H
P180	WWGDP180G-5NH	WWGDV180G-5NH	WWGDP180G-5H
P220	WWGDP220G-5NH	WWGDV220G-5NH	WWGDP220G-5H
P240	WWGDP240G-5NH	WWGDV240G-5NH	-
P280	WWGDP280G-5NH	WWGDV280G-5NH	-
P320	WWGDP320G-5NH	WWGDV320G-5NH	WWGDP320G-5H
P400	WWGDP400G-5NH	WWGDV400G-5NH	-
P500	WWGDP500G-5NH	-	-
P600	WWGDP600G-5NH	WWGDV600G-5NH	WWGDP600G-5H

Grit	5" 5 Hole	5" 8 Hole	5" Multi-Hole
	Hook & Loop Item #	Hook & Loop Item #	Hook & Loop Item #
P80	WWGDV80G-5H	WWGDV80G-5W8H	WWGDV80G-5MH
P100	WWGDV100G-5H	WWGDV100G-5W8H	WWGDV100G-5MH
P120	WWGDV120G-5H	WWGDV120G-5W8H	WWGDV120G-5MH
P150	WWGDV150G-5H	WWGDV150G-5W8H	WWGDV150G-5MH
P180	WWGDV180G-5H	WWGDV180G-5W8H	WWGDV180G-5MH
P220	WWGDV220G-5H	WWGDV220G-5W8H	-
P280	-	WWGDV280G-5W8H	-
P320	WWGDV320G-5H	WWGDV320G-5W8H	-
P400	WWGDV400G-5H	WWGDV400G-5W8H	-
P600	-	WWGDV600G-5W8H	-



6" A/O Discs, C-Weight Paper Back



- Aluminum oxide on latex coated C-weight paper
- Latex coated paper increases disc's flexibility and moisture resistance
- Open coat design provides no load performance
- The right choice for general shop use, fine sanding and heavy stock removal

Packing: PSA discs are flat packed (tabbed) 100 discs per box.

Hook and loop discs are flat packed 50 discs per box.

Sold In: Full box quantities only.

Grit	6" No Hole		6" 6 Hole		6" Multi-Hole
	PSA Item #	Hook & Loop Item #	PSA Item #	Hook & Loop Item #	Hook & Loop Item #
P80	WWGDP80G-6NH	WWGDV80G-6NH	-	WWGDV80G-6H	WWGDV80G-6MH
P100	WWGDP100G-6NH	WWGDV100G-6NH	-	WWGDV100G-6H	WWGDV100G-6MH
P120	WWGDP120G-6NH	WWGDV120G-6NH	WWGDP120G-6H	WWGDV120G-6H	WWGDV120G-6MH
P150	WWGDP150G-6NH	WWGDV150G-6NH	WWGDP150G-6H	WWGDV150G-6H	WWGDV150G-6MH
P180	WWGDP180G-6NH	WWGDV180G-6NH	WWGDP180G-6H	WWGDV180G-6H	WWGDV180G-6MH
P220	WWGDP220G-6NH	WWGDV220G-6NH	WWGDP220G-6H	WWGDV220G-6H	WWGDV220G-6MH
P240	WWGDP240G-6NH	WWGDV240G-6NH	-	-	WWGDV240G-6MH
P280	-	-	-	WWGDV280G-6H	-
P320	WWGDP320G-6NH	-	-	WWGDV320G-6H	WWGDV320G-6MH
P400	-	WWGDV400G-6NH	-	-	WWGDV400G-6MH



PSA (Tabbed)



Hook & Loop

5" S/C Discs, A-Weight Paper Back



- Premium Silicon carbide on latex coated A-weight paper
- Latex coated paper increases disc flexibility and moisture resistance
- Open coat design provides no-load performance
- Designed primarily for lacquer sanding and finely grained wood smoothing
- Perfect for scuff sanding and removing "orange peel" in top coats

Packing: PSA discs are flat packed (tabbed) 100 discs per box. Hook & loop discs are flat packed 50 discs per box.

Sold in: Full box quantities only.

Grit	5" No Hole	5" No Hole
	PSA Item #	Hook & Loop Item #
P80	WWSILP80G-5NH	WWSILV80G-5NH
P100	WWSILP100G-5NH	-
P120	WWSILP120G-5NH	WWSILV120G-5NH
P150	WWSILP150G-5NH	WWSILV150G-5NH
P180	WWSILP180G-5NH	WWSILV180G-5NH
P220	WWSILP220G-5NH	WWSILV220G-5NH
P240	WWSILP240G-5NH	-
P280	WWSILP280G-5NH	-
P320	WWSILP320G-5NH	WWSILV320G-5NH



No Hole

5" A/O Discs, Film Back

- Würth Emerald brand high performance film abrasive discs
- Heat treated aluminum oxide on film, outlasts paper 10 - 1
- Open-coat design provides no-load performance
- 100% waterproof – perfect for wet sanding applications
- Ideal disc for solid surface fabrication

Packing: PSA discs are flat packed (tabbed) 100 per box.


Hook and Loop discs are flat packed 50 discs.

Sold in: Full box quantities only.




5 Hole PSA

5" No Hole			5" 5 Hole
Grit	PSA Item #	Hook & Loop Item #	PSA Item #
P60	WWEMP60G-5NH	WWEMV60G-5NH	-
P80	WWEMP80G-5NH	WWEMV80G-5NH	WWEMP80G-5H
P100	WWEMP100G-5NH	WWEMV100G-5NH	WWEMP100G-5H
P120	WWEMP120G-5NH	WWEMV120G-5NH	WWEMP120G-5H
P150	WWEMP150G-5NH	WWEMV150G-5NH	WWEMP150G-5H
P180	WWEMP180G-5NH	WWEMV180G-5NH	WWEMP180G-5H
P220	WWEMP220G-5NH	WWEMV220G-5NH	WWEMP220G-5H
P240	WWEMP240G-5NH	WWEMV240G-5NH	WWEMP240G-5H
P280	WWEMP280G-5NH	WWEMV280G-5NH	-
P320	WWEMP320G-5NH	WWEMV320G-5NH	WWEMP320G-5H
P400	WWEMP400G-5NH	WWEMV400G-5NH	-
P600	WWEMP600G-5NH	WWEMV600G-5NH	-



9 Hole

5" 5 Hole		5" 9 Hole	5" Multi-Hole
Grit	Hook & Loop Item #	Hook & Loop Item #	Hook & Loop Item #
P80	WWEMV80G-5H	WWEMV80G-5H9	WWEMV80G-5MH
P100	WWEMV100G-5H	WWEMV100G-5H9	WWEMV100G-5MH
P120	WWEMV120G-5H	WWEMV120G-5H9	WWEMV120G-5MH
P150	WWEMV150G-5H	WWEMV150G-5H9	WWEMV150G-5MH
P180	WWEMV180G-5H	WWEMV180G-5H9	WWEMV180G-5MH
P220	WWEMV220G-5H	WWEMV220G-5H9	WWEMV220G-5MH
P280	WWEMV280G-5H	-	WWEMV280G-5MH
P320	WWEMV320G-5H	WWEMV320G-5H9	WWEMV320G-5MH
P400	WWEMV400G-5H	WWEMV400G-5H9	WWEMV400G-5MH
P500	-	WWEMV500G-5H9	-




Multi-hole




No Hole



6" 6 Hole



9 Hole



Multi-hole

6" A/O Discs, Film Back

- Würth Emerald brand high performance film abrasive discs
- Heat treated aluminum oxide on film, outlasts paper 10 - 1
- Open-coat design provides no-load performance
- 100% waterproof – perfect for wet sanding applications
- Ideal disc for solid surface fabrication

Packing: PSA discs are 100 discs per box flat packed (tabbed)

Hook and Loop discs are flat packed 50 discs per box.

Sold in: Full box quantities only.

Grit	6" No Hole		6" 6 Hole
	PSA Item #	Hook & Loop Item #	Hook & Loop Item #
P60	-	WWEMV60G-6NH	-
P80	WWEMP80G-6NH	WWEMV80G-6NH	WWEMV80G-6H
P100	WWEMP100G-6NH	-	WWEMV100G-6H
P120	WWEMP120G-6NH	WWEMV120G-6NH	WWEMV120G-6H
P150	WWEMP150G-6NH	WWEMV150G-6NH	WWEMV150G-6H
P180	WWEMP180G-6NH	WWEMV180G-6NH	WWEMV180G-6H
P220	WWEMP220G-6NH	WWEMV220G-6NH	WWEMV220G-6H
P240	-	WWEMV240G-6NH	-
P280	-	WWEMV280G-6NH	WWEMV280G-6H
P320	WWEMP320G-6NH	WWEMV320G-6NH	WWEMV320G-6H
P400	WWEMP400G-6NH	WWEMV400G-6NH	WWEMV400G-6H

Grit	6" 9 Hole	6" Multi-Hole
	Hook & Loop Item #	Hook & Loop Item #
P80	WWEMV80G-6H9	WWEMV80G-6MH
P100	WWEMV100G-6H9	-
P120	WWEMV120G-6H9	WWEMV120G-6MH
P150	WWEMV150G-6H9	WWEMV150G-6MH
P180	WWEMV180G-6H9	WWEMV180G-6MH
P220	WWEMV220G-6H9	WWEMV220G-6MH
P240	WWEMV240G-6H9	-
P280	WWEMV280G-6H9	WWEMV280G-6MH
P320	WWEMV320G-6H9	WWEMV320G-6MH
P400	WWEMV400G-6H9	WWEMV400G-6MH
P500	WWEMV500G-6H9	-
P600	-	WWEMV600G-6MH



11" A/O Discs, Film Back



- For use with large sanders; ideal for solid surface applications
- Heat treated aluminum oxide on film, outlasts paper 10 – 1 on wood
- Open-coat design provides no-load performance
- 100% waterproof – perfect for wet sanding applications

Packing: 20 discs per box.

Sold in: Full box quantities only.

11" Hook/Loop			
Grit	Item #	Grit	Item #
P80	WWEMV80G-11NH	P220	WWEMV220G-11NH
P100	WWEMV100G-11NH	P240	WWEMV240G-11NH
P120	WWEMV120G-11NH	P280	WWEMV280G-11NH
P150	WWEMV150G-11NH	P320	WWEMV320G-11NH
P180	WWEMV180G-11NH	P400	WWEMV400G-11NH



5" A/O Discs, J-Weight Cloth Back



- Open coat is excellent for softwoods, hardwoods, and metal and helps prevent loading of abrasive
- Tear resistant polyester/cotton cloth backing for use in applications where paper backings are not durable enough
- Flexible J-weight backing to conform to all types of backup pads

Packing: 50 discs per box (flat packed, tabbed).

Sold in: Full box quantities only.

5" No Hole PSA			
Grit	Item #	Grit	Item #
80	WWJCLOTHP80G-5NH	150	WWJCLOTHP150G-5NH
100	WWJCLOTHP100G-5NH	180	WWJCLOTHP180G-5NH
120	WWJCLOTHP120G-5NH	220	WWJCLOTHP220G-5NH



6" Foam Discs

- Open coat aluminum oxide
- Even surface pressure provides a better finish without deep scratch
- Good for wet, contour and curved sanding


Packing: 10 discs per box.

Sold in: Full box quantities only.

6" Hook/Loop	
Grit	Item #
360	WWFOAM360G-6NH
500	WWFOAM500G-6NH
1000	WWFOAM1000G-6NH
2000	WWFOAM2000G-6NH
3000	WWFOAM3000G-6NH

Solid Surface Finishing Steps

Steps	Description	Matte Finish	Semi-Gloss Finish	High-Gloss Finish
1	Premium Net 180 Grit	WWNET180G-6NH	WWNET180G-6NH	WWNET180G-6NH
2	Premium Net 320 Grit	WWNET320G-6NH	WWNET320G-6NH	WWNET320G-6NH
3	Würth Foam 360 Grit	WWFOAM360G-6NH	WWFOAM360G-6NH	WWFOAM360G-6NH
4	Würth Foam 500 Grit	-	WWFOAM500G-6NH	WWFOAM500G-6NH
5	Würth Foam 1000 Grit	-	-	WWFOAM1000G-6NH
6	Würth Foam 3000 Grit	-	-	WWFOAM3000G-6NH
Finish		Gloss 15	Gloss 40	Gloss 75



5" & 6" A/O Net Discs

- Aluminum Oxide Closed Coat
- Dust-free sanding allows clean and healthy work environment
- Full-surface dust extraction, combined with special abrasive coating method, prevents clogging
- Tear resistant due to sturdy net backing

Packing: 50 per box. Sold in: Full box quantities only.

Grit	5" Net Disc	6" Net Disc
80	WWNET80G-5NH	WWNET80G-6NH
100	WWNET100G-5NH	WWNET100G-6NH
120	WWNET120G-5NH	WWNET120G-6NH
150	WWNET150G-5NH	WWNET150G-6NH
180	WWNET180G-5NH	WWNET180G-6NH
220	WWNET220G-5NH	WWNET220G-6NH
240	WWNET240G-5NH	WWNET240G-6NH
320	WWNET320G-5NH	WWNET320G-6NH
400	WWNET400G-5NH	WWNET400G-6NH
600	WWNET600G-5NH	WWNET600G-6NH



Backup Pads



Item #	Dia.	Holes	Face	Thickness	Density
5" No Hole					
WW8521125110961	5"	No Hole	Hook/Loop	3/8"	Medium
WW8521125010961	5"	No Hole	PSA	3/8"	Medium
5" 5 Hole					
WW8521125116961	5"	5 Hole	Hook/Loop	3/8"	Medium
WW8521125020961	5"	5 Hole	PSA	3/8"	Medium
5" Multi-Hole					
WW8521125117961	5"	Multi-Hole	Hook/Loop	3/8"	Medium
6" No Hole					
WW8521150110961	6"	No Hole	Hook/Loop	3/8"	Medium
WW8521150010961	6"	No Hole	PSA	3/8"	Medium
6" Multi-Hole					
WW8521120117961	6"	Multi-Hole	Hook/Loop	3/8"	Medium

Visit our new website

[Contact](#) | [Register / Sign In](#) |  

[ALL PRODUCTS](#) [QUICK ORDER](#) [QUOTES](#) [PROMOTIONS](#) [RESOURCE CENTER](#) [DIGITAL TOOLS](#) [CAREERS](#) [HELP](#) [CHAT](#)

STOCK-UP SALE!

STRONGHOLD BRACKET



Concealed Floating Countertop Brackets



FEATURED PRODUCTS



24VDC 5.5W/FT 16.4FT
4800K COB FLEXTAPE
\$199.9900/EA



L350MM H86MM PRO2000
DRAWER SET GREY
\$12.3400/ST



29008 EAR PLUGS NON-
CORDED



17.25 W WOOD VANITY
RACK FOR 21 FF CAB
\$54.9900/EA



12 C/C WEATHERED
NICKEL FINISH
\$10.0000/EA



TXT 72 CURVED
EXTRUSION BLACK
\$40.9900/EA

LARGE MACHINERY




ARCHITECTS & DESIGNERS



INTERACTIVE CATALOGS






9" x 11" A/O Sheets, C-Weight Paper Back



- Latex coated C-weight paper – open coat
- Excellent flexibility and moisture resistance paper with no-load performance
- Perfect choice for universal and fine sanding as well as heavy stock removal

Packing: 50 sheets per sleeve. Sold in: Full sleeve quantities only.

Grit	Item #	Grit	Item #
P80	WWGD80G-9X11	P220	WWGD220G-9X11
P100	WWGD100G-9X11	P240	WWGD240G-9X11
P120	WWGD120G-9X11	P280	WWGD280G-9X11
P150	WWGD150G-9X11	P320	WWGD320G-9X11
P180	WWGD180G-9X11	P400	WWGD400G-9X11
		P600	WWGD600G-9X11



9" x 11" S/C Sheets, A-Weight Paper Back




- Latex coated A-weight paper – open coat
- Excellent flexibility and water resistance paper with no-load performance
- Designed primarily for lacquer sanding and finely grained wood smoothing
- Perfect for scuff sanding and removing "orange peel"
- Silicon carbide sanding sheets are the finishing room's choice for peak performance and versatility

Packing: 50 sheets per sleeve.

Sold in: Full sleeve quantities only.

Grit	Item #	Grit	Item #
P80	WWSIL80G-9X11	P220	WWSIL220G-9X11
P100	WWSIL100G-9X11	P240	WWSIL240G-9X11
P120	WWSIL120G-9X11	P280	WWSIL280G-9X11
P150	WWSIL150G-9X11	P320	WWSIL320G-9X11
P180	WWSIL180G-9X11	P400	WWSIL400G-9X11



Hand Pads



- High performance abrasive nylon pads
- Made of 100% nylon webbing
- Washable for repeated use

Grit	Item #	Color	Application	Size
80	WWSNDPD80G-TAN	Tan	Heavy duty cleaning and scouring	6" x 9"
120	WWSNDPD120G-BLK	Black	For scuff sanding prior to applying paint or primer	6" x 9"
320	WWSNDPD320G-GRN	Green	Economy, general shop duty and cleaning / scuff sanding	6" x 9"
320	WWSNDPD320G-MRN	Maroon	Fine sanding between the final coat of paint/lacquer	6" x 9"
600	WWSNDPD600G-GRY	Gray	Tool cleaning, light oxidation and rust removal	6" x 9"




Color Coded Sanding Sponges, 1 Sided

- Aluminum Oxide
- Highly conformable
- Can be used wet or dry

Packing : 250 sponges per box. Available any quantity.

Color	Grit	Size	Item #
Purple	60 (Medium)	4-1/2" x 5-1/2"	WWSPNGFLT-MED-P
Blue	100 (Fine)	4-1/2" x 5-1/2"	WWSPNGFLT-FINE-B
Green	180 (Superfine)	4-1/2" x 5-1/2"	WWSPNGFLT-SPRFN-G
Orange	220 (Ultrafine)	4-1/2" x 5-1/2"	WWSPNGFLT-ULTFN-O
Yellow	280 (Microfine)	4-1/2" x 5-1/2"	WWSPNGFLT-MCRFN-Y



1, 2, & 4 Sided Block & Contour Sponges



- Perfect for scuff sanding and sealer sanding
- Flexible, non-loading aluminum oxide abrasive sponges

	4-Sided Block Sponge	2-Sided Contour Sponge	1-Sided Sponge
Grit	3-7/8"L x 2-3/4"W Item #	3-7/8"L x 4-3/4"W Item #	4-1/2"L x 5-1/2"W Item #
Medium	WWSPNGBLK-MED	WWSPNG2SDE-MED	WWSPNGFLTPD-MED
Fine	WWSPNGBLK-FINE	WWSPNG2SDE-FINE	WWSPNGFLTPD-FINE
Super Fine	WWSPNGBLK-SUPRFN	WWSPNG2SDE-SUPRFN	WWSPNGFLTPD-SUPRFN
Very Fine	-	-	WWSPNGFLTPD-VERYFN
Micro Fine	-	-	WWSPNGFLTPD-MICRFN



Flexible 1 Sided Foam Sponge



- Aluminum oxide on flexible sponge backing – open coat
- Excellent flexibility for irregular surfaces with “no load” performance
- Roll packaging in heavy duty cardboard package keeps sponges clean and dust free, ready to use
- Cut out in box makes it easy to tell when it is time to re-order
- Perforated sections make for easy tear-off
- Ideal for scuff sanding in your finishing room
- Each sponge measures 4-1/2"W x 4-7/8" L

Packing: One 25 yard roll per box.

Sold In: Full roll/box quantities only.

Grit	Item #	Grit	Item #
P100	WWFLEXPAD-100G	P280	WWFLEXPAD-280G
P120	WWFLEXPAD-120G	P320	WWFLEXPAD-320G
P150	WWFLEXPAD-150G	P400	WWFLEXPAD-400G
P180	WWFLEXPAD-180G	P500	WWFLEXPAD-500G
P220	WWFLEXPAD-220G	P600	WWFLEXPAD-600G
P240	WWFLEXPAD-240G		

Cut out in box makes it easy to tell when you need to re-order.




X-Weight Cloth Portable Belts, A/O



- Premium heat-treated aluminum oxide on X-weight cloth, open coat
- Belts are “uni-directional” and have precision built joints to eliminate any chance of uneven sanding.
- Perfect for heavy duty and all around shop use

Packing: 10 belts per box. Sold in: Full box quantities only.

Grit	3" x 21" Item #	3" x 24" Item #	4" x 24" Item #
P40	WWRBY40G-3X21	WWRBY40G-3X24	WWRBY40G-4X24
P50	WWRBY50G-3X21	WWRBY50G-3X24	WWRBY50G-4X24
P60	WWRBY60G-3X21	WWRBY60G-3X24	WWRBY60G-4X24
P80	WWRBY80G-3X21	WWRBY80G-3X24	WWRBY80G-4X24
P100	WWRBY100G-3X21	WWRBY100G-3X24	WWRBY100G-4X24
P120	WWRBY120G-3X21	WWRBY120G-3X24	WWRBY120G-4X24
P150	WWRBY150G-3X21	WWRBY150G-3X24	WWRBY150G-4X24



X-Weight Cloth Portable Belts, Ceramic & A/O Blend



- Combination ceramic and aluminum oxide blended on heavy X-weight cloth for an exceptionally long lasting material that delivers a fast cut
- Ideal for low-pressure touch-to-grind applications
- Grain structure provides for the continuous renewal of the most consistent and uniform cutting edges
- The advanced technology of the ceramic grain enhances cut rates for faster and cooler stock removal on tough applications
- Great for sanding water-based finishes
- Used for bare wood, coating removal, and between-coat sanding
- For dry sanding applications only

Packing: 5 belts per box. Sold in: Full box quantities only.

Grit	3" x 21" Item #	3" x 24" Item #	4" x 24" Item #
40	-	-	WWSAPHR40G-4X24
50	WWSAPHR50G-3X21	-	WWSAPHR50G-4X24
60	WWSAPHR60G-3X21	WWSAPHR60G-3X24	WWSAPHR60G-4X24
80	WWSAPHR80G-3X21	WWSAPHR80G-3X24	WWSAPHR80G-4X24
100	-	WWSAPHR100G-3X24	WWSAPHR100G-4X24
120	WWSAPHR120G-3X21	WWSAPHR120G-3X24	WWSAPHR120G-4X24
150	WWSAPHR150G-3X21	WWSAPHR150G-3X24	WWSAPHR150G-4X24



X-Weight Cloth Edge Belts, A/O




- Premium heat-treated aluminum oxide on X-weighted heavy duty cloth for maximum wear and ruggedness
- Zero tolerance lap joint means no bumping or marking
- Patented anti-static design ensures low dust adhesion on belt, machinery and work area

Packing: 5 belts per box. Available any quantity.

Grit	4" x 132" Item #	6" x 80" Item #	6" x 89" Item #
P80	WWAOC80G-4X132	WWAOC80G-6X80	WWAOC80G-6X89
P100	-	WWAOC100G-6X80	WWAOC100G-6X89
P120	WWAOC120G-4X132	WWAOC120G-6X80	WWAOC120G-6X89
P150	-	-	WWAOC150G-6X89

Grit	6" x 108" Item #	6" x 120" Item #	6" x 132" Item #
P80	WWAOC80G-6X108	-	WWAOC80G-6X132
P100	WWAOC100G-6X108	-	WWAOC100G-6X132
P120	WWAOC120G-6X108	WWAOC120G-6X120	WWAOC120G-6X132
P150	WWAOC150G-6X108	-	-




F-Weight Paper Wide Belts, S/C



- Würth brand premium silicon carbide on F-weight latex coated paper
- Excellent flexibility and moisture resistance paper with no-load performance
- Zero tolerance lap joint means no bumping or marking
- Patented anti-static design ensures low dust adhesion on belt, machinery and work area

Packing: 5 belts per box. Available any quantity.

Grit	37"W x 60"L Item #	37"W x 75"L Item #
220	WWSCP220G-37X60	WWSCP220G-37X75




F-Weight Paper Wide Belts, A/O



- Premium heat-treated aluminum oxide on F-weighted latex impregnated paper for maximum wear, flexibility and moisture resistance
- Zero tolerance lap joint means no bumping or marking
- Patented anti-static design ensures low dust adhesion on belt, machinery and work area

Packing: 5 belts per box. Available any quantity.

Grit	37"W x 60"L Item #	37"W x 75"L Item #	43"W x 75"L Item #	52" W x 103" L Item #
P100	WWAOP100G-37x60	-	WWAOP100G-43x75	WWAOP100G-52X103
P120	WWAOP120G-37x60	WWAOP120G-37x75	WWAOP120G-43x75	WWAOP120G-52X103
P150	WWAOP150G-37x60	WWAOP150G-37x75	WWAOP150G-43x75	WWAOP150G-52x103
P180	WWAOP180G-37x60	WWAOP180G-37x75	WWAOP180G-43X75	WWAOP180G-52x103



**"Zero Tolerance" seam
means no "chatter"**

X-Weight Cloth Wide Belts, A/O



- Premium heat-treated aluminum oxide on X-weighted heavy duty cloth for maximum wear
- Zero tolerance lap joint means no bumping or marking
- Patented anti-static design ensures low dust adhesion on belt, machinery and work area
- State-of-the art high performance and open coat design aluminum oxide wide belts

Grit	25"W x 60"L Item #	37"W x 60"L Item #	37"W x 75"L Item #
P80	WWAOC80G-25X60	WWAOC80G-37x60	WWAOC80G-37x75
P100	WWAOC100G-25x60	WWAOC100G-37x60	WWAOC100G-37x75
P120	WWAOC120G-25x60	WWAOC120G-37x60	WWAOC120G-37x75
P150	WWAOC150G-25x60	WWAOC150G-37x60	WWAOC150G-37x75
P180	-	WWAOC180G-37x60	WWAOC180G-37x75

Grit	43"W x 60"L Item #	43" W x 85" L Item #	43"W x 75"L Item #
P80	WWAOC80G-43x60	WWAOC80G-43X85	WWAOC80G-43x75
P100	WWAOC100G-43x60	WWAOC100G-43X85	WWAOC100G-43x75
P120	WWAOC120G-43x60	WWAOC120G-43X85	WWAOC120G-43x75
P150	WWAOC150G-43x60	WWAOC150G-43X85	WWAOC150G-43x75
P180	WWAOC180G-43x60	-	WWAOC180G-43x75



Pitch & Resin Remover Eco-Friendly, Water-Based



- VOC-free and Phosphate-free
- Concentrated (general cleaning dilution ratio 1:10) or ready to use cleaning formula dissolves and emulsifies pitch resin, oil, grease film, gum and varnish from abrasive belts, blades and bits
- Simply spray, wet abrasive area thoroughly, and then rinse clean with water and hang to dry

Item #	Type
WW0893011-1Q	Ready to Use, 1 Quart
WW0893011-1G	Concentrate, 1 Gallon

Fill & Finish Water Based Putty

Fill & Finish is a unique water-based multi-purpose wood and grain filler and can be used to mask small or large defects.

- Accepts any pigment - water or oil based
- No VOC's
- Does not shrink, sink, crack, or fall out
- Can be used inside or outside
- Can be sanded easily to achieve a desired finished look
- Can be drilled, nailed, planed or sawed like ordinary wood
- Can be restored to original consistency with water
- High solid content and fast dry time



16 oz wide mouth container for easy putty knife access!

Color	Name	16 oz. Item #	Quart Item #
	Ash	WW0890303500	WW0890303512
	Rosewood	WW0890303501	WW0890303513
	Cherry/Alder	WW0890303502	WW0890303514
	Mahogany/Braz Cherry	WW0890303503	WW0890303515
	Maple/Beech/Pine	WW0890303504	WW0890303516
	Natural/Tint Base	WW0890303505	WW0890303517
	Red Oak	WW0890303506	WW0890303518
	Ebony	WW0890303507	WW0890303519
	Walnut	WW0890303508	WW0890303520
	White	WW0890303509	WW0890303521
	White Oak	WW0890303510	WW0890303522
	Alder	WW0890303511	WW0890303523

Fill & Finish Powdered Grain Filler

- Same great features as Fill & Finish Wood Putty
- Simply mix with the right amount of lacquer or water for your project to achieve ideal viscosity
- Can be used for patching, grain-filling, inlay, and more



Color	Name	6 oz. Item #	16 oz. Item #
	Ash	WW0890304500	WW0890304512
	Rosewood	WW0890304501	WW0890304513
	Cherry/Alder	WW0890304502	WW0890304514
	Mahogany/Braz Cherry	WW0890304503	WW0890304515
	Maple/Beech/Pine	WW0890304504	WW0890304516
	Natural/Tint Base	WW0890304505	WW0890304517
	Red Oak	WW0890304506	WW0890304518
	Ebony	WW0890304507	WW0890304519
	Walnut	WW0890304508	WW0890304520
	White	WW0890304509	WW0890304521
	White Oak	WW0890304510	WW0890304522
	Alder	WW0890304511	WW0890304523



Mid-Temp Thinner



Features

- Thinner with a medium evaporation rate
- Suitable for mixing in certain paints and stains
- More aggressive than standard thinners

Applications

- Wood/furniture finishing and refinishing

Item #	Description
WWMIDTEMP-05	5 Gal Mid-Temp Thinner
WWMIDTEMP-55	55 Gal Mid-Temp Thinner



Lacquer Thinner (Medium Dry)



Features

- Slower evaporation rate than standard thinner
- Increases dry time in paints and lacquers
- Eliminates lacquer "blushing"

Applications

- Useful in high heat applications where slower drying is required
- Perfect for cleaning spray equipment

Item #	Description
WWMEDIUMDRY-01	1 Gal Medium Dry Lacquer Thinner
WWMEDIUMDRY-05	5 Gal Medium Dry Lacquer Thinner
WWMEDIUMDRY-55	55 Gal Medium Dry Lacquer Thinner



Contact Cement Thinner



Features

- Reduces the viscosity of contact cement

Applications

- Ideal product for cleaning spray equipment after use
- Removes overspray and dried adhesive
- Excellent solvent for cleaning brushes, wood, metal, and glass

Item #	Description
WWCEMENTTHIN-01	1 Gal Contact Cement Thinner
WWCEMENTTHIN-05	5 Gal Contact Cement Thinner
WWCEMENTTHIN-55	55 Gal Contact Cement Thinner



Acetone

Features

- Mixes easily with water and has a very fast evaporation rate
- Thins the viscosity of lacquer solutions
- VOC exempt

Applications

- Reduces the viscosity of lacquers and two part epoxies
- Thins oil-based paints and polyester resins
- Tool cleaner



Item #	Description
WWACETONE-01	1 Gal Acetone
WWACETONE-05	5 Gal Acetone
WWACETONE-55	55 Gal Acetone



Denatured Alcohol

Features

- Less aggressive cleaning solution when surface integrity is in question

Applications

- Used to clean and thin shellac
- Removes dried latex paint and ink
- Used to wipe down wood surfaces to remove moisture before finishing
- Highly effective as a solvent and cleaning agent



Item #	Description
WWDENALCOHOL-01	1 Gal Denatured Alcohol
WWDENALCOHOL-05	5 Gal Denatured Alcohol
WWDENALCOHOL-55	55 Gal Denatured Alcohol



Isopropyl Alcohol

Features

- Fast evaporation rate
- Easily dissolvable in a wide range of chemical compounds
- Less aggressive cleaning solution when surface integrity is in question

Applications

- Used to clean and thin shellac
- Used to wipe down wood surfaces to remove moisture before finishing
- Highly effective as a solvent and cleaning agent



Item #	Description
WWISOALCOHOL-01	1 Gal Isopropyl Alcohol
WWISOALCOHOL-05	5 Gal Isopropyl Alcohol
WWISOALCOHOL-55	55 Gal Isopropyl Alcohol



Mineral Spirits

Features

- Solvent-based oil paint thinner and cleaner
- Slow rate of evaporation
- Low odor

Applications

- Dissolves wax, oil, and greasy grime from wood and metal surfaces
- Reduces dry time of oil-based glazes and paints
- Great for cleaning brushes and rollers

Item #	Description
WWMINSPIRITS-01	1 Gal Mineral Spirits
WWMINSPIRITS-05	5 Gal Mineral Spirits
WWMINSPIRITS-55	55 Gal Mineral Spirits



Methyl Ethyl Ketone

Features

- Slower rate of evaporation than acetone

Applications

- Removes contact cement, ink, adhesives, and heavy grease/grime
- Reduces coatings and resins in fiberglass repair

Item #	Description
WWMEK-01	1 Gal Methyl Ethyl Ketone
WWMEK-05	5 Gal Methyl Ethyl Ketone
WWMEK-55	55 Gal Methyl Ethyl Ketone



Naphtha

Features

- Stronger than mineral spirits with a faster rate of evaporation

Applications

- Perfect cleaner for metal surfaces and tools
- Great for cleaning brushes
- Can be used to thin Spar Varnish, epoxies, and oil-based paints

Item #	Description
WWNAPHTHA-01	1 Gal Naphtha
WWNAPHTHA-05	5 Gal Naphtha
WWNAPHTHA-55	55 Gal Naphtha





Butyl Acetate



Features

- Acts as cleaning solvent

Applications

- Used for thinning urethane coatings
- For use on paint, coatings, and a variety of industrial applications

Item #	Description
WWBA-05	5 Gal N-Butyl Acetate
WWBA-55	55 Gal N-Butyl Acetate



Methyl Amyl Ketone (MAK)




Features

- High solvency
- Works with cellulosic lacquer and acrylic lacquers

Applications

- For solvent borne painted and stained surfaces

Item #	Description
WWMAK-05	5 Gal Methyl Amyl Ketone



Lacquer Retarder



Features

- Lacquer additive with a slower evaporation rate than standard and medium dry thinner

Applications

- Great for increasing dry time in paints and lacquers
- Useful in high heat applications where slower drying is desired
- Eliminates lacquer "blushing"

Item #	Description
WWRETARDER-05	5 Gal Lacquer Retarder



CAL Compliant Wash Thinner



Features

- Can be sold in the state of California
- Faster evaporation rate than standard thinner and modest cleaning power

Applications

- For cleaning spray equipment in industrial wood or metal finishing
- Can be mixed with certain stains and paints

Item #	Description
WWCATHINNER-01	1 Gal Cal Compliant Thinner
WWCATHINNER-05	5 Gal Cal Compliant Thinner
WWCATHINNER-55	55 Gal Cal Compliant Thinner



Wash Thinner



Features

- Lacquer thinner with faster evaporation rate than the standard thinner and medium cleaning power

Applications

- For cleaning spray equipment in Industrial wood or metal finishing
- Can be mixed with certain stains and paints

NOTE: This product is not for sale in the following states CA, CT, DE, MD, NH, RI, and UT.

Item #	Description
WWWASHTHINNER-01	1 Gal Thinner
WWWASHTHINNER-05	5 Gal Thinner
WWWASHTHINNER-55	55 Gal Thinner



Table Top and Bar Epoxy Resin & Hardener



Features

- Two part professional component epoxy coating designed for table, bar top, and slab wood applications
- Coats can be 1/8" to 1/4" thick
- Easy to use formula with a 1 to 1 mixing ratio
- Once cured, finish provides a thick, clear protective coating impervious to alcohol, solvents, and everyday use
- 100% solids
- Cure times can vary depending on temperature, humidity, and thickness


Applications

- Great for bar tops, table tops, and wood slabs (incredible gap filling properties)
- Can be used for decoupage projects
- Pour over or brush applications

Item #	Description
WWTABLETOPEPOXY	1 GAL RESIN & 1 GAL HARDENER

Coverage Chart

Area	Resin Mixture
Seal Coat	
1 sq. ft.	3 oz
4 sq. ft.	11 oz
10 sq. ft.	26 oz
16 sq. ft.	42 oz
24 sq. ft.	64 oz
Flood Coat	
1 sq. ft.	8 oz
4 sq. ft.	32 oz
10 sq. ft.	80 oz
16 sq. ft.	128 oz
24 sq. ft.	192 oz





Professional Grade Yellow Wood Glue



- Fast setting
- Superior sandability
- Ideal for interior wood bonding
- Can be used to bond hard & soft woods and veneers
- Freeze thaw stable (3 cycles)
- Low chalking temperature
- Non-toxic
- Easy clean up
- Paintable and not affected by most stains and finishes
- OTC & CAL Compliant

Item #	Size	Color
WWASSEMBLY-Y-01	1 Gal	Yellow
WWASSEMBLY-Y-05	5 Gal	Yellow
WWASSEMBLY-Y-55	55 Gal	Yellow



Water Resistant Professional Grade Yellow Wood Glue



- Ideal for applications such as exterior furniture, RF gluing, hot/cold press or where a high level of moisture resistance is required
- Passes all ANSI Type II water resistance tests
- Hot or cold press
- Fast set
- RF gluing
- Superior sandability
- OTC & CAL Compliant
- Not intended for applications below the waterline or for continuous submersion

Item #	Size	Color
WWEXTERIOR-01	1 Gal	Yellow
WWEXTERIOR-05	5 Gal	Yellow
WWEXTERIOR-55	55 Gal	Yellow



Professional Grade White Wood Glue



- Fast setting
- Superior sandability
- Ideal for interior wood bonding
- Can be used to bond hard & soft woods and veneers
- Freeze thaw stable (3 cycles)
- Low chalking temperature
- Non-toxic
- Easy clean up
- Paintable and not affected by most stains and finishes
- OTC & CAL Compliant

Item #	Size	Color
WWASSEMBLY-W-01	1 Gal	White
WWASSEMBLY-W-05	5 Gal	White



Fast Setting White Wood Glue



- Allows for use in cabinet assembly, face and edge gluing with minimal clamp time
- Fast setting
- Water clean up
- High solids
- For use with a glue bottle or spreader
- OTC & CAL Compliant

Item #	Size	Color
WWFASTSET-01	1 Gal	White
WWFASTSET-05	5 Gal	White
WWFASTSET-55	55 Gal	White



Cold Press Laminating Adhesive



- General purpose white laminating and assembly adhesive
- Green Guard Certified, LEED 3.2, 4.1, 4.4 Compliant
- OTC & CAL Compliant
- Medium setting
- Aggressive wet tack

Item #	Size	Color
WWCOLDPRESS-05	5 Gal	White
WWCOLDPRESS-55	55 Gal	White



Premium Cold Press Laminating Adhesive



- CAL & OTC Compliant
- Medium setting
- Aggressive wet tack
- High solids
- General purpose laminating and assembly adhesive
- Excellent flow-ability

Item #	Size	Color
WWPREMCOLDPRESS-05	5 Gal	White



Crosslinking Water Resistant Hot Press Adhesive



- White crosslinkable polyvinyl acetate that is pre-catalyzed and formulated to be ready for use
- Can be used in a cold or hot press and can be used in RF gluing applications
- Used in automated glue spreader or manually applied
- Excellent machinability and stability
- High solids
- Water resistant
- OTC & CAL Compliant

Item #	Size	Color
WWHOTPRESS-05	5 Gal	White



Nip & Stack, Hot/Cold Press, Premium Laminating Adhesive



- Green color
- Suitable for cold press, hot press, postforming, or nip and stacking
- Fast setting
- High solids
- Postformable
- Green Guard Certified
- OTC & CAL Compliant

Item #	Size	Color
WWNIPSTACK-05	5 Gal	Green



Economy Flammable Spray Grade

- Excellent room temp contactability, green strength and high heat resistance
- Excellent sprayability
- For flat work only



Item #	Size	Color
WWCONTACT-05	5 Gal	Clear
WWCONTACT-54	54 Gal	Clear
WWCONTACT-R-05	5 Gal	Red
WWCONTACT-R-54	54 Gal	Red



Premium Flammable Spray Grade

- High performance - excellent initial tack and bond strength
- Excellent room temp contactability, green strength and heat resistance
- Postformable
- Provides good uniform coverage in hand and automatic spray applications
- Excellent sprayability

Item #	Size	Color
WWPREMIUM-05	5 Gal	Clear
WWPREMIUM-54	54 Gal	Clear
WWPREMIUM-R-05	5 Gal	Red
WWPREMIUM-R-54	54 Gal	Red



High Solids Flammable Spray Grade

- High solids, high performance
- Postformable in manual and heated spray systems
- Lower applied cost

Item #	Size	Color
WWHIGHSOLIDS-05	5 Gal	Clear
WWHIGHSOLIDS-R-05	5 Gal	Red



CAL Compliant Flammable Spray Grade



- VOC free
- Fast-drying
- High initial tack
- High green strength
- Long open time
- CAL & OTC Compliant

Item #	Size	Color
WWCAL-05	5 Gal	Clear
WWCAL-R-05	5 Gal	Red



Low VOC Flammable Spray Grade



- High bond strength
- High solids means extended mileage
- Fast drying and high heat resistance
- Low VOC
- OTC Compliant

Item #	Size	Color
WWLOWVOC-05	5 Gal	Clear
WWLOWVOC-54	54 Gal	Clear
WWLOWVOC-R-05	5 Gal	Red
WWLOWVOC-R-54	54 Gal	Red



Flammable Brush & Roll Grade



- Excellent room temperature contactability, green strength and heat resistance
- Spreads easily and provides good uniform coverage
- Postformable
- Fast drying formula

Item #	Size	Color
WWBRUSH-01	1 Gal	Clear
WWBRUSH-05	5 Gal	Clear



Non-Flammable Low VOC Neoprene Spray Grade

- Excellent room temperature contactability
- Excellent green strength and high heat resistance
- VOC Free
- Non-ozone depleting
- OTC Compliant
- Postformable

Item #	Size	Color
WWNEOPRENE-NF-05	5 Gal	Clear



Low VOC Non-Flammable Spray Grade

- OTC and Green Diamond Compliant
- VOC free
- Excellent green strength and high heat resistance
- High solids means extended mileage

Item #	Size	Color
WWLOWVOC-NF-05	5 Gal	Clear
WWLOWVOC-NF-54	54 Gal	Clear
WWLOWVOC-NF-G-05	5 Gal	Green
WWLOWVOC-NF-G-54	54 Gal	Green



Non-Flammable Brush & Roll Grade

- High pressure laminate adhesive for porous and nonporous surfaces
- Excellent green strength and high heat resistance
- Postformable
- Contains no ozone depleters
- Spreads easily and provides uniform coverage
- OTC Compliant

Item #	Size	Color
WWBRUSH-NF-01	1 Gal	Clear
WWBRUSH-NF-05	5 Gal	Clear





Waterbased Roll/Brush/ Spray Grade



- OTC & CAL Compliant
- Low VOC content
- Excellent for bonding laminate, wood, metal and plastics
- Postformable
- Excellent room temperature contactability
- Provides good uniform coverage in manual and automatic spray applications
- Film changes color- indicates when dry

Item #	Size	Color
WWWATER-01	1 Gal	Clear
WWWATER-05	5 Gal	Clear
WWWATER-55	55 Gal	Clear
WWWATER-G-05	5 Gal	Green
WWWATER-G-55	55 Gal	Green



Premium Hi-Temp Non-Flam/ Flam Canister



- High bond strength
- Fast drying with high heat resistance
- Excellent room temperature contactability
- Permanent bond of materials where immediate bond strength and good heat resistance are required
- Non-flammable adhesive/Flammable propellant

Item #	Size	Color
WWPREMIUM-11	11 lb	Clear
WWPREMIUM-38	38 lb	Clear
WWPREMIUM-177	177 lb	Clear
WWPREMIUM-355	355 lb	Clear
WWPREMIUM-G-38	38 lb	Green
WWPREMIUM-G-177	177 lb	Green
WWPREMIUM-R-38	38 lb	Red
WWPREMIUM-R-177	177 lb	Red
WWPREMIUM-R-355	355 lb	Red



Flam/Flam Canister



- HAPs free
- Non-Methylene Chloride
- Excellent room temperature contactability
- Excellent green strength and high heat resistance

Item #	Size	Color
WWCANISTER-30	30 Lb	Clear



CAL Compliant Flam/Flam Canister



- OTC & CAL Compliant
- Low VOC
- Soft spray allows for greater control of pattern and reduces telegraphing
- High solids means extended mileage
- Excellent heat resistance and bond strength

Item #	Size	Color
WWCALCNSTR-27	27 Lb	Clear
WWCALCNSTR-128	128 Lb	Clear
WWCALCNSTR-R-27	27 Lb	Red



CAL Compliant Flammable Air Assisted Canister



- Designed to be used with a traditional spray gun for complete adjustability in the spray pattern
- OTC & CAL Compliant
- Low VOC
- High solids means extended mileage
- Excellent heat resistance and bond strength

Item #	Size	Color
WWCAL-AC-27	27 lb	Clear



Low VOC Non-Flam/ Non-Flam Canister

- OTC Compliant and Green Guard certified
- VOC free
- Excellent high heat resistance
- Pebble spray pattern



Item #	Size	Color
WWLOWVOC-NF-35	35 Lb	Clear
WWLOWVOC-NF-G-162	162 Lb	Green
WWLOWVOC-NF-G-326	326 Lb	Green



Flammable Foam & Fabric Contact Adhesive



- HAPs free
- High heat resistance (200° F)
- High solids, excellent mileage
- Low VOCs
- Good open time (2-4 minutes)

Item #	Size	Color
WWFOAM-05	5 Gal	Natural



Flammable Solvent, Cleaner, Reducer



- Fast drying and non-ozone depleting
- Recommended for thinning and cleaning most spray adhesives
- Can also be used for cleaning brushes and rollers, and for flushing through spray lines and spray guns
- Flammable thinner/solvent should only be used with flammable adhesives

Item #	Size	Color
WWSOLVENT-01	1 Gal	Clear
WWSOLVENT-05	5 Gal	Clear



Non-Flammable Solvent, Cleaner, Reducer



- A clear non-flammable solvent recommended for thinning and cleaning most non-flammable adhesives
- Can also be used for cleaning brushes, rollers, equipment parts and for flushing through spray lines and spray guns
- Fast drying
- Non-ozone depleting

- Contaminant free
- OTC Compliant

Item #	Size	Color
WWSOLVENT-NF-05	5 Gal	Clear



Canister Guns, Hoses & Accessories

- For use with canister adhesives
- Items sold separately

Item #	Description
WWHOSE-12FT	12' Canister Hose
WWHOSE-18FT	18' Canister Hose
WWHOSE-25FT	25' Canister Hose
WWCANISTER-GUN	Adjustable Spray Gun with 6501 Tip
WWSPRAYTIP-6501	6501 Spray Tip - 65° Fan
WWSPRAYTIP-9501	9501 Spray Tip - 95° Fan
WWHOSESPLITTER	T-Fitting for 2 Lines on Jumbo Canister



Flammable Storage Safety Cabinets Self Closing

- Units conform to NFPA code 30 and OSHA 29 CFR 1910.106 and are FM approved
- Sturdy all welded double wall steel construction
- 60 & 90 gallon models have internal 16 gauge reinforcements
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof sump
- Improved security with recessed lockable paddle latch and 3 point locking system
- 2" Bunged air vents with flame arrestors on each side of the cabinet allows for ventilation
- Extra shelves available

NOTE: Products ship direct from El Paso TX., **Customer pays freight.** 12 Gallon and 30 Gallon cabinets can be shipped 2 to a pallet. All other sizes come 1 to a pallet.



Cabinets are required by OSHA and UFC in commercial and industrial facilities where flammable liquids are used and stored.

Item #	Description	Shelves	Weight
Safety Cabinets			
WW9579-1961	12 Gallon, 23" x 18" x 36-3/8"	1	155 lbs.
WW9579-3961	30 Gallon, 43" x 18" x 45-3/8"	1	229 lbs.
WW9579-2961	45 Gallon, 43" x 18" x 66-3/8"	2	375 lbs.
WW9579-4961	60 Gallon, 34" x 34" x 66-3/8"	2	415 lbs.
WW9579-5961	90 Gallon, 43" x 34" x 66-3/8"	2	505 lbs.



Premium HiTemp Aerosol Adhesive 50 State Compliant

- Suitable for bonding leather, cloth, cardboard, and wood
- Bonds porous substrates while maintaining a high level of tack
- Heat resistance up to 200° F
- Very aggressive, high-tack adhesive
- 50 State Compliant
- Single side application
- HAPS and Silicone-Free

Item #	Size	Color
WW0893100910	22 oz	Clear



Premium HiTemp Aerosol Adhesive

- Designed for professional use
- Combines ease of use with very high strength, quick tack and dry time
- High solids and high temperature

Item #	Size	Color
WWPREMIUM-AA	15.75 oz	Clear
WWPREMIUM-R-AA	15.75 oz	Red



CAL Compliant Aerosol Adhesive

- CAL & OTC Compliant
- Excellent adhesion to a variety of substrates including, but not limited to laminates, particle board, plywood, hardwood, leather, rubber and metal
- High solids means extended mileage
- Soft spray allows for greater control of pattern and application rates
- Portable System

Item #	Size	Color
WWCALADHESIVE-AA	13 oz	Clear



Thermomelt™ 100 Cartridge



- Each Thermomelt 100 cartridge has a protective film coating permanently attached, this coating provides many benefits:
- Protects cartridges from shop dust, keeping your adhesives and machines clean and dust free
- Acts as a lubricant in the machine's hopper, providing problem free melting and increase performance from your edgebander
- Prevents cartridges from sticking together in storage
- Aid in cleaning/lubricating machine for use, keeping the edgebander in top condition

Specifications:

- Machine types: Specially formulated for Holz-Her edgebanders; the flow will not clog or block the application nozzles on the glue head
- Bonding edges: HPL, Epoxy resin, ABS, Solid wood, Polyester, PVC and Veneer edges
- Base: EVA Copolymer
- Speed: 8 - 2-m/min., (26 - 65ft/min.) depending on machine
- Working Temp: 200 - 220°C (392 - 428°F)
- Viscosity: 65,000 mPas @ 200°C

Item #	Color	Qty per Box
WWTHERM100-CLR	Transparent	33.1 lb. (45 Cartridges)
WWTHERM100-NAT	Natural	33.1 lb. (45 Cartridges)



Thermomelt™ 300 Pellet, Natural Color



- Würth Thermomelt™ 300 edgebanding pellets are the industry's best combination of value and performance
- Perfect choice for a variety of machines. Great bond and good post-melt capabilities
- Great for PVC, ABS and fleece backed veneer
- Transparent glue line; also available in a variety of colors listed below
- Great price combined with great performance
- Packaged in 33.1 lb. boxes, no more heavy 55 lb. bags that are difficult to move and break

Specifications:

- Machine types: Works with standard and high speed straight edge banders
- Bonding: Polyester edges, Melamine resin edges, PVC, PP and ABS edges with pretreated back, Resin-impregnated paper and Massive and veneer edges
- Base: EVA Copolymer
- Speed: 20 - 40-m/min., (65 - 132 ft/min.) depending on machine
- Working Temp: 200 - 210°C (392 - 410°F)
- Viscosity: 65,000 mPas @ 200°C

Item #	Color	Weight per Box
WWTHERM300-NAT	Natural	33.1 lb.



Thermomelt™ 500 Pellet, Natural Color



- Würth Thermomelt™ 500 edgbanding pellets is the “workhorse” line
 - Superior formulation for a wide variety of uses; great bond and re-melt capabilities
 - Great for PVC, ABS and fleece backed veneer; suitable for pre-coating of edges; use with HPL if primed
 - Transparent glue line; also available in a variety of colors listed below
 - Packaged in 33.1 lb. boxes, no more heavy 55 lb. bags that are difficult to move or break-
- Specifications:
- Machine types: Works with manual, standard and high speed auto straight edge banders, CNC processing centers
 - Bonding: Polyester edges, Melamine resin edges, PVC and ABS edges, Uncompressed resin-impregnated paper banding and Solid wood, veneer and Multiply edges
 - Base: EVA Copolymer
 - Speed: 20 - 50-m/min., (65 - 165 ft/min.) depending on machine
 - Working Temp: 200 - 210°C (392 - 410°F)
 - Viscosity: 80,000 mPas @ 200°C

Item #	Color	Weight per Box
WWTHERM500-NAT	Natural	33.1 lb.



Thermomelt™ 200 Pellet, Transparent Color



- No priming necessary for strip laminate - saves you time and money – the best choice for HPL applications
 - Absolutely no stringing or smearing during routing
 - Suitable for difficult soft forming profile with tight radius
 - Transparent with a transparent glue line
 - Best choice for BAZ and contour banders
 - High green strength, invisible glue line, very good re-melting properties and unbreakable bond
 - Packaged in 28.66 lb. boxes, no more heavy 55 lb. bags that are difficult to move or break-
- Specifications:
- Machine types: Works with all machine types and machining centers
 - Bonding: Polyester edges, CPL and Melamine Resin edges, PVC and ABS edges and Uncompressed resin-impregnated paper edges on machining centers
 - Base: EVA Copolymer
 - Speed: 10 - 30-m/min., (32 - 98 ft/min.) depending on machine
 - Working Temp: 180 - 200°C (356 - 392°F)
 - Viscosity: 50,000 mPas @ 200°C

Item #	Color	Weight per Box
WWTHERM200-CLR	Transparent	33.1 lb.



Masking Tape, General Purpose



A general purpose masking tape coated with a natural rubber adhesive.

- Great adhesion and holding properties
- Good temperature resistance
- Excellent appearance and resists breakage during application
- Applications include general purpose bundling, packaging protecting and splicing

Packing: As shown below. Sold In: Each.

Item #	Size	Thickness	Backing	Adhesive	Tensile Strength	Adhesion	Elongation	Temp Range	Sleeve Qty	Box Qty
WW0985010403	3/4" x 60yd	4.9mil	Crepe Paper	Natural Rubber	19 lbs/in	22 oz/in	8%	176°F (30 minutes)	12	48
WW0985010404	1" x 60yd	4.9mil	Crepe Paper	Natural Rubber	19 lbs/in	22 oz/in	8%	176°F (30 minutes)	9	36
WW0985010405	1-1/2" x 60yd	4.9mil	Crepe Paper	Natural Rubber	19 lbs/in	22 oz/in	8%	176°F (30 minutes)	6	24
WW0985010406	2" x 60yd	4.9mil	Crepe Paper	Natural Rubber	19 lbs/in	22 oz/in	8%	176°F (30 minutes)	6	24



Masking Tape, Blue Painter's



Blue painters masking tape with 14 day UV resistance.

- Excellent choice for painted walls, trim, woodwork, interior masking of windows, glass and metal
- Easy clean removal from most surfaces for up to 14 days
- UV resistance & stability for 14 days
- Applications include indoor painting, automotive painting, resistor belting, splicing

Packing: As shown below. Sold In: Each.

Item #	Size	Thickness	Backing	Adhesive	Tensile Strength	Adhesion	Elongation	Temp Range	Sleeve Qty	Box Qty
WW0992010400	3/4" x 60yd	4.9mil	Crepe Paper	Natural Rubber	20 lbs/in	17 oz/in	8%	176°F (30 minutes)	12	48
WW0992010401	1" x 60yd	4.9mil	Crepe Paper	Natural Rubber	20 lbs/in	17 oz/in	8%	176°F (30 minutes)	9	36
WW0992010402	1-1/2" x 60yd	4.9mil	Crepe Paper	Natural Rubber	20 lbs/in	17 oz/in	8%	176°F (30 minutes)	6	24
WW0992010403	2" x 60yd	4.9mil	Crepe Paper	Natural Rubber	20 lbs/in	17 oz/in	8%	176°F (30 minutes)	6	24



Carton Sealing Tape, Economy



An economy grade polypropylene film packaging tape coated with a water based acrylic adhesive.

- High quality adhesive that improves stick with the pass of time
- High chemical and moisture resistance
- Can be applied manually or with tape dispensers
- Applications include sealing boxes, packages, bulks, polyethylene bags

Packing: 6 rolls per sleeve, 36 rolls per box. Sold In: Each.

Item #	Size	Thickness	Adhesive	Tensile Strength	Adhesion	Elongation	Temp Range
WW0985010400	2" x 110 yd	1.6mil	Acrylic	17 lbs/in	16 oz/in	150%	25° to 104° F



Carton Sealing Tape, Production Grade



A production grade polypropylene film tape coated with a hot melt rubber adhesive system perfect for carton sealing and light bundling.

- Strong conformable film backing coupled with consistent pressure sensitive hot melt adhesive coating
- Adheres instantly to fiberboard, paper, film and a variety of surfaces
- Excellent resistance to edge tear and splitting
- Strong resistance to moisture, chemicals, cold/heat and weathering
- Applications include carton sealing, splicing, bundling and other packaging applications

Packing: 6 rolls per sleeve, 36 rolls per box. Sold In: Each.

Item #	Size	Thickness	Adhesive	Tensile Strength	Adhesion	Elongation	Temp Range
WW0985010401	2" x 110 yd	1.83mil	Hot Melt Rubber	26 lbs/in	47 oz/in	165%	30° to 140° F



Carton Sealing Tape, High Performance




A high performance polypropylene packaging tape coated with a solvent acrylic adhesive.

- High tack and adhesion
- Easy adherence to slightly irregular surfaces
- Strong holding power
- Excellent for highly recycled content corrugate
- Applications include multi-purpose packaging where wide temperature ranges are required, heavy duty carton sealing

Packing: 6 rolls per sleeve, 36 rolls per box. Sold In: Each.

Item #	Size	Thickness	Adhesive	Tensile Strength	Adhesion	Elongation	Temp Range
WW0985010402	2" x 55 yd	3.5mil	Solvent Acrylic	37 lbs/in	28 oz/in	140%	-4° to 104° F



Duct Tape, Economy Grade




A general purpose, economy grade poly coated cloth tape with a natural rubber adhesive.

- Excellent adhesion
- Conformable and hand tearable
- Resists twisting and curling during application
- Good all-climate performance
- Industrial applications including packaging, sealing, seaming, repairing, protection, carpet installation, ductwork patching

Packing: As shown below. Sold In: Each.

Item #	Size	Thickness	Backing	Adhesive	Tensile Strength	Adhesion	Elongation	Temp Range	Sleeve Qty	Box Qty
WW0985010416	2" x 60yd	7mil	Polyethylene Coated Cloth	Natural Rubber	21 lbs/in	65 oz/in	19%	40° - 200°F	6	24



Duct Tape, Utility Grade



A general purpose, utility grade poly coated waterproof cloth tape with a natural rubber adhesive.

- Excellent adhesion
- Good conformability on irregular surfaces
- Resists twisting and curling during application
- Good all-climate performance
- Industrial applications including waterproofing, packaging, sealing, seaming, repairing, protection, carpet installation, ductwork patching

Packing: As shown below. Sold In: Each.

Item #	Size	Thickness	Backing	Adhesive	Tensile Strength	Adhesion	Elongation	Temp Range	Sleeve Qty	Box Qty
WW0985010417	2" x 60yd	8mil	Waterproof Polyethylene Film	Natural Rubber	26 lbs/in	54 oz/in	20%	32° - 200°F	6	24



Silicone Tape, Self-Fusing



- Highly resistant, self-welding silicone tape for instant repairs and sealing applications
- Water and air-tight in seconds
- Functions even on damp, oily surfaces or underwater

NOTE: Tape is not self-adhesive and is only intended for temporary repairs, not reusable.

Item #	Description
WW985077200-B	1" x 10', Black



Professional Grade Electrical Tape



- Aggressive rubber-resin adhesive with good aging characteristics
- Plasticized polyvinyl chloride film backing
- No flapping or deterioration even under temperatures as high as 176° F
- UL listed and CSA certified

Item #	Roll Size
WW985201	3/4"W x 20 yds.



Furniture Pads

- Premium heavy duty polyester filler with zig-zag stitching
- Woven edge for added strength



Item #	Blanket Size
WWFP9	72" x 80"



Open Deck Dolly

- Carpet covered ends
- Wheels are 3" non-marking polypropylene and resist chemical and water absorption



Item #	Weight Capacity	Size
WW715931002	1,000 lbs.	25-1/2" L x 15-3/4" W x 5-1/2" H



Closed Deck Dolly

- Solid deck design can be used with large or small items
- Wheels are 3" non-marking polypropylene and resist chemical and water absorption



Item #	Weight Capacity	Size
WW715931007	1,000 lbs.	23-5/8" L x 17-5/8" W x 5" H



Stretch Wrap



Item #	Roll Width	Roll Length	Gauge
TH212	2-1/2"	1000'	80
TH3-90	3"	650'	90
TH3	3"	1000'	80
THSFM050801	5"	1000'	80
TH18-80	18"	1500'	80
TH18-80PS	18"	1500' (pre-stretch)	80
TH18	18"	1500'	65
TH18-90	18"	1500'	90



Mixing Cups & Lids



- Disposable cups for mixing and storing paint materials and stains
- Will not deteriorate when using Acetone, Lacquer Thinner, Denatured Alcohol, Catalysts, Hardeners and Reducers in them
- Each size cup features a red 10% mark which can aid the user in measuring and a 20% red mark in case user needs room to add reducers
- Integrated mixing scales for balancing Paint, Hardener, Thinner quantities (1:1, 2:1, 3:1, 4:1 and 5:1)
- Lids sold separately

NOTE: Please use paint manufacture recommendations for ratios.

Sold in full sleeve or case quantities.

Item #	Size	Sleeve Qty	Case Qty
MIXING CUPS ONLY			
WWMIXCUP-PT	Pint	25 EA	200 EA
WWMIXCUP-QT	Quart	25 EA	200 EA
WWMIXCUP-2.5QT	2.5 Quart	25 EA	200 EA
WWMIXCUP-5QT	5 Quart	20 EA	200 EA
MIXING CUP LIDS ONLY			
WWMIXCUPLID-PT	Pint	25 EA	500 EA
WWMIXCUPLID-QT	Quart	25 EA	400 EA
WWMIXCUPLID-2.5QT	2.5 Quart	25 EA	400 EA
WWMIXCUPLID-5QT	5 Quart	25 EA	300 EA



Paint Strainers



- Disposable screen for filtering varnishes, paints, primers, chemicals and other liquids
- Color-coded system for simple visual identification of mesh size

Sold In: Full Sleeve or case quantities.

Item #	Micron	Color	Sleeve Qty	Case Qty
WWSTRAIN-XFINE	Extra Fine, 125µ	Blue	125 EA	500 EA
WWSTRAIN-FINE	Fine, 190µ	Yellow	125 EA	500 EA
WWSTRAIN-MED	Medium, 260µ	Orange	125 EA	500 EA



Stain Pads



- Fine terry applicators with chemical resistant sponge inside
- Compatible with all stains
- Absorbent and washable

Packing: 12 each per pack; 144 each per case.

- Sold In: Multiples of 12 each.

Item #	Size
WW0899044120	4" x 4" x 1"



White Cotton Knit Rags New Material



- Washed, bleached and processed for absorbency
- Usable size of 12" x 12" and up
- Use for staining, painting, cleaning and more

Item #	Color	Box Size	With Punchout	With Perforated Handles
WW0899800300	White	#5	Yes	No
WW0899800301	White	#10	Yes	No
WW0899800302	White	#25	Yes	Yes
WW0899800303	White	#50	No	No



White Cotton Knit Rags Recycled/Reclaimed Material



- Washed, bleached and processed for absorbency
- Usable size of 12" x 12" and up
- Use for staining, painting, cleaning and more

Item #	Color	Box Size	With Punchout	With Perforated Handles
WW0899800401	White	#5	Yes	No
WW0899800402	White	#10	Yes	No
WW0899800403	White	#25	Yes	Yes



Gray Cotton Knit Rags, New Material



- Cotton knits are washed and processed for absorbency
- Usable size of 12" x 12" and up
- Use for painting, cleaning and more

Item #	Color	Box Size	With Punchout	With Perforated Handles
WW0899800304	Mostly Gray, some stripes or prints	#5	Yes	No
WW0899800305	Mostly Gray, some stripes or prints	#10	Yes	No
WW0899800306	Mostly Gray, some stripes or prints	#25	Yes	Yes



Colored Fleece/Sweatshirt Rags Recycled/Reclaimed Material



- Recycled (reclaimed) washed cotton knit material
- Usable size of 12" x 12" and up
- Use for cleaning and other shop applications

Item #	Color	Box Size	With Punchout	With Perforated Handles
WW0899800404	Varies	#25	Yes	Yes

LEMYN ORGANICS™

Proven. Effective.

- 99.9999% effective against many illness-causing germs in 15 seconds
- 70% USDA Organic, plant-based alcohol – the highest grade available with the least impurities (US Pharmaceutical Grade)
- Safe for even the most sensitive skin – kids included

Clean. Green.

- All Natural & Organic formula- No dyes or synthetic fragrances, ever
- PETA-Certified Vegan & Cruelty Free; Gluten-Free and Non-Toxic
- Never sticky, leaves hands feeling clean, silky smooth & refreshed

Hard-working. Hydrating.

- Professional-grade for a fast & effective clean
- Enriched with skin-loving moisturizers & fatty acids- ideal for frequent use pH-balanced to maintain skin's health & vitality
- Enriched with skin-loving moisturizers & fatty acids- ideal for frequent use pH-balanced to maintain skin's health & vitality



2 fl.oz.

HSMEDGRADEGEL-2OZ
(sold as a 3 pack)



8 fl.oz.

HSMEDGRADEGEL-8OZ
(no pump)



8 fl.oz.

HSMEDGRADEGEL-8OZP
(with pump)



12 fl.oz.

HSMEDGRADEGEL-12OZ
(with pump)



Universal Cleaning Wipes Solvent & VOC Free



- Contains 90, perforated, pop-up towels saturated with a special, heavy-duty cleaning solution
- Very effectively dissolves grease, grime, oil, lubricants, paints, tar, inks and more

Item #
WW890900900



PX3 Plus Hand Cleaner Silicone & Solvent Free



- For extreme soiling such as paints, inks, adhesives, lacquers and sealants
- No greasy residue

Item #	Size
WW893901	15 fl. oz.



Hand Cleaner, Citrus Based



- Hand cleaner contains pumice for thorough cleaning, Dermatol® for skin protection in a citrus based formula
- Optional pressure pump is designed to integrate with container and provides easy single use dispensing

Item #	Description
WW893900	Hand Cleaner Only, 1.056 Gal
WW8919011	Pressure Pump
WW8919002	Wall Bracket



Hand Cleaner, Solvent Free



- Solvent free
- Dispenser allows automatic contactless dispensing via integrated sensor
- Includes: 8 batteries, fixing materials and operating instructions

Item #	Description
WW89393402	Hand Cleaner Only, 3 liters
WW891935	Dispenser Only, No Touch



Eco Friendly Odor Eliminator and Deodorizer



- Eliminates even the toughest smells, rapidly breaks down bad odor molecules
- Works on both soft and hard surfaces

Item #	Scent	Size
WW893139401	Kiwi-Mango	16 fl. oz.
WW893139402	Spring Scent	16 fl. oz.



Industrial Degreaser Concentrate, Eco Friendly



- Ideal for every cleaning job including floors, walls, woodwork, machinery, engines, porcelain, plastics, light fixtures, desks, cabinets, stainless steel, autos, and truck washing
- No VOCs and Biodegradable, non-flammable
- Non-hazardous, phosphate free, free rinsing
- Mix Ratio: 1:60 - Floor Scrubbing Machines; 1:40 - Light Cleaning; 1:20 - General Cleaning; 1:10 - Heavy Duty Cleaning

Item #	Description
WW893117103	1 Gal
WW891501211	Empty Trigger Bottle



Eco Super Spray All, Eco Friendly



- Highly effective multi-purpose cleaner that quickly and easily removes a variety of dirt, grease, and general soils
- Ideal for use on any hard washable hard surfaces, including: vinyl, painted metal, porcelain, fiberglass, and plastic
- Meets all low VOC requirements; 50 state compliant

Item #	Size
WW89090901	33 fl.oz
WW89090904	1 Gallon
WW890909020	5 Gallon



Multi-Purpose Cleaner, Eco Friendly



- Just spray on and wipe off. For use on all hard, washable surfaces not harmed by water, e.g. - walls, floors, siding, porcelain, counter tops, stainless steel, asphalt, etc.
- Biodegradable, No VOCs and phosphate-free
- Non-flammable
- pH: 11.5

Item #	Description
WW89347410	33 fl. oz.



Citrus Cleaner

- Citrus scent
- Fast drying and minimal residue
- Non-corrosive
- pH: 11.5

Item #	Can Size
WWCITRUSCLNR-AA	13 fl. oz.



Glass Cleaner

- Streak proof formula is safe for use on glass surfaces and plastics
- Foam clings to surface for greater cleaning power
- Ammonia free

Item #	Can Size
WW8890925	19 fl. oz.



Graffiti Remover

- An environmentally friendly alternative to solvent-based vandalism mark removers
- Ready-to-use formula is solvent free and completely biodegradable
- Made from 100% sustainable resources
- Non-flammable, Non-fuming and Fast Acting
- Ideal for brick, concrete, tiles, marble, enameled surfaces, and for removing rubber marks

Item #	Can Size
WW089313550	16.9 fl. Oz



Laminate Lubricant

- Specially formulated for use with plastic laminates
- Leaves a protective coating that will shield plastic laminates from burns and scratches caused by self-piloting router bits
- Trim laminate easily and effectively, reduces burning and will not scratch
- Protects from rust
- Silicone-free

Item #	Can Size
WWLAMLUBE-AA	10.5 Oz





Multi-Purpose Lubricant 50 State Compliant



- Silicone Free
- Loosens almost any part frozen by rust, corrosion, varnish, gum or paint
- Tight Mist to Stream spray pattern
- Cleans dirty, corroded machinery

Item #	Size	Color
WW0893055470	10 oz	Amber



Dry Lubricant Professional Grade



- Great for European hinges, small gears, motors and table saw top
- Transparent and non-soiling anti-friction coating
- Temperature range -292 °F to 492 °F
- Sets up in 15 minutes; hardens in 30 minutes

Item #	Can Size	Silicone Free
WW893550	10.14 fl. oz.	Yes



Dry Lubricant



- Formulated to reduce friction and eliminate hang ups on work surfaces
- Perfect for saw tables, drill presses, planers, lathes and all hand tools
- Easier and faster to apply than paste wax

Item #	Can Size	Color
WWDRYLUBE-AA	10.5 Oz	Clear



Synthetic Lubricant



- Adheres strongly to metal, will not harm plastics or rubber
- Starts as a penetrating liquid and sets into a clear grease
- Resistant to water, salts, acids and alkaline
- Temperature range -31 °F to 392 °F
- Compliant in all 50 states

Item #	Can Size	Silicone Free
WW893106-PLUS	16.9 fl. oz.	Yes



Nitrile Gloves, Powder Free and Textured



- Textured to provide excellent non-slip wet gripping power
- Powder free to avoid contamination of fresh paint, adhesives, and sealants
- Rolled cuff for easy on/off and added strength
- Sold in full box quantities as shown below

Item #	Thickness	Color	Size	Box Qty
PENITRILE4MBLU-M	4 mil	Blue	Medium	100 each
PENITRILE4MBLU-XL	4 mil	Blue	Extra Large	100 each
WW899470308	5 mil	Blue	Medium	100 each
WW899470309	5 mil	Blue	Large	100 each
WW899470310	5 mil	Blue	Extra Large	100 each
WW0899470398	6 mil	Black	Medium	100 each
WW0899470399	6 mil	Black	Large	100 each
WW0899470400	6 mil	Black	Extra Large	100 each
WW0899470122	8 mil	Orange	Large	50 each
WW0899470230	8 mil	Orange	Extra Large	50 each



TigerFlex Light

- Used in light to medium work requiring a good grip and a high degree of flexibility
- Ideally suited for installation, workshop, packaging and assembly
- Optimal for freight forwarding, transport and sorting tasks

Packing and Sold: 12 pair per package. Available any quantity of pairs.



EN388:2016 ANSI



Item #	Size	Gauge	Glove Material	Coating Material	Cuff Style
WW0899411118	8 (Medium)	18	Nylon	Nitrile Foam	Knit Wrist
WW0899411119	9 (Large)	18	Nylon	Nitrile Foam	Knit Wrist
WW0899411120	10 (Extra Large)	18	Nylon	Nitrile Foam	Knit Wrist
WW0899411121	11 (2 Extra Large)	18	Nylon	Nitrile Foam	Knit Wrist



EN388:2016




TigerFlex Plus

- Dark grey, skin-friendly, seamless round-knit nylon/Lycra base fabric (15 gauge)
- Darker color hides dirt and grime for extended wear time
- Foam nitrile palm coating with additional Nitrile Tiger Grip
- Extremely breathable
- Nylon fabric is soft and form fitting while palm coating adds outstanding grip and dexterity
- Excellent wet/dry grip
- Oil-repellent and water-repellent
- Used in light to medium work requiring a good grip and a high degree of flexibility
- Ideally suited for installation, workshop, packaging and assembly
- Optimal for freight forwarding, transport and sorting tasks

Packing and Sold: 12 pair per package. Available any quantity of pairs.

Item #	Size	Gauge	Glove Material	Coating Material	Cuff Style
WW0899411018	8 (Medium)	15	Nylon/Spandex	Nitrile Foam	Knit Wrist
WW0899411019	9 (Large)	15	Nylon/Spandex	Nitrile Foam	Knit Wrist
WW0899411020	10 (Extra Large)	15	Nylon/Spandex	Nitrile Foam	Knit Wrist



EN388:2016



TigerFlex Hi-Lite

- Used in light to medium work requiring a good grip and a high degree of flexibility
- Bright color for easy visibility
- Hi-Vis yellow foam nitrile palm coating with additional Nitrile Tiger Grip
- Extremely breathable
- Nylon fabric is soft and form fitting while palm coating adds outstanding grip and dexterity
- Excellent wet/dry grip
- Oil-repellent and water-repellent
- Ideally suited for installation, workshop, packaging and assembly
- Optimal for freight forwarding, transport and sorting tasks

Packing and Sold: 12 pair per package. Available any quantity of pairs.

Item #	Size	Gauge	Glove Material	Coating Material	Cuff Style
WW0899403088	8 (Medium)	15	Polyester/Spandex	Nitrile Foam	Knit Wrist
WW0899403089	9 (Large)	15	Polyester/Spandex	Nitrile Foam	Knit Wrist
WW0899403090	10 (Extra Large)	15	Polyester/Spandex	Nitrile Foam	Knit Wrist
WW0899403091	11 (2 Extra Large)	15	Polyester/Spandex	Nitrile Foam	Knit Wrist





Nitrile Foam Coating

EN 388:2016



4121X

ANSI



A2 CUT

TigerFlex Double

- Reversible assembly glove
- Used in areas such as industry, transport, garages, workshops, construction

Packing and Sold: 12 pair per package.

Available any quantity of pairs.



Item #	Size	Gauge	Glove Material	Coating Material	Cuff Style
WW0899411218	8 (Medium)	15	Nylon/Spandex	Nitrile Foam	Knit Wrist
WW0899411219	9 (Large)	15	Nylon/Spandex	Nitrile Foam	Knit Wrist
WW0899411220	10 (Extra Large)	15	Nylon/Spandex	Nitrile Foam	Knit Wrist
WW0899411221	11 (2 Extra Large)	15	Nylon/Spandex	Nitrile Foam	Knit Wrist

Get 2x the use with this reversible glove!



Nitrile Foam Coating



EN 388



3242X

EN511



X2X

ANSI



A3 CUT

TigerFlex Thermo Dry

- For use in cold environments
- Fully dipped foam nitrile with additional Nitrile Tiger Grip
- Excellent wet/dry grip
- Oil-resistant and waterproof
- Used in areas such as industry, transport, garages, workshops, construction
- Not suited for handling of chemicals

Packing and Sold: 6 pair per package. Available any quantity of pairs.



Item #	Size	Gauge	Glove Material	Coating Material	Cuff Style
WW0899402528	8 (Medium)	15G outer shell, 7 gauge inner shell, double layers	Polyester	Nitrile Foam	Knit Wrist
WW0899402529	9 (Large)	15G outer shell, 7 gauge inner shell, double layers	Polyester	Nitrile Foam	Knit Wrist
WW0899402530	10 (Extra Large)	15G outer shell, 7 gauge inner shell, double layers	Polyester	Nitrile Foam	Knit Wrist
WW0899402531	11 (2 Extra Large)	15G outer shell, 7 gauge inner shell, double layers	Polyester	Nitrile Foam	Knit Wrist


Nitrile Foam
Coating


EN388:2016 ANSI



TigerFlex C3 – Cut Resistant

- 13-Gauge Grey HPPE Liner
- ANSI Cut Level A2
- Micro Foam nitrile palm coating with additional Nitrile Tiger Grip
- Lightweight and form fitting construction delivers superior dexterity and comfort
- Excellent grip and protection allowing for maximum flexibility and dexterity
- Oil-repellent and water-repellent
- For light to medium cut hazards
- Used in glass handling, sheet metal work, laminate work, cutting applications

Packing and Sold: 12 pair per package. Available any quantity of pairs.



Item #	Size	Gauge	Glove Material	Coating Material	Cuff Style
WW0899451368	8 (Medium)	13	HPPE/nylon/spandex	Nitrile Foam	Knit Wrist
WW0899451369	9 (Large)	13	HPPE/nylon/spandex	Nitrile Foam	Knit Wrist
WW0899451370	10 (Extra Large)	13	HPPE/nylon/spandex	Nitrile Foam	Knit Wrist
WW0899451371	11 (2 Extra Large)	13	HPPE/nylon/spandex	Nitrile Foam	Knit Wrist


Nitrile Foam
Coating


EN388:2016 ANSI



TigerFlex C5/W-230 – Cut Resistant

- 13-Gauge Blue HPPE/Glass fiber liner
- ANSI Cut Level A3
- Micro Foam nitrile palm coating with additional Nitrile Tiger Grip
- Excellent grip and protection allowing for maximum flexibility and dexterity
- Oil-repellent and water-repellent
- Used in glass handling, sheet metal work, laminate work, cutting applications

Packing and Sold: 6 pair per package. Available any quantity of pairs.



Item #	Size	Gauge	Glove Material	Coating Material	Cuff Style
WW0899451358	8 (Medium)	13	HPPE/ nylon/ spandex/ glass fiber	Nitrile Foam	Knit Wrist
WW0899451359	9 (Large)	13	HPPE/ nylon/ spandex/ glass fiber	Nitrile Foam	Knit Wrist
WW0899451360	10 (Extra Large)	13	HPPE/ nylon/ spandex/ glass fiber	Nitrile Foam	Knit Wrist



EN388:2016



Nitrile Foam Coating



TigerFlex Cool

- 13 Gauge, Black brushed nylon/acrylic liner with Black foam nitrile coating and nitrile tiger grip
- Perfect glove for cooler, not cold, weather without being bulky
- Skin-friendly, seamless round-knit nylon / acrylic fabric
- Foam nitrile coated palms with additional nitrile Tiger Grip
- High oil and water-resistance due to special nitrile coating
- Outstanding grip and dexterity
- Optimal for light to medium tasks; ideal for assembly, workshops, mechanical tasks, freight forwarding, transport and warehouse activities

Packing and Sold: 12 pair per package. Available any quantity of pairs.

Item #	Size	Gauge	Glove Material	Coating Material	Cuff Style
WW0899401048	8 (Medium)	13	Nylon/Acrylic	Nitrile Foam	Knit Wrist
WW0899401049	9 (Large)	13	Nylon/Acrylic	Nitrile Foam	Knit Wrist
WW0899401050	10 (Extra Large)	13	Nylon/Acrylic	Nitrile Foam	Knit Wrist



EN388:2016



Nitrile Foam Coating



TigerFlex Ergo

- 15 Gauge, Grey nylon/spandex liner with Black foam nitrile coating and nitrile tiger grip
- Shorter wrist increases flexibility around the wrist
- Tight fit ensuring excellent grip and dexterity
- High durability
- Ideal for assembly, workshops, mechanical operations, car manufacturing, garages, maintenance and body work

Packing and Sold: 12 pair per package. Available any quantity of pairs.

Item #	Size	Gauge	Glove Material	Coating Material	Cuff Style
WW0899401058	8 (Medium)	15	Nylon/Spandexc	Nitrile Foam	Knit Wrist
WW0899401059	9 (Large)	15	Nylon/Spandexc	Nitrile Foam	Knit Wrist
WW0899401060	10 (Extra Large)	15	Nylon/Spandexc	Nitrile Foam	Knit Wrist
WW0899401061	11 (2 Extra Large)	15	Nylon/Spandexc	Nitrile Foam	Knit Wrist





Blue Pleated Mask, 3 Ply

- Soft and comfortable
- Elastic ear strap design
- Not intended for surgical or certified medical use

Packing and Sold in: Multiples of 50.

Item #	Box Qty
PEBLUEPLEATMASK	50 each



N95 Facemasks

- NIOSH certified under 42CFR84 regulations to have a filter efficiency level of 95% or greater against non-oil particulate aerosols
- Oversized valve opens more easily to expel hot air for cool comfort
- Adjustable nose band to adjust the mask to the shape of your face
- Secure seal around the nose
- Elastic head straps are tear-resistant

Packing and Sold in: Multiples of 10.

Item #	Box Qty
WW0899120002	10 each



2 Layer Face Mask

- Double layered fabric face mask
- Washable fabric with elastic ear loops
- No filter pocket

Packing and Sold In: Multiples of 10.

Item #	Box Qty
WW0899121140	10 each



Foam Ear Plugs, Tapered NRR 32dB

- Soft, non-allergenic foam product with smooth outer comfort surface
- Brightly colored for easy compliance checks
- Sold in full boxes only

Packing and Sold In: Multiples of 200 pair.

Item #	Style	Box Qty
WW0899300900	Non-Corded	200 pairs





Coveralls, Disposable



- Provides excellent protection against particles, dusts and liquid splashes
- Cuffed wrist, elastic waist, ankles and hood
- Soft fabric for increased freedom of movement and comfort while still being tear and abrasion-resistant
- Anti-static and lint-free

Size	Item #
M	WW0899021212
L	WW0899021213
XL	WW0899021214
2XL	WW0899021215
3XL	WW0899021216



Safety Glasses, Over-The-Glass



- Lightweight and economical, vented temples for added comfort
- 99% UV protection; exceeds ANSI Z87.1-2003

Item #	Lens Color	Anti-fog	Scratch Resistant	Adjustable
WW899103125	Clear	No	Yes	No



Safety Glasses, Lightweight



- Economical lightweight glasses offer superior protection
- 99% UV protection; exceeds ANSI Z87.1-2003

Item #	Lens Color	Anti-Fog	Scratch Resistant	Adjustable
WW899103132	Clear	No	Yes	No
WW899103138	Clear	Yes	Yes	No



Single Magnifying Readers



- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection
- Integrated nose piece
- Wrap-around unilens for full panoramic view

Item #	Lens Color	Anti-Fog	Scratch Resistant	Adjustable	Diopter
WW0899100001	Clear	No	Yes	No	+1.5
WW0899100002	Clear	No	Yes	No	+2.0
WW0899100003	Clear	No	Yes	No	+2.5



Safety Glasses, Lightweight



- Integrated nose piece
- Exceeds ANSI Z87.1 High Impact Requirements

Item #	Lens Color	Anti-Fog	Scratch Resistant	Adjustable
WW899103200	Clear	No	Yes	No
WW899103202	Clear	Yes	Yes	No
WW899103201	Tinted	No	Yes	No
WW899103203	Mirror	No	Yes	No
WW899103204	Blue Anti Fatigue	No	Yes	No



Safety Glasses, Ultra Light Sport



- Integrated nose piece
- Exceeds ANSI Z87.1 High Impact Requirements

Item #	Lens Color	Anti-Fog	Scratch Resistant	Adjustable
WW899103210	Clear	Yes	Yes	No
WW899103211	Ice Blue Mirror	No	Yes	No

**Premium style,
ultra-light comfort!**



Safety Glasses, Adjustable



- Ratcheting temples and adjustable nosepiece provide different angles for perfect view and fit
- 90% UV protection; exceeds ANSI Z87.1-2003

Item #	Lens Color	Anti-Fog	Scratch Resistant	Adjustable
WW899103130	Clear	No	Yes	Temples



Safety Glasses, Adjustable Temples



- Full side protection without distracting seams or traditional type side shields
- Exceeds ANSI Z87.1 High Impact Requirements

Item #	Lens Color	Anti-Fog	Scratch Resistant	Adjustable
WW899103208	Clear	Yes	Yes	Temples



Safety Glasses, Foam Lined

- Removable flame resistant foam padding helps limit eye exposure to dust and particles
- Exceeds ANSI Z87.1 High Impact Requirements

Item #	Lens Color	Anti-Fog	Scratch Resistant	Adjustable
WW899103218	Clear	Yes	Yes	No



Over-The-Glasses Safety Goggles



- Goggle provides protection against dust and chemical splash
- Polycarbonate lenses are scratch resistant and fit over most prescription glasses
- Soft vinyl goggle body conforms to facial contours and featured fully adjustable elastic band
- W2X anti-fog, anti-scratch coating is bonded to the lenses
- Exceeds ANSI Z87.1 High Impact Requirements

**Performance, comfort
& flexibility**

Item #	Lens Color	Anti-Fog	Scratch Resistant
WW899103221	Clear	No	Yes



Removable, Face
Shield/Adjustable

Over-The-Glasses Eye & Face Protection



- Fits over prescription glasses
- Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance
- Includes 2 disposable tear-off shield covers
- W2X anti-fog, anti-scratch coating is bonded to the lenses, and will continue to be effective even after repeated cleanings
- Exceeds ANSI Z87.1 High Impact Requirements

Item #	Lens Color	Anti-Fog
WW899103222	Clear	Yes



Alkaline Extended Life Batteries



- Long-life; can be used for power intensive applications
- Ready for operation from -4° F to 122° F
- Leak resistant
- Minimal self-discharge – shelf life over 5 years

Item #	Battery Size	Batteries per Pack
WW827111	AAA	4
WW827112	AA	4
WW827113	C	2
WW827114	D	2
WW827115	9V	1



Hand Scraper



- Extra flexible, spring steel blade
- Scraper is 4-3/4" wide

Item #	Box Qty
WW695940912	10



Auto Lock Tape Measure



- 16' long x 1" wide blade
- Yellow nylon-coated steel tape with Metric and Inch markings
- Lightweight ABS plastic housing is lightweight and corrosion resistant
- End stop cushions tape when rolled in for longer tape life
- Auto stop when tape pulled out
- Automatic retraction
- Sliding end hook
- Removable belt clip

Item #	Blade Size	Rule
WW071464575	1" x 16'	Inch/metric
WW071464525	1" x 16'	Inch



Utility Knife

- Utility knife with multi-step locking
- Blade can be fully retracted
- Includes 1 standard utility blade; storage for 5 blades

Item #
WW7156601



Utility Knife Replacement Blades

- 100 blades per box

Item #	Blade Thickness
WW1695106	.025"



Universal Knife (165mm), Snap-Off Blade

- Rugged and precise blade guide
- Comfortable one-handed use
- Push and release safety function
- Includes 1 blade loaded

Item #
WW71566061

Universal Knife Replacement Blade

NOTE: Sold in multiples of 10 each

Item #
WW71566077



Razor Blades, Single-Edge

- Blades are individually wrapped for rust and edge protection
- 100 blades per box

Item #	Type	Blade Thickness
WW714663317	Standard Duty	.009"
WW714663318	Heavy Duty	.012"




Limited Warranty Policy - Hand Tools

This limited warranty policy commitment to our customers (original purchaser) and our effort in ensuring the quality of our products.

Please contact your Sales Rep or Customer Service Representative for full warranty details.

Würth Hand Tool Product	Warranty Coverage
Zebra brand hand tools	Limited Lifetime Warranty: Würth Baer Supply warrants these products for its useful life against deficiencies in material and workmanship when used in the manner intended
Würth brand hand tools	1-year Limited Warranty: Würth Baer Supply warrants these products for one (1) year from the date of purchase of the original purchaser when used in the manner intended.

ZEBRA POWERDRIV® Combination Wrench - Extra Slim



- Drive: Box end **POWERDRIV®** 12 point.
 - Standard: DIN 3113A / ISO 3318/7738
 - Geometry: Box end 15 ° angled, open-end position 15 °
 - Material: Chrome vanadium steel
 - Surface: Chrome-plated, matte satin finish
- Packing & Sold in: Each.

Item #	(mm) 	L (mm)	a1 (mm)	a2 (mm)	b (mm)	c (mm)	Dia. d (mm)
WW071330908	8	139	4.2	6.5	14.7	2.6	12
WW071330916	16	206	7	12.1	29.2	4.3	22.3
WW071330918	18	233	8	13.1	32.2	4.7	25.3
WW071330919	19	244		13.5	33.7	5	26.8

ZEBRA Double Open-End Wrench Assortment



Metric

12 pieces, with plastic holder

- Standard: DIN 3110 / ISO 1085
- Material: Chrome-vanadium steel
- Surface finish: Chrome-plated polished heads
- Open-end position 15 °, strong heads for heavy duty use

Packing & Sold in: Each

Item #	Set	in mm
WW071330443	12 pieces	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32

POWERDRIV® (12-Point) Double Box End Wrench - Extra Long




Universal joint shaft flange, axle, ball and suspension joints, axle linkages

For high tightening and release forces

- Metric
- Drive: Double box end **POWERDRIV®** 12-point
- Standard: Wrench size according to DIN 475 Part II
- Material: Chrome-vanadium steel
- Surface: Body chromed, matte satin
- Geometry: Straight, very slim box-end design for hard to reach places

Packing & Sold in: Each



Item #	WW0714235101	WW0714235124	WW0714235135	WW0714235168	WW0714235179
Size	10 x 11 mm	12 x 14 mm	13 x 15 mm	16 x 18 mm	17 x 19 mm
Outside diameter d1	15 mm	17.2 mm	20 mm	22.6 mm	26 mm
Outside diameter d2	18.1 mm	20 mm	21.6 mm	26 mm	26.5 mm
Thickness a1	8 mm	9.7 mm	11 mm	12.3 mm	13.8 mm
Thickness a2	9 mm	10.8 mm	12 mm	13.3 mm	14 mm
Shank thickness c	4mm	4.5 mm	5 mm	5 mm	5.4 mm
Length l	292 mm	327 mm	367 mm	388 mm	410 mm

ZEBRA POWERDRIV® (12-Point) Combination Wrench Set - Short Type (8 Pieces - 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8 Inch)



Standard


8 piece set

- Standard: DIN 3113A/ISO 3318/773
- Drive: Box end **POWERDRIV®** (12-Point)
- Material: Chrome-vanadium steel
- Surface: Chrome-plated, polished
- Geometry: Box end angled 15°, open end offset 15°

Packing & Sold in: Each

Item #	Inch 
WW071330340	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8



ZEBRA POWERDRIV® Combination Wrench - Short Type




Metric

- Standard: DIN 3113A/ISO 3318/7738
- Drive: Box end **POWERDRIV®** (12-Point)
- Material: Chrome-vanadium steel
- Surface: Chrome-plated, polished heads and ring
- Geometry: Box end angled 15°, head angle 15°


Packing & Sold in: Each



Item #	(mm)	L (mm)	b1 (mm)	Dia. d (mm)	a1 (mm)	a2 (mm)
WW0713301055	5.5	100	14.0	10.5	5.5	3.7
WW071330106	6				6.0	4.0
WW071330107	7	110	16.0	11.8		
WW071330108	8	120	18.0	13.2	7.0	4.5
WW071330109	9	130	20.0	14.6	7.5	
WW071330110	10	140	22.5	16.1	8.0	5.0
WW071330111	11	150	25.0	17.4	8.5	5.5
WW071330112	12	160	27.0	18.9	9.0	
WW071330113	13	170	29.0	20.4	9.5	6.0
WW071330114	14	180	31.0	21.6	10.0	
WW071330115	15	190	33.5	22.9	10.5	6.5
WW071330116	16	200	36.0	24.6	11.0	
WW071330117	17	205	38.0	26.1	11.5	7.0
WW071330118	18	215	40.0	27.7	12.0	7.5
WW071330119	19	230	42.0	29.9	12.5	8.0
WW071330120	20	240	45.0	30.7	13.5	
WW071330121	21	250	47.0	32.2	14.0	9.0
WW071330122	22	260	49.0	33.7	14.5	
WW071330123	23	270	51.0	35.2	15.0	10.0
WW071330124	24	280	53.0	36.9	15.5	
WW071330125	25	290	55.0	38.5	16.0	11.0
WW071330126	26	300	57.0	39.8	16.5	
WW071330127	27	310	59.0	40.8	17.0	12.0
WW071330128	28	320	62.0	42.8	17.5	
WW071330129	29	330	63.5	43.8	18.0	11.0
WW071330130	30	340	65.0	44.8	18.0	
WW071330132	32	350	69.0	47.8	18.0	12.0
WW071330134	34	360	73.0	50.8	18.0	



Zebra Powerdriv® Combination Wrench - Short Type




Standard

- Standard: DIN 3113A/ISO 3318/773
- Drive: Box end **POWERDRIV®**, 12-point
- Material: Chrome-vanadium steel
- Surface: Chrome-plated, polished
- Geometry: Box end angled 15°, open-end offset 15°

Packing & Sold in: Each

Item #	(in.) 	L (mm)	b1 (mm)	Ø d (mm)	a1 (mm)	a2 (mm)
WW071330303	3/8"	140	22.5	16.1	7.5	4.5
WW071330304	7/16"	150	25	17.4	8	5
WW071330305	1/2"	170	29	20.4	9	5.5
WW071330306	9/16"	180	31	21.6	9.5	6
WW071330307	5/8"	200	36	24.6	10	
WW071330308	11/16"	205	38	26.1	10.5	6.5
WW071330309	3/4"	230	42	29.9	11.5	7.5
WW071330311	7/8"	260	49	33.7	13.5	8

Zebra Powerdriv® Combination Wrench Assortment - Short Type



Metric

11 pieces, with plastic holder

- Box end **POWERDRIV®** (12 point)
- Standard: DIN 3113A/ISO 3318/7738
- Material: Chrome-vanadium steel
- Surface Finish: Chrome-plated polished heads
- Open-end position 15°, strong heads for heavy duty use
- 12-Point box-end and open-end position of 15° for an optimal grip ratio, resulting in minimal rotating angle
- The 15° angle of the box end provides more free space for the fingers or to work around obstacles

Packing & Sold in: Each

Item #	Set	(mm) 
WW071330140	11 pieces	8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22

Zebra Powerdriv® (12-Point) Dual Ratchet Combination Wrench





Innovative wrench with ratchet function on the box and open sides.

- Drive: Box end POWERDRIV® modified 12 point, open side with open ratchet segment
- Standard: Max. torque as per DIN 899
- Material: Chrome-vanadium steel
- Surface: polished, chrome-plated
- Geometry: Straight on box end, 15° angle on open end
- To change the turning direction, simply turn the wrench around
- Open side features moving ratchet segment
- Enables working without stopping, as the wrench no longer needs to be taken off the nut. Ideal for all line screw joints
- Fine-toothed on ring side, 72 teeth, 5° rotating angle
- Very rugged and strong ratchet for high tightening torques

Packing & Sold in: Each

Areas of use

- Designed for union screw joints, e.g. brake lines, injection lines, air conditioning, hydraulics etc.

Item #	 Sizes (mm)							
		L (mm)	a1 (mm)	a2 (mm)	Dia. d (mm)	b1 (mm)		
WW071425908	8	140	4.1	6.5	16.8	16.7		
WW071425909	9	149	4.3	6.9	18.8	18.7		
WW071425910	10	158	4.8	7.3	20.8	20.8		
WW071425911	11	165	5.1	7.7	21.8	23.5		
WW071425912	12	171	5.3	8.2	22.8	24.6		
WW071425913	13	178	5.9	8.6	24.8	26.8		
WW071425914	14	190	6.3	9.0	27.8	29.0		
WW071425915	15	199	6.6	9.4	28.8	31.0		
WW071425916	16	208	6.9	9.9	30.8	33.0		
WW071425917	17	225	7.3	10.3	31.8	35.5		
WW071425918	18	236	7.8	10.7	32.8	37.5		
WW071425919	19	247	8.3	11.2	33.8	39.4		
WW071425921	21	289	8.8	13.0	40.0	45.8		
WW071425922	22							
WW071425924	24	322	9.8	14.5	46.0	51.8		

Zebra Powerdriv® (12-Point) Dual Ratchet Combination Wrench Assortment



Innovative wrench with ratchet function on the box and open ends

6 pieces, with plastic holder


- 1 ratchet combination wrench with double-ended ratchet function in each of the following sizes: 8; 10; 12; 13; 17; 19

Packing & Sold in: Each



Item #	Set	Sizes (mm)
WW071425950	6 pieces	8, 10, 12, 13, 17, 19 mm including plastic holder

Zebra Powerdriv® Ratchet Combination Wrench - Flexible Joint



The 180° flexible joint of the box end of the wrench allows for easy access to tight areas.

- Flexible joint ratchet head provides greater freedom for fingers and overcomes obstacles
 - Very rugged, strong ratchets for high tightening torques
 - Design: Metric
 - Drive: Box end POWERDRIV® 12-point, fine-tooth 72 teeth
 - Standard: Max. torque in line with DIN 899
 - Material: Chromium-vanadium steel
 - Surface: Chrome-plated, matte satin finish
 - Geometry: Open-end offset 15°, box end 180° joint, strong heads for heavy-duty applications
- Packing & Sold in: Each.

Attention: This is a special tool that may not be subjected to loads in excess of maximum torque values. For that reason, the tool is of limited suitability for loosening of tight screws.

Item #	 Sizes (mm)						
		L (mm)	a1 (mm)	a2 (mm)	d (mm)	b1 (mm)	F max. Nm
WW071426308	8	140	4.3	6.5	16.1	16.7	35
WW071426309	9	150	4.6	6.9	17.9	18.8	46
WW071426310	10	159	5.0	7.3	19.6	20.9	59
WW071426311	11	165	5.4	7.7	21.4	23.0	74
WW071426312	12	172	5.8	8.2	22.7	25.1	91
WW071426313	13	178	6.1	8.6	24.7	27.2	109
WW071426314	14	191	6.4	9.0	26.4	29.3	131
WW071426315	15	200	6.9	9.4	27.7	31.3	153
WW071426316	16	208	7.2	9.9	29.4	33.4	179
WW071426317	17	226	7.6	10.3	31.2	35.5	205
WW071426318	18	237	8.0	10.7	32.4	37.6	235
WW071426319	19	248	8.6	11.2	33.4	39.7	266
WW071426321	21	274	9.0	13.0	39.7	46.0	330
WW071426322	22						368
WW071426324	24	296	10.0	14.5	45.9	52.3	451

Zebra Powerdriv® Ratchet Combination Wrench Assortment - Flexible Joint



Flexible Joint

6 pieces, with plastic holder

- 1 ratchet combination wrench in each of the following sizes: 8; 10; 12; 13; 17; 19


Packing & Sold in: Each

Item #	Set	Sizes (mm)
WW071426350	6 pieces	8, 10, 12, 13, 17, 19

Zebra Hexagon Powerdriv® Double Open End Line Wrench



- Metric
 - Drive: Hexagon **POWERDRIV®**
 - Standard: DIN 3118
 - Geometry, open end profile angled 15°, open end angled 5°
 - Material: Chrome-vanadium steel
 - Surface: Chrome-plated, polished heads
- Packing & Sold in: Each

Item #	 (mm)	 						
		L (mm)	a1 (mm)	a2 (mm)	Dia. d1 (mm)	Dia. d2 (mm)	B1 min. (mm)	B2 min. (mm)
WW0714240079	7 x 9	140	6.5	7.5	17.8	19.3	5	7
WW0714240080	8 x 10						6	
WW0714240113	11 x 13	174	8.5	10.5	22.8	25.3	9	11
WW0714240124	12 x 14						9	
WW0714240179	17 x 19	212	12	13	31.2	33.3	14	15

Zebra Hexagon Powerdriv® Double Open End Line Wrench Assortment




Metric 5 pieces, with plastic holder

Drive: Hexagon **POWERDRIV®**
Standard: DIN 3118

- 1 each of double open end ring wrench size:
7 x 9, 8 x 10, 11 x 13, 12 x 14, 17 x 19
- Packing & Sold in: Each

Item #	Set	 (mm)
WW071424050	5 pieces	7 x 9, 8 x 10, 11 x 13, 12 x 14, 17 x 19

Zebra Powerdriv® (12-Point) Double Box End Wrench - Deep Offset



- Metric, DIN 838/ISO 3318
- Drive: **POWERDRIV®**, 12 point
- Material: Chrome-vanadium steel
- Surface: Chrome-plated, polished
- Geometry: Box ends offset 18°

Packing & Sold in: Each.

Item #	(mm) 	L (mm)	a1 (mm)	a2 (mm)	dia. d1 (mm)	dia. d2 (mm)	h (mm)
WW0713305067	6x7	174	5.4	5.9	10.8	12.2	21
WW0713305089	8x9	187	6.4	6.9	13.2	14.7	23
WW0713305080	8x10	188	6.9	7.9		16.3	
WW0713305101	10x11	194	7.4	7.9	16.3	17.4	23.5
WW0713305103	10x13	215	7.9	9.9	16.3	20.7	24.5
WW0713305123	12x13	217	8.4	9.5	19.0	20.7	25
WW0713305137	13x17	243	9.9	11.8	20.7	26.2	27.5
WW0713305145	14x15	227		10.3	22.1	23.4	
WW0713305167	16x17	247	10.8	11.3	25.4	26.2	28
WW0713305168	16x18	250	11.3	11.8	25.6	28.2	
WW0713305179	17x19	284			28.0	29.4	29.5
WW0713305189	18x19				30		
WW0713305202	20x22	296	11.8	12.8	31.2	33.1	31
WW0713305213	21x23	312	12.3		32.1	35.5	
WW0713305224	22x24	313	12.8	14.3	33.0	37.0	34
WW0713305246	24x26	328		13.8	37.0	39.0	
WW0713305247	24x27	329		14.3		41.0	
WW0713305258	25x28	339	13.8	14.8	37.8	42.0	37
WW0713305279	27x29	342	14.8	15.8	41.0	44.3	36.3
WW0713305302	30x32	359			45.0	48.2	39
WW0713305304	30x34	397	15.8	16.7	45.3	51.2	

Zebra Powerdriv® (12-Point) Double Box End Wrench Sets - Deep Offset



- Drive: **POWERDRIV®** (12-point)
- Material: Chrome-vanadium steel
- Surface: Chrome-plated, polished
- Geometry: Box end offset 18°

Packing & Sold in: Each



Item # WW071330540

Metric, DIN 838/ISO 3318, 8 pieces

Sizes (in mm) 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22



Item # WW071330541

Metric, DIN 838/ISO 3318, 10 pieces

Sizes (in mm) 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32



Item # WW071330542

Metric, DIN 838/ISO 3318, 12 pieces

Sizes (in mm) 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32

Zebra Powerdriv® (12-Point) Double Box End Ratchet Wrench - 4-In-1



- Metric, straight
- Output: Double box end **POWERDRIV®** (12-point)
- Finely toothed, 72 teeth
- Single-handed operation via reversing lever for clockwise and counterclockwise rotation
- Material: Chrome-vanadium steel
- Basic body surface: chrome-plated, high-gloss polished
- Geometry: Straight box end
- 4 sizes in one ratchet wrench
- Most common wrench sizes are covered by only 2 ratchet wrench
- 1/4" bit adapter available
- Simply insert into size 10 mm ratchet wrench to use as a bit ratchet
- For hard-to-access areas
- Narrow ratchet head
- Packing & Sold in: Each

Item #	(mm) 							
		L (mm)	a1 (mm)	a2 (mm)	b1 (mm)	b2 (mm)	d1 (mm)	d2 (mm)
WW0714257013	8x10 + 12x13	150	7.3	8.6	13.8	16.8	20.2	24.8
WW0714257017	10x19 + 13x17	200	9.0	11.2	17.1	21.9	27.2	33.6
WW0714257019	16x17 + 18x19	230	10.3		20.2		31.5	33.5

Zebra Powerdriv® (12-Point) Double Box End Ratchet Wrench Set 4-In-1 (3 Pieces)




Innovative double-sided, double-ended ratcheting wrench.

- Drive: Double-box end **POWERDRIV®** 2-point, fine-toothed, 72 teeth, one-hand operation via reversing lever for clockwise and counterclockwise use
- Material: Chrome-vanadium steel
- Surface: Chrome-plated, high gloss polish
- Geometry: box end straight
- Four sizes per ratchet wrench; the most common sizes are covered by only two ratchet wrenches
- 1/4" bit adapter available: simply insert in size 10 mm ratchet wrench, can then be used as a bit ratchet
- Narrow ratchet head for hard-to-reach areas
- Packing & Sold in: Each

5° angle of rotation for working in the tightest of spaces. Precision-machined ring core for smooth and secure use.

Item #	Set (comes in a clear plastic blister pack)	 (mm)	Finish
WW071425730	3 pieces	8 x 10 + 12 x 13, 16 x 17 + 18 x 19 Bit adapter: 10 mm 1/4", 20 mm long	Chrome
WW0714257300	3 pieces	8 x 10 + 12 x 13, 16 x 17 + 18 x 19 Bit adapter: 10 mm 1/4", 20 mm long	Black Chromium

Zebra Double Open-Ended Wrench Assortment - Metric



Item # WW0965900404


8 Pieces

Contents:

Size (in mm)

- 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22
- Includes foam insert

Zebra Combination Wrench Assortment - Metric



Item # WW0965900403

11 Pieces

Contents:

Size (in mm)

- 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22
- Includes foam insert

Zebra Combination Wrench Assortment - Metric



Item # WW0965900401


17 Pieces

Contents:

Size (in mm)

- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
- Includes foam insert


Zebra Allen Keys



- Long version
- Bright nickel-plated
- Chamfered front edges

Packing & Sold In: Each

Item #	Ø (mm)	L1 (mm) 	L2 (mm) 
WW07153118	2.5	115	21
WW07153119	3.0	129	23
WW07153120	4.0	144	29
WW07153121	5.0	165	33
WW07153122	6.0	186	38
WW07153123	7.0	197	41
WW07153124	8.0	208	44
WW07153125	9.0	219	47
WW07153126	10.0	234	50
WW07153127	11.0	238	53
WW07153128	12.0	262	57
WW07153129	14.0	294	70
WW07153130	17.0	337	80



- Short version
- Bright nickel-plated
- Chamfered front edges

Packing & Sold In: Each

Item #	Ø (mm)	L1 (mm) 	L2 (mm) 
WW07153135	1.5	47	16
WW07153136	2.0	52	18
WW07153137	2.5	59	21
WW07153138	3.0	66	23
WW07153139	4.0	74	29
WW071531391	4.5	80	31
WW07153140	5.0	85	33
WW071531401	5.5	90	35
WW07153141	6.0	96	38
WW07153142	7.0	102	41
WW07153143	8.0	108	44
WW07153144	9.0	114	47
WW07153146	11.0	129	53
WW07153147	12.0	137	57
WW07153148	14.0	154	70
WW071531481	16.0	168	73
WW07153149	17.0	177	80
WW07153150	19.0	199	89
WW07153151	22.0	222	102



Zebra Allen Key Assortments



Short version



Long version

- 9 pieces, in plastic holder, short version
- Bright nickel-plated
- Chamfered front edges

Item #	Set	 Contents (mm)
WW071531100	9-pcs	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10

- 10 pieces, in plastic holder, short version
- Bright nickel-plated
- Chamfered front edges

Item #	Set	 Contents (mm)
WW071531110	10-pcs	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12

- 9 pieces, in plastic holder, long version
- Bright nickel-plated
- Chamfered front edges

Item #	Set	 Contents (mm)
WW071531120	9-pcs	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10

Zebra Torx Allen Key Assortment



- 8 pieces, in plastic holder
- TX socket
- Round blade
- Bright nickel-plated

Item #	Set	 Contents
WW071536100	8-pcs	TX 9, 10, 15, 20, 25, 27, 30, 40

ZEBRA Pistol Grip Ratchet Screwdriver with 6 Bit Magazine (Bits Not Included)




High-performance ratchet screwdriver

- High-performance ratchet screwdriver
- 3-position adjustment wheel, adjustable with one hand, easy to change direction while working without using the other hand
- Magnet ensures a secure grip on bits and screws
- 45 teeth, max. torque of up to 40 Nm
- 2K grip for optimum ergonomic work
- Can be used as a standard screwdriver in the straight position or as a pistol grip in the 60° position thanks to the adjustable handle LED technology
- Working area is always well lit, lights the screw directly
- Especially suitable for dark areas
- Blade: Short bit holder blade with magnet, brushed chrome-plated
- Output: DIN 3126-D 6.3
- Sealing cap with bit magazine for a total of 6 bits (bits not included)


Packing & Sold In: Each

Item #	Designation	Length (mm)
1/4" Bits		
WW0613714	Telesc. magn. holding force 600 g	150 - 530 mm



Item #	(in.) 	A1 (mm)	A2 (mm)	A3 (mm)	B (mm)	C (mm)	D (mm)
WW06136400	1/4"	10	37	40	25	26	113

ZEBRA 3K Hex Blade Phillips Head Screwdriver




Flexible 3K handle ensures perfect ergonomics, force transmission and working comfort


Screwdriver, Phillips Head

- Blade: One-piece hexagon blade, brushed chrome-plated; wrench adapter matte nickel-plated, tempered, impact-resistant
- Würth color coding system
- Large impact cap
- Tip: DIN 5260-PH, ISO 8764-PH with black point tip

Packing & Sold In: Each

Item #					
		A (mm)	B/C (mm)		
WW06132011	PH 1	80	96/31	5/8	3 1/8"
WW06132012	PH 2	100	106/35	6/10	4"
WW06132013	PH 3	150	114/38	8/13	6"



ZEBRA 3K Hexagon Blade Slotted Head Screwdriver



Flexible 3K handle ensures perfect ergonomics, force transmission and working comfort.

Screwdriver, flat slotted

- Blade: One-piece hexagon blade, brushed chrome-plated; torque adjustment matte nickel-plated, tempered, impact-resistant
 - Large impact cap
 - Output: DIN 5264-A, ISO 2380 with black point tip
- Packing & Sold In: Each

Item #	 (mm)			 (mm)	 (in.)
		A (mm)	B/C (mm)		
WW0613200035	0.6 x 3.5	80	83/27	4/-	1/8 x 3 1/16"
WW0613200045	0.8 x 4.5	90	96/31	5/8	3/16 x 3 3/5"
WW0613200055	1.0 x 5.5	100	96/31	6/10	7/32 x 4"
WW061320007	1.2 x 7.0	125	106/35	6/10	9/32 x 5"
WW061320009	1.6 x 9.0	150	114/38	8/13	11/32 x 6"
WW061320010	1.6 x 10.0	175	114/38	8/13	3/8 x 7"
WW061320012	2.0 x 12.0	200	114/38	10/16	1/2 x 8"

ZEBRA 3K Slotted and Phillips Head Screwdriver Set - 5 Pieces



- 5 pieces, with three slotted and two Phillips head screwdrivers for the automotive and metalwork trades
 - Flexible 3K handle ensures perfect ergonomics, power transmission and working comfort
 - Impact caps
- Packing & Sold In: Each

Item #	Contents				
		1.0x5.5 / 1.2x7.0 / 1.6x9.0 mm		PH 1	PH 2
WW06139015	5-pc. set				



ZEBRA® 3K HANDLE

The flexible 3-component handle ensures an optimal, sensitive seat in the hand and allows connection with the robust design also the highest power transmission.


ZEBRA 3K Torx Screwdriver Set (6 Pieces)



Item # WW06139036 6 piece set

- 6 pieces, with flexible 3K handle for perfect ergonomics, power transmission and operating comfort
- Blade: Round, brushed chrome-plated
- Tip: TX socket with black point tip
- Würth color coding system
- Screw symbol printed on handle end for quick identification

Packing & Sold In: Each




			
	A (mm)	B/C (mm)	(in.)
TX 8	60	83/27	2 3/8"
TX 10	80		96/31
TX 15			
TX 20	100	106/35	4"
TX 25			
TX 30	115		4 9/16"

ZEBRA Slotted Screwdriver - Round Blade



- Round blade
- Blade: Matte chrome-plated
- Tip: DIN 5264-A, ISO 2380, black point tip
- Standard: DIN 5265

Packing & Sold In: Each



Item #				
		A (mm)	B/C (mm)	(in.)
WW061323103	0.5 x 3.0	80	73/20	1/8" x 3 1/8"
WW0613231065	1.2 x 6.5	150	106/35	1/4" x 6"
WW061323110	1.6 x 10.0	200	114/38	3/8" x 8"

ZEBRA Slotted Screwdriver - Round Blade, Short



- Round blade, short
- Blade: Matte chrome-plated
- Tip: DIN 5264-A, ISO 2380, black point tip
- Standard: DIN 5265

Packing & Sold In: Each



Item #				
		A (mm)	B/C (mm)	(in.)
WW061325108	1.2 x 8.0	25	62/31	5/16 x 1"

ZEBRA Slotted Screwdriver - Hexagon Blade, Impact Cap, Wrench Adapter



- Hexagon blade, impact cap
- Large impact cap
- Tip: DIN 5264-A, ISO 2380, black point tip
- Wrench adapter

Packing & Sold In: Each



Item #					
		A (mm)	B/C (mm)		
WW0613321045	0.8 x 4.5	90	96/31	5 / 8	3/16 x 3 3/5"
WW0613321055	1.0 x 5.5	100		6 / 10	7/32 x 4"
WW061332107	1.2 x 7.0	125	106/35		9/32 x 5"
WW061332109	1.6 x 9.0	150	114/38	8 / 13	11/32 x 6"
WW061332110	1.6 x 10.0	175			3/8 x 7"
WW061332112	2.0 x 12.0	200	120/40.5	10 / 16	1/2 x 8"
WW061332114	2.5 x 14.0	250			9/16 x 10"

ZEBRA Slotted Screwdriver - Hexagon Blade, Wrench Adapter



- Hexagon blade and wrench adapter
- Blade: Matte chrome-plated
- Tip: DIN 5264-A, ISO 2380, black point tip

Packing & Sold In: Each

Item #					
		A (mm)	B/C (mm)		
WW0613421035	0.6 x 3.5	80	83/27	4 / -	1/8 x 3 1/16"
WW0613421004	0.8 x 4.0	90	96/31	5 / 8	5/32 x 3 5/8"
WW0613421055	1.0 x 5.5	100			7/32 x 4"
WW0613421065	1.2 x 6.5	125	106/35	6 / 10	1/4 x 5"
WW061342108	1.6 x 8.0	150	114/38	8 / 13	5/16 x 6"
WW061342110	1.6 x 10.0	175			3/8 x 7"
WW061342112	2.0 x 12.0	200	120/40.5	10 / 16	1/2 x 8"

ZEBRA Slotted Screwdriver - Hexagon Blade, Laser-cut Tip





- Laser-cut tip, hexagon blade
- Ultra-secure seating of screwdriver in screw head
- Better screw grip for improved torque transfer
- Improved safety and less damage to screws and sensitive surfaces with less slippage
- No repeated placement when screwing
- Blade: Brushed chromium-plated
- Tip: DIN 5264-A, ISO 2380, laser-cut tip, Black Point Tip

Packing & Sold In: Each



Laser-cut tip profile
Laser-cut blade tip for a sharp-edged surface structure


					
Item #	(mm)	A (mm)	B/C (mm)	(mm)	(in.)
WW0613424035	0.6 x 3.5	75	83/27	4 / -	1/8 x 3 1/16"
WW061342404	0.8 x 4.0	90	96/31		5/32 x 3 5/8"
WW0613424055	1.0 x 5.5	100		5 / 8	7/32 x 4"
WW0613424065	1.2 x 6.5	125	106/35	6 / 10	1/4 x 5"
WW061342408	1.6 x 8.0	150	114/38	8 / 13	5/16 x 6"
WW061342410	1.6 x 10.0	175			3/8 x 7"

ZEBRA Phillips Head Screwdriver - Hexagon Blade - Impact Cap - Wrench Adapter



- Hexagon blade, impact cap, wrench adapter
- Large impact cap
- Tip: DIN 5260-PH, ISO 8764-PH, black point tip
- Standard: DIN 5262, SMS SS 2831

Packing & Sold In: Each.


Item #				 (mm)	 (in.)
		A (mm)	B/C (mm)		
WW06133221	PH 1	80	96/31	5 / 8	3 1/8"
WW06133222	PH 2	100	106/35	6 / 10	4"
WW06133223	PH 3	150	114/38	8 / 13	6"
WW06133224	PH 4	200	120/40.5	10 / 16	8"

ZEBRA Phillips Head Screwdriver - Round Blade - Short



- Round blade, short
- Blade: Matte chrome-plated
- Tip: DIN 5260-PH, ISO 8764-PH, black point tip
- Standard: DIN 5262, SMS SS 2831

Packing & Sold In: Each.


Item #				 (in.)
		A (mm)	B/C (mm)	
WW06132521	PH 1	25	62/31	1 3/4"
WW06132522	PH 2			

ZEBRA Phillips Head Screwdriver - Round Blade



- Round blade
- Blade: Matte chrome-plated
- Tip: DIN 5260-PH, ISO 8764-PH, black point tip
- Standard: DIN 5262, SMS SS 2831


Packing & Sold In: Each.

Item #				 (in.)
		A (mm)	B/C (mm)	
WW061323201	PH 1	80	96/31	3 1/8"
WW061323202	PH 2	100	106/35	4"
WW061323203	PH 3	150	114/38	6"
WW061323204	PH 4	200	120/41	8"

ZEBRA Phillips Head Screwdriver - Hexagon Blade - Wrench Adapter



- Hexagon blade, wrench adapter
 - Blade: Matte chrome-plated
 - Tip: DIN 5260-PH, ISO 8764-PH, black point tip
- Packing & Sold In: Each.


Item #					
		A (mm)	B/C (mm)		
WW06134221	PH 1	80	96/31	5 / 8	3 1/8"
WW06134222	PH 2	100	106/35	6 / 10	4"
WW06134223	PH 3	150	114/38	8 / 13	6"
WW06134224	PH 4	200	120/40.5	10 / 16	8"

ZEBRA Phillips Head Screwdriver - Laser-cut Tip - Hexagon Blade - Wrench Adapter



Laser-cut tip profile
Laser-cut blade tip for a sharp-edged surface structure

- Laser-cut tip, hexagon blade, wrench adapter
 - Ultra-secure seating of screwdriver in screw head
 - Better screw grip for improved torque transfer
 - Less slippage means improved safety as well as less damage to screws and sensitive surfaces
 - No repeated placement when screwing
 - Blade: Brushed chrome-plated
 - Tip: DIN 5260-PH, ISO 8764-PH, laser-cut tip, black point tip
- Packing & Sold In: Each.

Item #					
		A (mm)	B/C (mm)		
WW06134251	PH 1	80	96/31	5 / 8	3 1/8"
WW06134252	PH 2	100	106/35	6 / 10	4"
WW06134253	PH 3	150	114/38	8 / 13	6"

ZEBRA Torx Screwdriver - Round Blade



- Blade: Round blade, matte chrome-plated
 - Tip: TX socket, black point tip
- Packing & Sold In: Each.


Item #	 	Blade Length (mm)
WW061343410	TX 10	80
WW061343415	TX 15	
WW061343420	TX 20	100
WW061343425	TX 25	
WW061343427	TX 27	115
WW061343430	TX 30	
WW061343440	TX 40	130
WW061343445	TX 45	

ZEBRA Torx Screwdriver - Round Blade - Long Length



- Blade: Round blade, matte chrome-plated
 - Tip: TX socket, black point tip
- Packing & Sold In: Each



Item #				 (in.)
		A (mm)	B/C (mm)	
WW061346410	TX 10	250	83/27	10"
WW061346420	TX 20		96/31	
WW061346430	TX 30		106/35	

ZEBRA Screwdriver Set - Round Blade - Phillips/Slotted head - 6 Pieces



- Item # **WW061392326** 6 piece set
- 0.6 x 3.5 x 100 mm, 1.0 x 5.5 x 125 mm,
1.2 x 6.5 x 150 mm, 1.2 x 8.0 x 175, PH1, PH2
- Packing & Sold In: Each



(mm) 	
0.6 x 3.5 x 100	PH 1
1.0 x 5.5 x 125	PH 2
1.2 x 6.5 x 150	
1.2 x 8.0 x 175	

ZEBRA Screwdriver Set - Hexagon Blade - Phillips/Slotted head - With Wrench Adapter- 6 Pieces



- Item # **WW061394226** 6 piece set
- Hexagon blade and wrench adapter for automotive and metalwork trades
 - Blade: Brushed chrome-plated
 - 1 each of slotted screwdriver with hexagon blade and torque adjustment
 - 0.6 x 3.5 x 75; 1.0 x 5.5 x 100; 1.2 x 6.5 x 125; 1.6 x 8.0 x 150
 - 1 each of PH screwdriver with hexagon blade and torque adjustment PH 1; PH 2
- Packing & Sold In: Each.



Includes:

Item #	(mm) 	Item #	
WW0613421035	0.6 x 3.5 x 75	WW06134221	PH 1
WW0613421055	1.0 x 5.5 x 100	WW06134222	PH 2
WW0613421065	1.2 x 6.5 x 125		
WW061342108	1.6 x 8.0 x 150		

ZEBRA Torx Screwdriver Assortment - 7 Pieces



- 7 Screwdrivers: TX 10; 15; 20; 25; 27; 30; 40
- Foam drawer insert

7 Piece Set
Item #: WW0965900502

ZEBRA Torx Screwdriver Set 8 Pieces



- 1 Screwdriver set TX 8 pcs.
- Blade: Round blade, brushed chromium-plated, tip: TX socket, black point tip

8 Piece Set
Item #: WW06139348

	Blade length (mm)
TX 10	80
TX 15	
TX 20	
TX 25	
TX 27	115
TX 30	
TX 40	130
TX 45	

ZEBRA Multi Screwdriver Assortment - 8 Pieces



- 6 screwdrivers with one-piece hexagon blade 0.6 x 3.5; 0.8 x 4.5; 1.2 x 7.0; 1.6 x 9.0; PH1; PH2
- 2 screwdrivers, short, PH1; PH2
- Foam drawer insert


8 Piece Set
Item #: WW0965900501

ZEBRA Screwdriver with 1/4" Square Tip - Includes Ratchet Adapter



- One-piece blade
- Blade: Round, bright chrome-plated
- Tip: DIN 3120-A 6.3
- With ratchet adapter

Packing & Sold In: Each


Item #	(in.)			 (in.)
		A (mm)	B/C (mm)	
WW0613430310	1/4"	110	106/35	4 3/8"

ZEBRA Screwdriver with 1/4" Square Tip



- Blade: Round, bright chrome-plated
- Tip: DIN 3126-D 6.3

Packing & Sold In: Each


Item #	(in.)			 (in.)
		A (mm)	B/C (mm)	
WW0613430311	1/4"	110	106/35	4 3/8"

ZEBRA Screwdriver with 1/4 Inch Bit Chuck



- Blade: Round with magnet
- Head: Bright nickel-plated
- Tip: DIN 3126-D 6.3

Packing & Sold In: Each


Item #	(in.)			 (in.)
		A (mm)	B/C (mm)	
WW061343031	1/4"	100	106/35	4"

ZEBRA Screwdriver with 1/4 Inch Bit Chuck



- Flexible shaft
- Blade: Round, bright chrome-plated
- Tip: DIN 3120-A 6.3

Packing & Sold In: Each

Item #	(in.)			 (in.)
		A (mm)	B/C (mm)	
WW06134733	1/4"	150	106/35	6"

Zebra Ratchet Magazine Screwdriver (Includes 12 Bits)



Item # WW06136103

- Equipped with 12 bits
 - Blade: Circular blade with magnet, bright chrome-plated
 - Tip: DIN 3126-D 6.3
 - 28 teeth, max. torque over 20 Nm.
 - Advantage of the ratchet function is no need to reposition hand. This enables fast efficient operation in any assembly situation. Bit magazine for max. 12 bits
 - Extendible, rotating magazine lets you find the bit you need quickly
 - 1/4" bit with color coding system
- Packing & Sold In: Each.



Magnetic blade mount for 1/4" bits




Easy removal of the desired bit



Secure closing thanks to "snap lock"

Designation	Tip
Included Bits	
PH 1	
PH 2	
TX 10	
TX 15	
TX 20	
TX 25	
TX 30	
Allen 4 mm	
Allen 5 mm	
Allen 6 mm	
Slotted, 0.6 x 4.5 mm	
1/4"	



 (in.)	A (mm)	B1/B2 (mm)	C (mm)
1/4"	80	147/207	37.5


ZEBRA Mini Ratchet Screwdriver (Includes 11 Bits)



Bits included (1 each):	
	1/4"
	5.5 mm
	4 mm, 5 mm
	PH 1, PH 2
	TX 10, TX 15, TX 20, TX 25, TX 30

- 10-piece bit strip + PH2 bit
 - 2K handle
 - Blade: Short bit holder blade with magnet, bright chrome-plated
 - Tip: DIN 3126-D 6.3
 - For high torque applications in tight spaces
- Packing & Sold In: Each.



Item #	(in.)				
		A (mm)	B (mm)	C (mm)	A2 (mm)
WW061363050	1/4"	26	70	38	20


ZEBRA T-Handle Hexagon Socket Wrench



- For hexagon head screws
- Blade: Round, chrome-plated
- Tip: DIN 475/2
- Inner bore for protruding threaded shafts
- Standard: DIN 3125

Packing & Sold In: Each



				
Item #	(mm)	A (mm)	B/C (mm)	A (in.)
WW061312010	10	125	35/104	5"
WW061312013	13			
WW061312016	16			
WW061312017	17		39/117	
WW061312108	8	200	35/104	8"
WW061312110	10	230		9 3/16"
WW061312113	13			
WW061312208	8	300		12"
WW061312210	10			
WW061312213	13			

ZEBRA T-Handle Socket Wrench Set (5 Pieces)



Item # WW061391205 5 piece set

- Blade: Circular, nickel-plated
- Output: DIN 475/2
- Inner bore for protruding threaded shafts
- Standard: DIN 3125

Packing & Sold In: Each



Includes:


Item #	 (mm)	Blade Length (mm)
Only available in set	6	125
WW061312007	7	
WW061312008	8	
WW061312010	10	
WW061312013	13	

ZEBRA T-Handle Torx Head Screwdriver with Side Hex Tip



- Integrated side tip
 - Effortless tightening and loosening of screw connections
 - Particularly suitable for rusted and seized screw connections
 - High-quality blade
 - Matte chrome-plated hexagon blade for optimal corrosion protection and long service life
 - High-quality special steel ensures optimal balance of ductility and wear resistance
 - One-piece blade
 - Resistant even to extremely high stresses
 - Multi-component handle comprising solid core and soft casing
 - Highly slip-proof special black plastic ensures maximum torque transfer
 - Solid core and soft casing ensure rigidity and a secure grip
 - Ergonomically adapted handle for a comfortable grip and fatigue-free operation
 - Integrated drilled hole for storage on tool rack
 - Black point tip
 - Higher torque and a precise fit
 - Output: For TX socket
- Packing & Sold In: Each.



Item #	 (mm)			
		A (mm/in.)	B/C (mm)	Length of Side Hex Tip (mm)
WW061314009	TX 9	100/4"	27/82	13"
WW061314010	TX 10			
WW061314015	TX 15			
WW061314020	TX 20	200/8"	35/105	17"
WW061314025	TX 25			
WW061314027	TX 27			
WW061314030	TX 30			
WW061314040	TX 40			
WW061314045	TX 45		39/117	22"



ZEBRA T-Handle Torx Socket Screwdriver Set (6 Pieces)



Item # **WW061391406** 6 piece set


- For TX socket, with side output
 - Integrated side tip
 - Effortless tightening and loosening of screw connections
 - High-quality blade
 - Matte chrome-plated hexagon blade for optimal corrosion protection and long service life
 - Multi-component handle comprising solid core and soft casing
 - Highly slip-proof special black plastic ensures maximum torque transfer
 - Integrated drilled hole for storage on tool rack.
 - Contents: 6 pcs.
 - 6 T-handle screwdrivers for TX socket (TX 10, 15, 20, 25, 30, 40)
- Packing & Sold In: Each


Includes:

Item #		Blade Length (mm)
WW061314010	TX 10	100
WW061314015	TX 15	
WW061314020	TX 20	200
WW061314025	TX 25	
WW061314030	TX 30	
WW061314040	TX 40	

ZEBRA T-Handle Ball Head Tip Screwdriver with Side Hexagon Tip



Item #	 (mm)				Tip			
		A (mm/ in.)	B/C (mm)	Length of Side Hex Tip (mm)				
WW061313005	5	150/6"	35/105	17	Ball Head Tip			
WW061313006	6							
WW061313008	8							
WW061313105	5	200/8"						
WW061313106	6							
WW061313108	8							
WW061313110	10		39/117	22				

Item #	 (mm)				Tip	
		A (mm/ in.)	B/C (mm)	Length of Side Hex Tip (mm)		
WW0613132025	2.5	150/6"	27/82	13	Hex Head Tip	
WW061313203	3					
WW061313204	4		35/105	17		
WW061313205	5					
WW061313206	6					
WW061313208	8	200/8"	27/82	13		
WW061313303	3					
WW061313304	4		35/105	17		
WW061313305	5					
WW061313306	6					
WW061313308	8					
WW061313310	10		39/117	22		

Features:

- Integrated side tip
- High-quality blade
- One-piece blade
- Multi-component handle comprising solid core and soft casing
- Black point tip

Packing & Sold In: Each.

ZEBRA T-Handle Hex Blade Screwdriver Set (6 Pieces)



Item # **WW061391306** 6 piece set

- 1 each of T-handle wrench with ball head hexagon socket, size 5 mm, 6 mm, 8 mm
- 1 each of T-handle wrench with hexagon socket, size 2.5 mm, 3 mm, 4 mm

Packing & Sold In: Each.

Includes:

Item #	 Contents (mm)	Blade Length (mm)	Tip
WW0613132025	2.5	150	Hex Head Tip
WW061313203	3		
WW061313204	4		
WW061313005	5		Ball Head Tip
WW061313006	6		
WW061313008	8		

ZEBRA T-Handle, Torx Socket Set - In Sheet Steel Rack - 7 Pieces




Item #: WW06139147 7 piece set

- In sheet steel rack
 - Integrated side output
 - Effortless tightening and loosening of screw connections
 - Particularly suitable for rusted and seized screw connections
 - Multi-component handle comprising solid core and soft casing
 - Ergonomically adapted handle for a comfortable grip and effortless work
 - Integrated drilled hole for storage on tool rack
 - Black Point tip
 - Higher torque and a precise fit
 - One-piece blade
 - Resistant even to extremely high stresses
 - Contents: 7 pieces
 - 1 each of T-handle screwdriver TX 10; TX 15; TX 20; TX 25; TX 30; TX 40; TX 45
- Packing & Sold In: Each.

Includes:

Item #	(mm)		Blade Length (mm)
WW061314010	TX 10		100
WW061314015	TX 15		
WW061314020	TX 20		200
WW061314025	TX 25		
WW061314030	TX 30		
WW061314040	TX 40		
WW061314045	TX 45		


ZEBRA T-Handle Ratchet Screwdriver Set with 11 piece bits




- With 10-piece bit strip + PH2 bit
- Robust ratchet function with 45 teeth
- Max. torque of up to 40 Nm
- 3-position adjustment wheel is adjustable with one hand
- Easy, one-handed change of direction while working

Packing & Sold In: Each

Bits included (1 each):	
	1/4"
	5.5 mm
	4 mm, 5 mm
	PH 1, PH 2
	TX 10, TX 15, TX 20, TX 25, TX 30



Ratchet function
Very rugged design,
max. torque up to 40
Nm (29.5 lb-ft).

Item #	 (in.)				
		A (mm)	B (mm)	C (mm)	A2 (mm)
WW061363040	1/4"	95	85	100	10

ZEBRA Flexible Bit Holder Length 175mm - 1/4" Drive



Item #	Drive (in.)	Drive Type	Tip Size (in.)	Tip Type	Length (mm)
WW0613713	1/4"	Outer Hexagon	1/4"	Internal Hexagon Socket	175

Ratchet Bit Assortment - 38 Pieces



Bit set especially for automobiles and commercial vehicles, 38 pieces

- ZEBRA ratchet for 10 mm bits
- Additional ZEBRA adapter allows use of a 1/2" ratchet
- Supplied in a metal box with high quality interior foam compartment with clamping effect

Packing & Sold In: Each; Replacement bits sold in multiples of 5 each.


Includes:

Item #	Description
WW096512370	Ratchet Bit Set

Item #	Destination	Drive	Length
WW071412100	ZEBRA Ratchet for 10mm bits		175mm
WW07151303	ZEBRA Adapter for 1/2" ratchet		37mm
WW061478820	TX 20 with hole		30mm
WW061478825	TX 25 with hole		
WW061478827	TX 27 with hole		
WW061478830	TX 30 with hole		
WW061478840	TX 40 with hole		
WW061478845	TX 45 with hole		
WW061478850	TX 50 with hole		30mm
WW061478855	TX 55 with hole		
WW0614788120	TX 20		75mm
WW0614788125	TX 25		
WW0614788127	TX 27		
WW0614788130	TX 30		
WW0614788140	TX 40		
WW0614788145	TX 45		
WW0614788150	TX 50		
WW0614788155	TX 55		

Item #	Destination	Drive	Length
WW0614788240	TX 40		120 mm
WW0614788245	TX 45		
WW0614788250	TX 50		
WW0614788305	Hexagon socket M5		30 mm
WW0614788306	Hexagon socket M6		
WW0614788307	Hexagon socket M7		
WW0614788308	Hexagon socket M8		
WW0614788310	Hexagon socket M10		
WW0614788312	Hexagon socket M12		
Only Available in Set	Triple Square M5		30 mm
WW0614788406	Triple Square M6		
WW0614788408	Triple Square M8		
WW0614788410	Triple Square M10		
WW0614788412	Triple Square M12		75 mm
Only Available in Set	Triple Square M6		
WW0614788508	Triple Square M8		
WW0614788510	Triple Square M10		
Only Available in Set	Triple Square M12		30 mm
WW0614788902	PH 2		
WW0614788903	PH 3		

- ① Ratchet with short 10 mm bit
② 1/2" ratchet with adapter





Drive & Insert Bits

- Assorted sizes Phillips, Square and Pozi bits



Item #	Magnetic	Tip Size	Overall Length	Sold In
Phillips Drive Bits				
WW614176274	No	#1	1"	10 each
WW614176461	No	#2	1"	10 each
WW92210	No	#2	1"	10 each
WW92220	No	#2	2"	10 each
WW92230	No	#2	2-3/4"	10 each
WW614176648	No	#3	1"	10 each
Pozi Drive Bits				
WW614176652	No	#2	1"	10 each
WW614176653	No	#3	1"	10 each
Square Drive Bits				
WW90210	No	#2	1"	1 each
WW90220	No	#2	2"	1 each
WW90230	No	#2	3"	1 each
WW90240	No	#2	4"	1 each
WW90260	No	#2	6"	1 each
Powerdriv Hex Bits				
WW061417693	No	#3	25mm	1 each
WW061417694	No	#4	25mm	1 each
WW061417695	No	#5	25mm	1 each
WW061417696	No	#6	25mm	1 each



Painted Square Drive Bits

- Makes it easy to identify the right bit (tip is not painted)



Item #	Color	Tip Size	Overall Length
WW91210	Red	#2	1"
WW91220	Red	#2	2"
WW91230	Red	#2	3"
WW91260	Red	#2	6"


1/4 Inch Phillips Bit (Hex Quick Change)



Packing & Sold In: Each.



Item #	Designation	Phillips-Head System	Tip	Drive	Length (mm)
WW0614100201	PH 2	MSVM 2 - Magazine attachment - Makita		1/4"	152
WW0614100111		MSVW 1 - Magazine attachment - Wurth / Bosch			155
WW0614100211		MSVW 2 - Magazine attachment - Wurth / Bosch			168
WW0614100212		S50-TB - Magazine screw attachment - Wurth/Kress/Eibenstock			176.5



Insert Bit Holder with Quick Change Chuck



- A slight forward motion of the locking sleeve unlocks the bit for a quick change

Item #	Overall Length
Magnetic	
WW99010	2-1/4"
WW614176708	3"
Non-Magnetic	
WW614176711	2"



Insert Bit Holder, Magnetic, One Touch Release



- Soft push on the button, the bit will shoot forward due to the internal spring for easy removal
- Stainless steel housing

Item #
WW614176638



Insert Bit Holder, Magnetic



- High energy magnet helps alleviate the problem of lost bits

Item #	Overall Length
WW614176702	3"



Right Angle Drill Attachment, Magnetic, 1/4" Bit Mount with Quick Change Chuck



- Suitable for use with electric drills and battery operated driver drills
- Specially hardened steel enables maximum torque, with a maximum speed of 2,000 RPM's
- Secure hold and 360° step-free adjustable handle
- Compact design is perfectly suited for screwing in cramped and hard-to-reach places

Item #

WW6149000



Universal Bit Set, 90 Piece, Magnetic




- Includes standard drive styles and safety screws, 1/4" drive magnetic ratchet adapter and sturdy metal box
- Comes in foam insert to keep the bits nicely organized

Item #

WW614250500

Scan code to see
what is included

ZEBRA Universal Bit Assortment (105 Pieces)



Item # WW0614250300 105 piece set

Comprehensive 1/4" bit assortment with the most common standard and security bits in short and long versions

- A majority of the bits are for security screws. Used wherever unauthorized loosening is to be prevented
- Includes two bit adapters and one screw hook
- The solution for virtually all screw types
- In sturdy metal box with foam insert

Areas of Application:

Public facilities, motor vehicle and motorcycle sector, plumbing applications, construction industry, electrical, electronics and machine sector

Scan code to see
what is included

ZEBRA Ratchet with Rotary Disc Reverse



Rotary disc reverse

Fine tooth rotary disc with 72 teeth; 5° angle of rotation

- Compact, narrow head
- Simple changeover from clockwise to counterclockwise rotation
- Chamfered square – easier removal of socket wrench inserts
- Offset ratchet body for more hand freedom

Packing & Sold In: Each.



Item #	Description	Tip Size	Length (mm)
WW07120140	Ratchet with rotary disc reverse	1/4"	138
WW07120380		3/8"	175
WW07120120		1/2"	250

ZEBRA 1/4 Inch Ball-Head 3-in-1 Ratchet



- Multi-functional spherical ratchet with adjustable handle
- Drive: 6.3 – 1/4"
- Standard: DIN 3122, ISO 3315
- Head: 72 teeth, angle of rotation: 5°, joint can be rotated 270°
- Handle: Two-component handle, straight or adjustable 90° as T-handle

Packing & Sold In: Each.



Item #	Length (mm)	Ratchet head height (mm)	Ratchet diameter (mm)
WW071201405	145	26.5	20




3 in 1!

Can be used like a conventional ratchet, as a screwdriver or a T-handle!



ZEBRA 1/4 Inch Lever Reversible Ratchet, Dust Protected




Dust-protected ratchet for a long service life even under difficult working conditions

- Standard: DIN 3122, ISO 3315
- Reversing lever for clockwise and counterclockwise rotation
- Geometry: Ratchet body with depressed center for more freedom of movement
- Material: Chrome-vanadium steel
- Grip Handle Material: 2-component plastic
- With 72 teeth, 5° angle of rotation

Packing & Sold In: Each.

Item #	Tip Size	L1 (mm)	L2 (mm)	L3 (mm)	B1 (mm)	B2 (mm)	D1 (mm)	D2 (mm)
WW071201403	1/4"	136	125	61	13	22	16	21
WW071203803	3/8"	177	160	79	16	29	21	29
WW071201203	1/2"	253	240	115	19	36	26	38

ZEBRA 10 mm Ratchet Tool



Features:

- Head: 72 teeth, swivel angle 5°, round, compact head
- Shaft: Chrome-plated, high-grip 2-component handle

Packing & Sold In: Each.

Item #	Destination	Drive	L1 mm	L2 mm	B1 mm	B2 mm	D1 mm	D2 mm	Length
WW071412100	Ratchet for 10mm bits		175	160	19	33	26	20	175mm
WW07151303	Adapter for 1/2" ratchet		-	-	-	-	-	-	37mm

ZEBRA 1/2 Inch Jointed Handle



Features:

- Standard: DIN 3122, ISO 3315
- Joint: Rotatable through 180°, head can be used in any desired position
- Flexible operation even in obstructed areas
- Powerful breaking and tightening ability
- Chrome-plated

Packing & Sold In: Each.


Item #	Length (mm)	Tip size (in.)	Handle diameter (mm)	Width of head (mm)
WW0712130102	490	1/2"	35	20

ZEBRA 1/4 Inch Socket Bits



- Socket Wrench, Slotted
- Surface: Chrome-plated, polished/matte
- Drive: 1/4" square socket, ball catch groove
- Tip: DIN 5264, slotted

Packing & Sold In: Each.




Item #	 (mm)	L1 (mm)	L2 (mm)	D1 (mm)
WW071511735	0.6 x 3.5	32	12	12
WW071511755	1.0 x 5.5			
WW071511765	1.2 x 6.5			
WW071511780	1.2 x 8.0			



- Socket Wrench, Phillips
- Surface: Chrome-plated, polished/matte
- Drive: 1/4" square socket, ball catch groove
- Tip: ISO 8764-PH

Packing & Sold In: Each.




Item #	 (mm)	L1 (mm)	L2 (mm)	D1 (mm)
WW071511801	PH 1	32	12	12
WW071511802	PH 2			
WW071511803	PH 3			



- Socket Wrench, Hexagon
- Surface: Chrome-plated, polished/matte
- Drive: 1/4" square drive, ball catch groove
- Output: For hexagon socket, DIN 7422

Packing & Sold In: Each.




Item #	 (mm)	L1 (mm)	L2 (mm)	D1 (mm)
WW071511503	3	32	12	12
WW071511504	4			
WW071511505	5			
WW071511506	6			
WW071511507	7			
WW071511508	8			




- Socket Wrench, Torx
- Surface: Chrome-plated
- Drive: 1/4" square socket, ball catch groove
- Tip: For TX screws

Packing & Sold In: Each.



Item #	(mm)		L1 (mm)	L2 (mm)	D2 (mm)
WW071511310	2.72	10	32	12	12
WW071511315	3.26	15			
WW071511320	3.84	20			
WW071511325	4.40	25			
WW071511327	4.96	27			
WW071511330	5.49	30			
WW071511340	6.60	40			

ZEBRA 1/4 Inch Extension



- Surface: Chrome-plated, polished
 - Drive: 1/4" square drive, ball catch groove
- Packing & Sold In: Each.

Item #	Length (mm)	D1 (mm)	D2 (mm)
WW0713118101	25	12	8.3
WW0713118102	53		
WW0713118104	101		
WW0713118106	152		
WW0713118110	250		

ZEBRA 1/2 Inch Angled Extension



Item #: WW0712138100

- For working in hard-to-reach places
- Standard: DIN 3123, ISO 3316
- Surface: Chrome-plated
- Drive: 1/2" square socket, ball catch groove
- Tip: 1/2" square head
- Length: 50 mm
- Angular movement of up to 8"
- Tip: 1/4" square head

Packing & Sold In: Each.



ZEBRA 3/8 Inch Extension




Item #: WW0713128105

- Standard: DIN 3123, ISO 3316
- Surface: Chrome-plated
- Drive: 3/8" square socket, ball catch groove
- Tip: 3/8" square head
- Length: 125 mm

Packing & Sold In: Each.




ZEBRA 1/2 Inch Extension



- Standard: DIN 3123, ISO 3316
 - Surface: Chrome-plated
 - Drive: 1/2" square socket, ball catch groove
 - Tip: 1/2" square head
- Packing & Sold In: Each

Item #	Length (mm)	D1 (mm)	D2 (mm)
WW0712138102	53	23	15
WW0712138103	75		
WW0712138105	125		
WW0712138110	250		
WW0712138118	457		17

ZEBRA 1/2 Inch PowerDriv (12-Point) Socket




Metric, short

- Standard: DIN 3124, ISO 2725
- Surface: Chrome-plated, ground/matte
- Drive: 1/2" square socket, ball catch groove
- Tip: POWERDRIV®

Packing & Sold In: Each.

Item #	(mm)		L1 (mm)	D1 (mm)	D2 (mm)	t (mm)
WW0712133108	8		36	12.9	21.9	7
WW0712133109	9			14		8
WW0712133110	10			15.4		10
WW0712133111	11			16.6		
WW0712133112	12			17.9		
WW0712133113	13			19.1		11
WW0712133114	14			20.4		
WW0712133115	15			21		
WW0712133116	16			22.5		
WW0712133117	17			24	23.2	16
WW0712133118	18			25.4	23.5	
WW0712133119	19			26.5	24.7	
WW0712133120	20			27.9	25.5	
WW0712133121	21	38	38	28.5	26	19
WW0712133122	22			29.9	26.5	
WW0712133123	23			31.2	27.7	
WW0712133124	24			32	29	
WW0712133126	26			35	31.5	
WW0712133127	27	44	44	36	32.2	24
WW0712133128	28			37.7	33.5	
WW0712133130	30			40	36	
WW0712133132	32			42	38.1	
WW0712133134	34	47	47	45.5	40	25
WW0712133136	36	50	50	48	42	28.5

ZEBRA 1/2 Inch Socket Bits - Torx




- Torx, short
- Design: Short
- Surface: Chrome-Plated
- Drive: 1/2" square socket, ball catch groove
- Tip: For TX screws

Packing & Sold In: Each.

Item #	 (mm)	L1 (mm)	L2 (mm)	D1 (mm)
WW071513320	20	60	20	22.5
WW071513325	25			
WW071513327	27			
WW071513330	30			
WW071513340	40			
WW071513345	45			
WW071513350	50			
WW071513355	55			
WW071513360	60			
WW071513370	70			25
WW071513380	80	80	42	28
WW0715133100	100			26


ZEBRA 1/2 Inch PowerDriv (Hexagon) Socket



- Metric, long
 - Surface: Chrome-plated, polished/matte
 - Drive: 1/2" square socket, ball catch groove
 - Tip: **POWERDRIV®** (Hexagon)
- Packing & Sold In: Each.

Item #	(mm)		L1 (mm)	D1 (mm)	D2 (mm)	t (mm)
WW0712132310	10		77	15.4	21.8	25.0
WW0712132311	11			16.6		
WW0712132312	12			17.9		
WW0712132313	13			19.1		
WW0712132314	14			20.4		
WW0712132315	15			21.6	21.6	35.5
WW0712132316	16			22.6	22.6	
WW0712132317	17			24.1	24.1	
WW0712132318	18			25.4	25.4	
WW0712132319	19			26.5	26.5	
WW0712132320	20			27.8	27.8	
WW0712132321	21			28.2	28.2	
WW0712132322	22			29.7	29.7	
WW0712132323	23			31.2	27.0	
WW0712132324	24			31.7		
WW0712132326	26			35.4	33.0	
WW0712132327	27			35.7		
WW0712132328	28			37.6		
WW0712132330	30			39.8	33	
WW0712132332	32			41.9	34	


ZEBRA 1/2 Inch Torx Socket Bits, Long



- Torx, long
 - Surface: Chrome-plated
 - Drive: 1/2" square socket, ball catch groove
 - Tip: For TX screws
- Packing & Sold In: Each.

Item #	 (mm)	L1 (mm)	L2 (mm)	L3 (mm)	D1 (mm)
WW071513430	30	120	80	12.5	22.5
WW071513440	40				
WW071513445	45				
WW071513450	50	140	100	-	
WW071513455	55				
WW071513460	60				
WW071513470	70				


ZEBRA 1/2 Inch Socket Bits



- Hexagon
- Surface: Chrome-plated, polished/matte
- Drive: 1/2" square socket, all catch groove
- DIN 7422

Packing & Sold In: Each.

Item #	(mm)		L1 (mm)	L2 (mm)	L3 (mm)	D1 (mm)
WW0715137040	4		60	20	6	22.5
WW0715137051	5				7.5	
WW0715137060	6				9	
WW0715137062	6		140	100	10.5	
WW071513707	7				-	
WW0715137080	8				-	
WW0715137082	8		140	100	-	
WW0715137100	10				-	
WW0715137102	10				-	
WW0715137120	12		60	20	-	
WW0715137122	12				-	
WW071513714	14				-	25
WW071513717	17		60	20	-	28




- 12-Point, Short
- Surface: Chrome-plated
- Drive: 1/2" square socket, ball catch groove

Packing & Sold In: Each.

Item #	(mm)		L1 (mm)	L2 (mm)	L3 (mm)	D1 (mm)
WW071513805	5		60	20	4	22.5
WW071513806	6				5	
WW071513808	8				6	
WW0715138081	8		100	60	6	
WW071513810	10				6	
WW0715138101	10				6	
WW0715138121	12		100	60	6	
WW071513814	14				6	
WW0715138160	16				6	
			60	20	-	25
					-	28

ZEBRA 1/2 Inch Hexagon Socket Bit, Short




- Standard
- Surface: Chrome-plated, polished/matte
- Drive: 1/2" square socket, ball catch groove

Packing & Sold In: Each.

Item #	(in.)		L1 (mm)	L2 (mm)	L3 (mm)	D1 (mm)
WW071513751	7/32		60	20	8.34	22.5
WW071513752	1/4				9.53	
WW071513754	3/8				-	
WW071513756	1/2				-	

ZEBRA Step-Down/Up Sockets



- Standard: DIN 3123, ISO 3316
 - Surface: Chrome-plated, polished
 - Material: Steel
- Packing & Sold In: Each.

Item #	S2 (in) 	S1 (in) 	L1 (mm)	D1 (mm)
WW0713118401	1/4"	3/8"	24	12.5
WW0713128401	3/8"	1/4"	27	17
WW0713128402		1/2"	36	20
WW0712138401	1/2"	3/8"	38	23
WW0712138402		3/4"	44	25
WW071514108	3/4"	1/2"	53.5	34

Zebra Universal Joints




1/4"



3/8"



1/2"




- Surface: Chrome-plated, polished
 - Remains in specified position
- Packing & Sold In: Each.

Item #	S2 (in) 	S1 (in) 	L1 (mm)	D1 (mm)
WW0713118301	1/4"	1/4"	33	14
WW0713128301	3/8"	3/8"	55	17.5
WW0712138301	1/2"	1/2"	70	25




1/2 Inch Impact Sockets



- Metric, short
 - For use with electric or pneumatic screwdrivers and impact tools
 - Standard: DIN 3129, DIN 3121/ISO 1174
 - Design: Forged, burnished
 - Drive: Square socket 1/2"
 - Tip: Hexagon
- Packing & Sold In: Each.


Item #	(mm)		L1 (mm)	D1 (mm)	D2 (mm)	t (mm)
WW07141302	9.5		38	17	25	12
WW07141303	10			20		10
WW07141304	12			21		12
WW07141305	13			22.5	30	13.5
WW07141306	14			23		12
WW07141307	15			25		12.5
WW071413071	16			26		13.5
WW07141308	17			27.3		15
WW071413081	18			28.5		14
WW07141309	19			30		14.5
WW071413091	21			32		17
WW07141310	22			34		20
WW07141311	24			38		19
WW07141312	27		42	42		20
WW07141330	30		44	44		21.5
WW07141332	32			46		18.5
WW07141334	34		48	49		
WW07141336	36					



- Metric, long
 - For use with electric or pneumatic screwdrivers and impact tools
 - Standard: DIN 3129, DIN 3121/ISO 1174
 - Design: Forged, burnished
 - Drive: Square socket 1/2"
 - Tip: Hexagon
- Packing & Sold In: Each.

Item #	(mm)		L1 (mm)	D1 (mm)	D2 (mm)	t (mm)
WW07141313	13		78	20.5	30	17
WW071413131	16			24		23
WW07141314	17			26		
WW071413142	18			27.3		
WW07141315	19			28		
WW071413151	21			30		
WW07141316	22			32		
WW07141317	24			34		
WW07141318	27			38		30


1/2 Inch Impact Extensions



- For use with electric or pneumatic screwdrivers and impact tools
 - Standard: DIN 3121/ISO 1174
 - Design: Forged, burnished
 - Drive: Square socket 1/2"
 - Tip: External square drive 1/2", with ball lock
- Packing & Sold In: Each.

Item #	S2 (in)	L1 (mm)	D1 (mm)	D2 (in)
WW07141322	1/2"	75	25	1/2"
WW07141323	1/2"	150		1/2"


Impact Step-Up Socket - 1/2 Inch to 3/4 Inch



- For all electrical or compressed air-driven screwdrivers and impact tools
 - Drop-forged steel guarantees high breaking and wear resistance
 - Standard: DIN 3121/ISO 1174
 - Design: Forged, burnished
 - Drive: 1/2" square socket
 - Tip: 3/4" square head
- Packing & Sold In: Each.

Item #	S2 (in)	S1 (in)	L1 (mm)	D1 (mm)
WW07141328	1/2"	3/4"	48	30


1/2 Inch Impact Universal Joint



- For use with electric or pneumatic screwdrivers and impact tools
 - Standard: DIN 3121/ISO 1174
 - Design: Forged, burnished
 - Drive: square socket 1/2"
 - Tip: External square drive 1/2", with ball lock
- Packing & Sold In: Each.

Item #	S2 (in)	S1 (in)	L1 (mm)	D1 (mm)
WW0714138351	1/2"	1/2"	63	30

ZEBRA 1/4 Inch Multi-Sockets



- 12-Point
 - Surface: Chrome-plated, polished
 - Drive: 1/4" square socket
 - Tip: 12-point
- Packing & Sold In: Each.

	Multi-profile	Possible Uses							
		Hexagon/ Bi-Hexagon	Hexagon	TX Head	Square				
Item #	(mm)					L1 (mm)	D1 (mm)	D2 (mm)	t (mm)
WW071311304	4	Size 4	5/32"	E 5	-	22	6.8	11.9	5
WW071311305	5	Size 5	-	-	Size 4		8.1		
WW0713113055	5.5	Size 5.5	7/32"	-	Size 4.5		8.7		5.5
WW071311306	6	Size 6	-	E 8	Size 5		9.3		6
WW071311307	7	Size 7	9/32"	-	-		10.8		
WW071311308	8	Size 8	5/16"	E 10	-		11.9	13.4	7
WW071311309	9	Size 9	11/32"	-	-		13.4		
WW071311310	10	Size 10	3/8"	E 12	Size 8		14.5	14.5	10
WW071311311	11	Size 11	7/16"	E 14	Size 9		15.9	15.9	
WW071311312	12	Size 12	15/32"	E 16	Size 10		16.9	16.9	11
WW071311313	13	Size 13	1/2"	-	-		18.0	18.0	
WW071311314	14	Size 14	9/16"	E 18	-		19.6	19.6	

ZEBRA 1/4 Inch Multi-Socket Assortment (32 Pieces)



Item # **WW096511032** 32 piece set

The multiple profile is suitable for the five most common screw heads (hexagon metric, square metric, bi-hex metric, hexagon inch, TX head)

- Supplied in a metal box with high-quality foam insert compartment with clamping effect
- 12 sockets
- 14 1/4" bits

Packing & Sold In: Each.

Includes:



Hexagonal metric



Bi-hexagonal metric



Hexagon inch



Square metric




External Torx



Item #	Description	Drive	Length
WW0713118301	Universal Joint		33 mm
WW0613430311	Screwdriver handle		216 mm
WW07151101	Adapter with quick change chuck		30 mm
WW071311304 Thru WW071311314	12 multi-use sockets, one each sizes 4-14		22 mm
WW614176461	Bit PH 2		25 mm
WW061417693	Bit hex, socket size 3		
WW061417694	Bit hex, socket size 4		
WW061417696	Bit hex, socket size 6		
WW06143110	TX 10		Sold in multiple of 5 each 25 mm
Only available in set	TX 15		
WW06143120	TX 20		
WW06143125	TX 25		
WW06143127	TX 27		
WW06143130	TX 30		



ZEBRA 3/8 Inch Multi-Sockets



- 12-Point
- Surface: chrome-plated, polished
- Drive: 3/8" square socket
- Tip: 12-Point

Packing & Sold In: Each.



	Multi-profile	Possible Uses								
		6-sided/ 12-sided	6-sided	Outer TX	4-sided					
Item #	(mm) 	 (mm)	(in.) 	TX 	(mm) 	L1 (mm)	D1 (mm)	D2 (mm)	t (mm)	
WW071312306	6	6 mm	–	E8	5 mm	25.5	9.3	17	7	
WW0713123063	6.3	6.3 mm	1/4"	–	–		9.9			
WW071312307	7	7 mm	9/32"				10.9			
WW071312308	8	8 mm	5/16"	E10			11.8			
WW071312309	9	9 mm	11/32"	–			13.4		8	
WW071312310	10	10 mm	3/8"	E12			14.6			
WW071312311	11	11 mm	7/16"	E14			15.9			
WW071312312	12	12 mm	15/32"	E16			10 mm		17	8.5
WW071312313	13	13 mm	1/2"	–			–		18.4	
WW071312314	14	14 mm	9/16"	E18		–	27	19.6	18	13
WW071312315	15	15 mm	19/32"	–	12 mm	20.9		19		
WW071312316	16	16 mm	5/8"	E20	13 mm	22		20		
WW071312317	17	17 mm	–	–	14 mm	23.4		21		
WW071312318	18	18 mm		E22	–	24.5		21.5		
WW071312319	19	19 mm	3/4"	E24	–	29	25.6	22.5	14	
WW071312320	20	20 mm	25/32"	–	16 mm		26.8	23.5		
WW071312321	21	21 mm	13/16"	E26	17 mm		27.9	24.5		
WW071312322	22	22 mm	7/8"	E28	18 mm	31	29.6	26	16	

ZEBRA 3/8 Inch Multi-Socket Assortment (22 Pieces)



Item # WW096512022 22 piece set

Newly developed multi-purpose profile fitting the 5 most common screw heads

- Hexagon metric, square metric, bi-hexagon metric, hexagon inch and external Torx
- Geometry: Short
- Supplied in a metal box with high-quality foam insert compartment
- High-quality multi-use socket bits guarantee a long service life
- Chrome-plated and polished
- Bit: 12-sided, multi-profile



Hexagonal
metric



Bi-hexagonal
metric



Hexagon
inch



Square
metric



External
Torx

ZEBRA Step-Up And Step-Down Socket Assortment (8 Pieces)



Item # **WW09651280** 8 piece set

Combined adapter assortment with most common socket wrench and bit adapters

Socket Wrench Adapters (1 each)

3/4" - 1/2", 1/2" - 3/4", 1/2" - 3/8",
3/8" - 1/4", 1/4" - 3/8", 3/8" - 1/2"

Bit Adapters

1/4" - 1/4", 3/8" - 5/16"

ZEBRA 1/2 Inch Torx, Multi-Point, and Allen Socket Assortment (31 Pieces)




Item # **WW096513310** 31 piece set

Complete 1/2" assortment with short and long Allen, inner TX and multi-point sockets. Contents especially matched to automotive and cargo applications

- Metal box 350 x 260 x 55 mm (13-3/4" x 10-1/4" x 2-3/16")
- 8 TX socket wrenches, short version TX 25, 27, 30, 40, 45, 50, 55, 60
- 4 TX socket wrenches, long version TX 30, 40, 50, 60
- 4 Multi-point socket wrenches, short version M 5, 6, 8, 10
- 3 Multi-point socket wrenches, long version M 8, 10, 12
- 8 Allen socket wrenches, short version 5, 6, 7, 8, 10, 12, 14, 17 mm
- 4 Allen socket wrenches, long version 6, 8, 10, 12 mm



ZEBRA 1/2 Inch Multi-Sockets



- 12-Point, Multi-profile for the five most common screw head drives
 - Surface: Chrome-plated, polished
 - Drive: 1/2" square socket
 - Tip: 12-point, multi-profile
- Packing & Sold In: Each.

Item #	Multi-profile (mm)	Possible Uses				L1 (mm)	D1 (mm)	D2 (mm)	t (mm)
		6-pt./12-pt. (mm)	6-pt. (in.)	Outer TX TX	4-pt. (mm)				
WW071213410	10	10	3/8"	E 12	8	36	15.5	23.0	9
WW071213411	11	11	7/16"	E 14	9		16.7		10
WW071213412	12	12	15/32"	E 16	10		18.0		11
WW071213413	13	13	1/2"	-	-		19.2		13
WW071213414	14	14	9/16"	E 18	-		20.5		
WW071213415	15	15	19/32"	-	12		21.7		
WW071213416	16	16	5/8"	E 20	13		23.0		
WW071213417	17	17	-	-	14		24.2	23.2	14
WW071213418	18	18	-	E 22	-		25.5	23.5	
WW071213419	19	19	3/4"	E 24	-		26.7	24.7	
WW071213420	20	20	25/32"	-	16	38	28.0	25.5	
WW071213421	21	21	13/16"	E 26	17		29.2	26.0	16
WW071213422	22	22	7/8"	E 28	18		30.5	26.5	
WW071213424	24	24	15/16"	E 30	19		33.0	29.0	
WW071213426	26	26	-	E 32	21	44	35.5	31.5	18
WW071213427	27	27	1 1/16"	E 34	22		36.7	32.2	20
WW071213428	28	28	1 1/8"	E 36	23		38.0	33.5	
WW071213430	30	30	1 3/16"	E 38	24		40.5	36.0	22
WW071213432	32	32	1 1/4"	E 40	26		43.0	38.1	24

ZEBRA 1/2 Inch Standard Hexagon Socket Assortment (21 Pieces)



Item # WW09651321 21 piece set

- 1 ratchet
- 1 125mm extension
- 1 250mm extension
- 1 universal joint
- 17 Socket Wrench Inserts Sizes
- 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1-1/16", 1-1/8", 1-3/16", 1-1/4"

ZEBRA 1/2 Inch Multi-Socket Assortment (23 Pieces)



Item # WW096513023 23 piece set

- Supplied in a metal box and a high-quality foam insert to hold each piece in place
- Box: 405 x 160 x 50 mm (approx.: 16" x 6-5/16" x 2")



Item #	Designation	Tip	Length
WW07120120	Ratchet		250 mm
WW0712138105	Extension Bar		125 mm
WW0712138110	Extension Bar		250 mm
WW0712138301	Universal Joint		70 mm


Designation	Tip	Length	Item #
19 multi-sockets, 1 ea., 10-32 mm		36 - 44 mm	See table below for details

1/2" Universal Joint

Standard: DIN 3123, ISO 3316
 Finish: Chrome-plated
 Input drive: 1/2", ball groove
 Output drive: 1/2"
 Joint: Spring-loaded, stays in set position

1/2" High-Performance Ratchet

- Easy handling and maximum service life
- Drive: 12.5mm / 1/2"
- Standard, DIN 3122, ISO 3315
- Head: Fine-toothed, 72 teeth, 5° rotating angle
- Chrome-plated with anti-slip 2-component handle resistant to general workplace oils and cleaners
- Top quality, tested by German TÜV SÜD product service
- Handy directional switch for easy switching, even with oily fingers; can be operated with one hand
- Chamfer on square enables easier pull-off as better gripping is possible
- Offset ratchet body enables more clearance for gripping with screw connections



1/2" Extension Bars

Standard: DIN 3123, ISO 3316
 Finish: chrome-plated
 Input drive: 1/2" ball groove
 Output drive: 1/2"

Includes:

Item #	Multi-profile	Possible uses						NOTE: This is a metric set. Standard sizes are only approximate equivalencies and may not work in all applications!			
		6/12 sided/12		6 sided		Outside Torx	4 Sided	L1	D1	D2	t
											
		in mm	in mm	bolt sz	head sz	in TX	in mm	in mm	in mm	in mm	in mm
WW071213410		10	10	1/4"	3/8"	E12	8 mm	36	15.5	23	9
WW071213411		11	11	1/4"	7/16"	E14	9 mm		16.7		10
WW071213412		12	12	-	15/32"	E16	10 mm		18		11
WW071213413		13	13	5/16"	1/2"	-	-		19.2		13
WW071213414		14	14	3/8"	9/16"	E18	-		20.5		
WW071213415		15	15	-	19/32"	-	12 mm		21.7		
WW071213416		16	16	7/16"	5/8"	E20	13 mm		23		
WW071213417		17	17	-	-	-	14 mm		24.2	23.2	14
WW071213418		18	18	-	-	E22	-		25.5	23.5	
WW071213419		19	19	1/2"	"	E24	-		26.7	24.7	
WW071213420		20	20	-	25/32"	-	16 mm		28	25.5	
WW071213421		21	21	9/16"	13/16"	E26	17 mm	38	29.2	26	16
WW071213422		22	22	-	7/8"	E28	18 mm		30.5	26.5	
WW071213424		24	24	5/8"	15/16"	E30	19 mm		33	29	
WW071213426		26	26	-	-	E32	21 mm		35.5	31.5	
WW071213427		27	27	-	1-1/16"	E34	22 mm	44	36.7	32.2	18
WW071213428		28	28	3/4"	1-1/8"	E36	23 mm		38	33.5	
WW071213430		30	30	-	1-3/16"	E38	24 mm		40.5	36	
WW071213432		32	32	-	-	E40	26 mm		43	38.1	24



Suitable for the five most common screw head drives:


Hexagon metric
Square metric
Bi-hexagon metric
Hexagon standard
TX head

ZEBRA Pass-Through Reversible Ratchet Assortment (14 Pieces)



Sockets

Bit: Hexagon, metric, POWERDRIV®
Model: Chrome-plated, polished



Includes:

Item #		L1 mm	t mm	D1 mm	D2 mm
	in mm				
WW071313010	10	32	7	14.7	19.5
WW071313011	11			15.4	
WW071313012	12			16.6	
WW071313013	13		8.5	17.7	
WW071313014	14		9.5	18.9	
WW071313015	15	12	11.5	20.1	
WW071313016	16		12	21.2	
WW071313017	17			22.4	
WW071313018	18			23.6	
WW071313019	19			24.8	


Item # WW07131300 14 piece set

- Low-profile allows for access to narrow spaces
- Pass-through feature makes this set ideal for fastening hardware to long bolts and threaded rods
- Included socket adapters (1/4" & 3/8") can be used with any standard wrench
- Includes high-quality metal box for storage and transportation


Item #	Designation	Length in mm
WW071313001	Ratchet	205
WW071313002	Extension	76
WW071313003	Adapter 1/4"	26
WW071313004	Adapter 3/8"	30
See table below for details	10 sockets, 10-19 mm	32

Ratchet


Head: 72 teeth, 5° rotating angle, round, compact head, one-hand operation with reversing lever for clockwise and counter-clockwise operation
Model: Chrome-plated, polished, very slim design



Item #	L1 mm	B1 mm	B2 mm	D1 mm	D2 mm
WW071313001	205	7	11.5	24.7	32.5



Low height of the through-ratchet as compared to the standard ratchet



Thanks to the through-hole, long bolts and threaded rods can be processed



Through-ratchet with adapter ejector enables an easy removal of the socket spanner

ZEBRA 1/4 Inch Socket Wrench Assortment



Item # WW0965900001 33 piece set

33 pcs, with drive tool

Contents:

- Hexagon socket wrench inserts: SW 4; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14
- 100 and 150 mm extension
- Universal joint
- Adapter with quick-change chuck
- 1/4 inch Ratchet
- ZEBRA handle
- 3 bits: PH1; PH2; PH3
- 1 bit slotted 0.8 x 5.5mm
- 7 bits TX: TX10; 15; 20; 25; 27; 30; 40mm
- 4 hexagon bits, sizes 3, 4, 5, 6
- Foam insert


ZEBRA 1/2 Inch Socket Wrench Assortment



Item # WW0965900201 17 piece set

17 Pieces

- Inner TX
TX 20, TX 25, TX 27, TX 30, TX 40,
TX 45, TX 50, TX 55, TX 60.
- Outer TX
E 10, E 11, E 12, E 14, E 16, E 18, E 20, E 24
- Foam insert





ZEBRA Combination Pliers



THE HANDLE IS CRITICAL

Optimal power distribution – Comfortable grip without pressure points thanks to special handle geometry



Slim collar shape - for optimal accessibility in tight work areas

- 2K grip for gripping, holding and cutting hard and soft wires and cables
- DIN ISO 5746
- High-quality steel construction ensures long tool life and precision of gripping and cutting surfaces
- Extra-long blade also suitable for thicker cables
- Ergonomic and slip-free 2K comfort handle with narrow collar profile for comfortable working and optimum force transfer
- Inductively hardened precision blades
- Burner hole for gripping round materials
- Surface: Entirely ground and chrome-plated
- Joint: Lap joint

Packing & Sold In: Each.

Item #	Length (in.)	Length (mm)	Medium-hard wire 	Hard wire 	Copper and aluminum cable 	
WW071401554	6 - 1/2"	170	3.1 mm diameter	2.0 mm diameter	10.0 mm diameter	16 mm ²
WW071401555	7"	180	3.4 mm diameter	2.2 mm diameter	12.0 mm diameter	
WW071401556	8"	200	3.8 mm diameter	2.5 mm diameter	13.0 mm diameter	

ZEBRA Needle Nose Pliers



- 2K grip for gripping, holding and cutting soft and hard wires and cables
 - DIN ISO 5745
 - High-quality steel construction ensures long tool life and precision of gripping and cutting surfaces
 - Elastic tips for high stresses, especially under bending forces
 - Ergonomic and slip-free 2K comfort handle with narrow collar profile for comfortable working and optimum force transfer
 - Blades: Additional inductive hardening
 - Surface: Entirely ground and chrome-plated
 - Gripping surfaces: Toothed
 - Joint: Lap joint
- Packing & Sold In: Each.

Item #	Length (in)	Length (mm)	Tip Geometry	Jaw shape	L3 (mm)	W3 (mm)	T1 (mm)	W4 (mm)	T2 (mm)
WW071401557	8-1/4"	210			76	17.5	9.5	4	3
WW071401558					72				
WW071401559	6-1/4"	160			50	16.5	9	3	2.5
WW071401562					46				

ZEBRA Side Cutters



Milled precision cutting edge saves strength and gives a clean cut!

- 2K grip for cutting hard and soft wires and cables, including in hard-to-reach places
 - DIN ISO 5749
 - High-quality tool steel ensures long service life and precision of blades
 - Slim head shape for optimum accessibility
 - Ergonomic and slip-free 2K comfort handle with narrow collar profile for comfortable working and optimum force transfer
 - Inductively hardened precision blades
 - Surface entirely ground and chrome-plated
 - Lap joint
- Packing & Sold In: Each.

Item #	Length (in.)	Length (mm)	Soft wire	Medium-hard wire	Hard wire
WW071401566	5 - 1/2"	140	4.0 mm diameter	2.5 mm diameter	1.8 mm diameter
WW071401567	6 - 1/4"	160		2.8 mm diameter	2.0 mm diameter
WW071401568	7"	180		3.0 mm diameter	2.5 mm diameter

ZEBRA Power Side Cutters



- 2K grip for cutting piano wire, hard and soft wire
- DIN ISO 5749
- Strength-saving. Milled precision cutting edge for clean cuts
- High-quality steel ensures long service life and precision of blades
- Ergonomic and slip-free 2K comfort grip handle with narrow collar profile for comfortable working and optimum force transfer
- Inductively hardened precision blades
- Surface: Ground and chrome-plated
- Joint: Lap joint, forged-on rivets

Packing & Sold In: Each.

Item #	Length (in.)	Length (mm)	Soft wire 	Medium-hard wire 	Hard wire 	Piano wire 
WW071401551	5 - 1/2"	140	4.0 mm diameter	3.1 mm diameter	2.0 mm diameter	1.5 mm diameter
WW071401552	6 - 1/4"	160		3.4 mm diameter	2.5 mm diameter	2.0 mm diameter
WW071401553	7"	180		3.8 mm diameter	2.7 mm diameter	2.2 mm diameter
WW071401598	8"	200	4.5 mm diameter	4.2 mm diameter	3.0 mm diameter	2.5 mm diameter

ZEBRA Heavy-Duty Side Cutters, Reversible



By pressing the power button, you get twice the cutting power!



2 in 1!

Side cutters with connectible lever transmission

- 2 tools in one: Side cutters with connectible lever transmission
- High cutting power cuts thick cables
- Avoids hard cutting impact found with conventional side cutters
- Precision cutting ensures a long service life
- Manufactured from high-grade steel
- Safe handling
- Ergonomic 2K plastic handle with non-slip surface
- Surface: Chrome-plated
- Joint: Launched

Packing & Sold In: Each.

Item #	Length (in.)	Length (mm)	Soft wire 	Medium-hard wire 	Hard wire 	Piano wire 
WW071401599	8"	200	5 mm diameter	4.5 mm diameter	3.5 mm diameter	3 mm diameter

ZEBRA Wire Stripping Pliers



- 2K grip, precise, effortless stripping of cables and wires with plastic or rubber insulation
 - High-quality steel construction
 - Long service life and precision of cutting surfaces
 - For single, multi and fine-wire conductors
 - Opening spring opens pliers automatically
 - Ergonomic and non-slip 2K comfort handle with narrow collar profile
 - Comfortable working and optimum power transmission
 - Adjustment screw can be fixed in place with knurled nut
 - Surface: Entirely ground and chrome-plated
 - Joint: Lap joint
- Packing & Sold In: Each.

Item #	Length (in)	Length (mm)	Diameter (mm)	(mm)2
WW071401550	6-1/4"	160	5	10

ZEBRA Water Pump Pliers



- 2K grip, self-locking water pump pliers with push-button adjustment
 - DIN ISO 8976
 - Rapid and convenient fine adjustment at the push of a button
 - Hardened precision teeth
 - High wear resistance and secure grip
 - Ergonomic and non-slip 2K comfort handle with narrow collar profile
 - Comfortable working and optimum power transmission
 - Huge gripping capacity with slim design
- Packing & Sold In: Each.

Item #	Length (in)	Length (mm)	Min./Max. Grip Range
WW071401563	10"	250	16 – 46 mm



**With
PUSH BUTTON ADJUSTMENT
and hardened precision teeth**

ZEBRA Pliers and Cutters Sets



Item # WW071401560 4 piece set

- 2K grip, set of one of each combination pliers, wire stripping pliers, needle nose pliers, and power side cutters
- High-quality steel construction ensures long service life and precision of gripping and cutting surfaces
- Combination pliers with extra-long blade also suitable for thicker cables
- Wire stripping pliers with opening spring for automatic opening
- Needle nose pliers with tips for high bending stresses
- Heavy-duty side cutters for piano wire, hard and soft wire
- Ergonomic and slip-free 2K comfort handle with narrow collar profile for comfortable working and optimum force transfer

Includes:

Item #	Contents	Length (in)	Length (mm)
WW071401555	Zebra Combination Pliers	7"	180
WW071401550	Zebra Wire Stripping Pliers	6-1/4"	160
WW071401557	Zebra Needle Nose Pliers	8-1/4"	210
WW071401552	Zebra Power Side Cutters	6-1/4"	160



Item # WW071401565 4 piece set

- 2K grip, set of one of each combination pliers, water pump pliers, needle nose pliers, and power side cutters
- High-quality steel construction ensures long service life and precision of gripping and cutting surfaces
- Combination pliers with extra-long blade also suitable for thicker cables
- Water pump pliers with convenient quick adjustment
- Needle nose pliers with tips for high bending stresses
- Heavy-duty side cutters for piano wire, hard and soft wire
- Ergonomic and slip-free 2K comfort handle with narrow collar profile for comfortable working and optimum force transfer

Includes:

Item #	Contents	Length (in)	Length (mm)
WW071401555	Zebra Combination Pliers	7"	180
WW071401563	Zebra Water Pump Pliers	10"	250
WW071401557	Zebra Needle Nose Pliers	8-1/4"	210
WW071401552	Zebra Power Side Cutters	6-1/4"	160

ZEBRA Pliers Assortment



THE HANDLE IS CRITICAL

Optimal power distribution
– Comfortable grip without pressure points thanks to special handle geometry

Item # WW0965900600 4 piece set

- 2K Grip
- 4 piece set of 2K grip pliers
- Foam drawer insert and cutters

Includes:

Item #	Contents	Length (in)	Length (mm)
WW071401555	Zebra Combination Pliers	7"	180
WW071401563	Zebra Water Pump Pliers	10"	250
WW071401557	Zebra Needle Nose Pliers	8-1/4"	210
WW071401552	Zebra Power Side Cutters	6-1/4"	160



Side cutters:
160 mm



Combination pliers:
180 mm



Needle nose pliers:
210 mm



Water pump pliers:
250 mm



Circlip Pliers Form A/B



- For shaft locking rings
- Standard: DIN 5254
- Handle: Plastic-coated
- Guarantees a secure grip, prevents slippage
- Compressed Spring Steel Tip
- Optimized stability for use with tight fitting and seized rings
- Inserted Tips
- Offers maximum strength when loosening tight-fitting/seized rings and allows rings to be installed with minimal distortion
- Screwed and Mounted Joint

- High precision and optimized movement
 - Large Contact Surfaces
 - Rings mounted with minimal torsion
 - Pliers Head
 - Slim design for optimum access to work piece, especially in hard-to-reach areas
 - Internal Spring
 - Lies protected in the internal joint
- Packing & Sold In: Each.

Item #	Length (mm)		Min./Max. grip range	Tenon diameter (mm)	Jaws length (mm)	Hook length (mm)
WW07140211	140	A Straight	3 - 10	0.9	39	-
WW07140212			10 - 25	1.25	38	
WW07140213	180		19 - 60	1.8	56	
WW07140214	225		40 - 100	2.25	70	
WW07140215	320	B 90°	85 - 140	3.2	92	12
WW07140216	130		3 - 10	0.9	27	
WW07140217			10 - 25	1.25		
WW07140218	165		19 - 60	1.8	40	
WW07140219	210		40 - 100	2.25	55	
WW07140220	305		85 - 140	3.2	73	

Circlip Pliers Form C/D




- For retaining rings (bore circlips)
- Standard: DIN 5256
- Handle: Plastic-coated
- Guarantees a secure grip, slip-resistant
- Compressed Spring Steel Tip
- Optimized stability for use with tight-fitting and seized rings
- Inserted Tips
- Screwed and Mounted Joint

- Offers maximum strength when loosening tight-fitting/seized rings and allows rings to be installed with minimal distortion
 - High precision and optimized movement
 - Large Contact Surfaces
 - Rings mounted with minimal torsion
 - Pliers Head
 - Slim design for optimum access to work piece, especially in hard-to-reach areas
- Packing & Sold In: Each.

Item #	Length (mm)		Min./Max. grip range	Tenon diameter (mm)	Jaws length (mm)	Hook length (mm)
WW07140201	140	C Straight	8 - 13	0.9	39	-
WW07140202			12 - 25	1.25	38	
WW07140203	180		19 - 60	1.8	54	
WW07140204	225		40 - 100	2.25	65	
WW07140205	320	D 90°	85 - 140	3.2	91	12
WW07140206	130		8 - 13	0.9	26	
WW07140207			12 - 25	1.25		
WW07140208	165		19 - 60	1.8	40	
WW07140209	210		40 - 100	2.25	49	
WW07140210	305		85 - 140	3.2	73	

Circlip Plier Set (4 Pieces)



Item # **WW07140230** 4 piece set

- 4-piece set
 - Handle: Plastic-coated
 - Guarantees a secure grip, prevents slippage
 - Tip from compressed spring steel
 - Optimized stability, even with seized rings
 - Inserted tips
 - Offers maximum strength when loosening seized rings and allows rings to be installed with minimal distortion
 - Screwed and mounted joint
 - High precision and optimized movement
- Large locating faces
 - Rings mounted without torsion
 - Pliers head
 - Narrow design for optimum access to work piece, including in hard-to-reach spots
 - Contents:
 - Form A Circlip Pliers, 19 - 60 mm grip range
 - Form B Circlip Pliers, 19 - 60 mm grip range
 - Form C Circlip Pliers, 19 - 60 mm grip range
 - Form D Circlip Pliers, 19 - 60 mm grip range

Includes:

Item #	Form / Grip Range
WW07140213	Form A, 19 - 60 mm
WW07140218	Form B, 19 - 60 mm
WW07140203	Form C, 19 - 60 mm
WW07140208	Form D, 19 - 60 mm

Zebra Vice-Grip Locking Pliers



Features:

- Effortless release lever with spring mechanism
 - One-hand operation – pull-action rather than push-action
 - Lock nut for fixing clamping width, setting retained for repetitive applications
- Ergonomic design
 - Comfortable and effortless handling
 - High-quality epoxy coating, welding beads roll off
 - 10x better rust resistance than nickel coatings

Packing & Sold In: Each.

Straight Jaws



Item #	Length (mm)	Clamping width (mm)
WW07150909	190	0-42
WW07150910	235	0-63

Long Straight Jaws



Item #	Length (mm)	Clamping width (mm)
WW07150904	235	0-70

Semi-Circular Jaws



Item #	Length (mm)	Clamping width (mm)
WW07150906	135	0-30
WW07150907	190	0-42
WW07150908	235	0-63



Zebra Sheet Metal Snips - Short Length



Maneuverable , powerful and compact

- Double Leverage
- Lower application of force with simultaneously increased cutting performance
- No slipping and no serration
- Perfect Design
- Small and lightweight
- Easily stores in most pockets
- Extremely Compact Shearing Head
- Ideal for cutting extremely tight radii and for hard-to-reach places
- Combined Lock and Stop
- Combined lock and stop for improved safety
- Cutting snips can be quickly and easily closed and kept closed
- Ergonomically shaped handle
- Easy to grip
- Allows for lower fatigue

Packing & Sold In: Each.

Item #	Version	Length (mm)	Cutting capacity (mm)	
			Steel	Stainless Steel
WW071303200	Right-hand cutting	180	1.2	0.8

Zebra Sheet Metal Snips



Leverage Sheet Metal Cutting Snips For Continuous And Shaped Cuts

- Rounded grip made from 2-component plastic
- Prevents hands from slipping
- Lower handle made from 1-component plastic
- Simply slide your finger over the lower handle when opening and closing the handle
- Handle heights prevent the cutting snips from slipping out of your hand
- Allows for safe execution
- Long service life
- Cutting head manufactured from stainless steel, die-forged
- Induction hardened cutting edges
- Non-serrated cutting geometry
- Helps prevent sheet metal slipping
- Lever transmission
- High cutting power with less effort

Packing & Sold In: Each.



Ideal Snips for continuous and figure cutting

Item #	Version	Length (mm)	Cutting capacity (mm)	
			Steel	Stainless Steel
WW071303100	Right-hand cutting	260	1.8	1.2
WW071303110	Left-hand cutting			



- Longer service life
- Especially suitable for cutting stainless steel

Ideal Carbide Snips with carbide cutting edges for continuous and figure cutting

Item #	Version	Length (mm)	Cutting capacity (mm)	
			Steel	Stainless Steel
WW071303130	Right-hand cutting	260	1.8	1.2
WW071303135	Left-hand cutting			



Figure Snips for continuous and tight figure cutting

Item #	Version	Length (mm)	Cutting capacity (mm)	
			Steel	Stainless Steel
WW071303115	Right-hand cutting	260	1.8	1.2
WW071303120	Left-hand cutting			



**Limited Edition Tool Set,
50 Piece**

- Tool case with Reinhold Würth signature
- Compact case with extensive equipment in two-tone design
- Suitable for mobile use or for simple repair work around the workshopthe workshop
- Robust aluminium flap closure guarantees safe tool transport

Item #
WW09652021



Scan code to see
what is included



In-Line Blow Gun

- Unique "full flow" straight-through design will not restrict down stream air flow
- Made of zinc and chrome-plated for durability and superior corrosion resistance
- Becomes a standard blowgun when one of the two 1/4" ports are plugged

Item #	NPT	Max Pressure	SCFM	OSHA Compliant
WW17149227	1/4"	150 PSI	13	Yes



**Polyurethane Air Hose, Field
Repairable**

- Retains flexibility in subzero temperatures (down to -40° F)
- Resistant to lubricating oils, greases and abrasion

Item #	Hose I.D	Length	Fittings, NPT
WW69991425	1/4"	25'	1/4"
WW69991450	1/4"	50'	1/4"

Jig Saw Blades

Metal Cutting							Wood/Plastic											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

	Box Qty: 5 Item #	Overall Length	Teeth per Inch	Type of Blade	Material Thickness
High Speed Steel (HSS) Metal Cutting Blades					
1	WW608-116-123	4"	20	High Performance – Cuts Sheet Metal, Stainless Steel, Nonferrous Metal, Plastics, And Fiberglass - For Fast Cuts And Long Life In Thick/Thin Metal Pipes & Metal Profiles - T-Shank	Sheet Metal 5/64"-3/8", Stainless Steel 1/16" – 1/8", Nonferrous Metal 5/64" -3/4", Plastics 1/16" – 1-1/4", Fiberglass 3/64" – 3/4"
2	WW615-050-012	3"	24	Bi-Metal, Break Resistant And Durable – Cuts Thin Metals (Ferrous & Non-ferrous) - For Straight Cuts, Long Life – T-Shank	1/16" – 1/8"
3	WW615-050-15	3"	18	Bi-Metal, Break Resistant And Durable – Cuts Med.-Thin Metals (Ferrous & Non-Ferrous) – For Straight Cuts, Long Life – T-Shank	5/64" – 7/32"
4	WW615-050-20	3-5/8"	14	Bi-Metal, Break Resistant And Durable – Longer Blade For Cutting Medium-Thin Metals (Ferrous & Non-ferrous) – For Straight Cuts, Long Life – T-Shank	1/8" – 1/4"
5	WW608-115-93	3-5/8"	17-24	Economical – Cuts thin metals (Ferrous & Non-Ferrous) – For straight cuts – T-Shank	1/16" – 1/8"
6	WW608-116-106	5-1/4"	24	Economical – Longer blade for cutting thin metals (Ferrous & Non-Ferrous) - For straight cuts – T-Shank	1/16" – 1/8"
7	WW608-116-006	3"	11-24	Economical – Cuts medium-thin metals (Ferrous & Non-Ferrous) – For straight cuts – T-Shank	1/8" – 1/4"

Jig Saw Blades



	Box Qty: 5, 25, 100 Item #	Overall Length	Teeth per Inch	Type of Blade	Material Thickness
High Carbon Steel (HCS) Wood/Plastics Cutting Blades					
8	WW608-116-103	3"	12	Economical – Cuts soft wood, chipboard, particleboard, plywood, fiberboard – Designed for fast, coarse curved cuts, ideal for jig saws without orbital action – T-Shank	5/64" – 1/2"
9	WW608-116-099	3"	8	Economical - Cuts soft wood, chipboard, particleboard, plywood, fiberboard – Designed for fast coarse cuts, ideal for jig saws without orbital action – T-Shank	7/32" – 2-3/8"
10	WW608-115-92 WW608-115-92-100	4"	10	Fine Clean Cuts – Cuts hard/soft woods, plastics, plywood, laminated particleboard – Designed for straight fine cuts and plunge cuts – T-Shank	3/16" – 1-1/4"
11	WW608-116-111	4"	10	Fine Clean Cuts – Cuts hard/soft woods, plywood, laminated particleboard & plastics – Designed for straight fine, down cuts – T-Shank	3/16" – 1-1/4"
12	WW608-116-112	3"	20	Fine Clean Cuts – Cuts hard/soft wood, laminated particleboard, plywood, plastics – Designed for curved cutting, splinter free cuts on both sides of work piece – T-Shank	5/64" – 3/4"
13	WW608-115-90 WW608-115-90-25	4"	6	Fine Clean Cuts – Cuts hard/soft woods, plywood, laminated particleboard & plastics – Designed for straight clean cuts and plunge cuts – T-Shank	1/4" – 2-3/8"
14	WW608-115-89	4-5/8"	8	Fine Clean Cuts - Cuts hard/soft wood, plywood, laminated particleboard & plastics – For medium-fine cuts – T-Shank	Hard/Soft Wood, Plywood 3/16" – 1-1/4", Plastics 3/16" - 1-1/4"
15	WW615-075-25	4"	10	Bi-Metal, Fine Clean Cuts – Cuts hard/soft wood, plastics, plywood, laminated particleboard – Designed for straight fine cuts, long life – T-Shank	3/16" - 1-1/4"
16	WW608-115-91 WW608-115-91-25	4"	6	Fast Cuts – Cuts soft/hard wood, chipboard, particleboard, plywood, fiberboard – Designed for fast, straight, & plunge cuts – T-Shank	1/4" – 2-3/8"
17	WW608-118-91	6"	6	Fast Cuts – Cuts soft/hard wood, chipboard, particleboard, plywood, fiberboard – For very fast, straight cuts – T-Shank	1/4" – 4"
18	WW608-116-90	4"	6	Precise Cuts, Parallel Cuts - Cuts hard/soft woods, plywood, laminated particleboard & plastics – For angled cuts and parallel cuts – T-Shank	1/4" – 2-3/8"
19	WW608-116-234	4-1/2"	8-1/2	High Performance – Cuts hard/soft wood, particleboard & plywood – For fast, clean, splinter free cuts in thick/thin material – T-Shank	



High Speed Steel Drill Bits



- Wider web than standard bits allows excellent heat dissipation and less bit breakage
- Constructed of M-7 Industrial speed steel withstands high temperatures, maintains sharpness
- Can be used with either wood or steel
- 135° split point for fast penetration and accurate starting without center punch
- 3-flat shank design (on 3/16" and larger bits) eliminates slippage and provides a positive grip
- WW1627013 includes common sizes from 1/16" through 1/4"

WW1627029 includes common sizes from 1/16" through 1/2"

Packing: 1/16" - 9/32" are 12 per box; 19/64" and up are 6 per box.


All sold in full box quantities only.

29 Piece Drill Bit Set

Item #	Size	Flute Length	Overall Length	Item #	Size	Flute Length	Overall Length
WW16270116	1/16"	7/8"	1-7/8"	WW162701964	19/64"	2-3/8"	3-7/8"
WW16270564	5/64"	1"	2"	WW16270516	5/16"	2-1/2"	4"
WW16270332	3/32"	1-1/4"	2-1/4"	WW162702164	21/64"	2-9/16"	4-1/16"
WW16270764	7/64"	1-5/16"	2-3/8"	WW162701132	11/32"	2-5/8"	4-1/8"
WW1627018	1/8"	1-7/16"	2-1/2"	WW162702364	23/64"	2-11/16"	4-3/16"
WW16270964	9/64"	1-9/16"	2-5/8"	WW1627038	3/8"	2-11/16"	4-1/4"
WW16270532	5/32"	1-11/16"	2-3/4"	WW162702564	25/64"	2-3/4"	4-5/16"
WW162701164	11/64"	1-13/16"	2-7/8"	WW162701332	13/32"	2-13/16"	4-3/8"
WW16270316	3/16"	1-1/2"	3"	WW162702764*	27/64"	2-7/8"	4-7/16"
WW162701364	13/64"	1-5/8"	3-1/8"	WW16270716*	7/16"	2-15/16"	4-1/2"
WW16270732	7/32"	1-3/4"	3-1/4"	WW162702964*	29/64"	3"	4-5/8"
WW162701564	15/64"	1-7/8"	3-3/8"	WW162701532*	15/32"	3-1/8"	4-3/4"
WW1627014	1/4"	2"	3-1/2"	WW162703164*	31/64"	3-1/4"	4-7/8"
WW162701764	17/64"	2-1/8"	3-5/8"	WW1627012*	1/2"	3-3/8"	5"
WW16270932	9/32"	2-1/4"	3-3/4"	WW1627013	13 Piece Drill Bit Set		
				WW1627029	29 Piece Drill Bit Set		

*3-Flat Shank

Metric Drill Bits, Straight Shank



- High speed steel
- Cylindrical shank, right hand cut
- For use in CNC machines, upright drills and battery operated drills

Packing: As shown below. Sold in full boxes only.

Item #	Size	Flute Length	Overall Length	Box Qty
WW62550	5mm	3-1/64"	3-3/8"	10
WW62580	8mm	2-61/64"	4-39/64"	10
WW625100	10mm	3-1/2"	5-1/4"	5



Bi-Metal Hole Saw, Premium Grade



- Bi-metal construction allows a fast and clean cut
- Suitable for materials including: wood, steel, plastic, aluminum, copper, and bronze
- Depth of Cut: 1-1/4" (32mm)

NOTE: Mandrel, ejector spring, and extension are sold separately.

Replacement Bits	
WW632014	Repl. Bit for WW63202 Mandrel
WW6320141	Repl. Bit for WW63204 Mandrel
Accessories	
WW63207	Ejector spring for holesaws
WW63202	Mandrel: Built-in locking mechanism for extra torque strength
WW63204	Mandrel: Screw in arbor

Individual Hole Saws			
Item #	Cutting Diameter	Item #	Cutting Diameter
WW63219	3/4" (19mm)	WW63264	2- 1/2" (64mm)
WW63225	1" (25mm)	WW63276	3" (76mm)
WW63241	1-5/8" (41mm)	WW63283	3- 1/4" (83mm)
WW63244	1- 3/4" (44mm)	WW63289	3- 1/2" (89mm)
WW63251	2" (51mm)	WW632102	4" (102mm)
WW63260	2- 3/8" (60mm)	WW632114	4- 1/2" (114mm)

Hole Saw Kit	
WW964632B	Kit includes: 3/4", 7/8", 1", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 2-5/8", 3" and Mandrel



Double Faced Melamine & Plastic



- For fine cuts in laminated board on both sides with melamine
- Table saws without scoring unit, vertical panel sizing saws, (Striebig, Holz-Her, etc.), radial arm saws, for cutting/grooving of soft and hard woods, with or against the grain
- Extra hard sub-micrograin carbide tips for long edge life

Item #	Outside Dia.	# of Teeth	Grind	Hook Angle	Bore
WW611625480	10"	80	35° ATB	-5°	5/8"




Ripping & Crosscut 4 ATB & 1 Flat



- For cutting/grooving of soft and hard woods with or against the grain

Item #	Outside Dia.	# of Teeth	Grind	Hook Angle	Bore
WW611625450	10"	50	4 ATB, 1 Flat	15°	5/8"



Triple Chip/Flat



- For cutting plastic laminated particle boards, HPL particle boards, Plastic laminated MDF boards

Item #	Outside Dia.	# of Teeth	Grind	Hook Angle	Bore
WW611625460	10"	60	TC/Flat	10°	5/8"
WW611625481	10"	80	TC/Flat	10°	5/8"

Portable Edge Bander



Item #: WWCBCE


Features & Benefits:

- Mobile glue bar mechanism ensures application of glue to substrate material
- Digital temperature control regulates and maintains precise glue temperature
- Tape support plate easily guides tape roll
- Centering jig plate supports tape roll for easy application
- In-feed guide aligns the workpiece before meeting glue bar
- Variable speed control regulates the speed of the tape to the work piece
- Manual cutter allows for precise cutting of tape up to 3mm
- Back roller band allows for additional pressure of tape to panel surface ensuring adhesion
- Retractable legs allow for easy transport and portability
- Glue pot capacity is up to 1.5 pounds allowing long run time



Large Plate Support

Fits a 20" roll of edge-banding tape



Adjustable Guide

Supports the edge-bander tape while it is being applied to the workpiece



Tape Cutter

Integrated knife offers precise cutting of edgebanding tape



Tape Guide

Ensures the alignment between the tape and the workpiece




Table Guide

Provides a smooth surface allowing the workpiece to slide across the table




Foldable Legs

Can be easily transported from the shop to the jobsite




Nylon Guide

Pressure points to assist the bonding of the edgebanding tape



Glue Assembly

Has a recycle system that allows excess glue to flow back into the gluepot



Rubber Spindle

Applies the tape onto the workpiece at a set speed

Technical Information

Glue Temperature	266°F - 356°F (130°C - 180°C)
Max. Tape Width	3" (80mm)
Tape Thickness	.3mm - 3mm
Feeder Speed	21 ft/minute
Power	1,300 Watts
Motor	1-Phase
Volts	110V
Work Area	39-3/8" x 15-35/64"
Weight	114lbs
Warranty	2 years



See the
product video

You Tube

Cabinet Edgebander With Extension Table


- Retractable extension tables built in providing a work area 2.5 times longer
- 6 speeds allows user to work as fast as needed

Technical Information

Glue Temperature	266°F - 356°F (130°C - 180°C)
Max. Tape Width	3" (80mm)
Tape Thickness	.3mm - 2mm
Feeder Speed	0 to 26ft/min
Power	1,300 Watts
Motor	1-Phase
Volts	110V
Work Area	101-21/32" x 15-35/64"
Weight	242.5lbs
Warranty	2 years



Item #: WWBCMR




Manual Slitter

Practical, innovative, and economical piece of equipment that helps the professional to adjust special measurements in edgetapes and plastic laminate sheets.

Technical Information

Tape Thickness	1/32"
Maximum Width	6-19/64"
Weight	35.3lbs
Warranty	2 years



Item #: WWF160



Würth Portable Edge Trimmer



Item #: WWRBB1000



See the
product video



The Portable Edge Trimmer executes trimming and scraping on the edge tape applied to MDF and similar woodpanels, providing a perfect finish. Portable, easy to install, and has a versatile mounting system for any type of bench. Works with ABS edges, PVC and others.

- Maximum panel height: 60mm
- Maximum edge tape thickness: 2mm
- Includes Makita 1/4" trimmer
- Power: 500 watts
- Table Length: 39" (1,000mm)
- Table Width: 6" - 16" (155mm to 410mm)
- Trimmer Speed: 32,000 RPM
- Net Weight: 41.9lbs
- 2 year warranty

Features & Benefits:

- Trims front and top edge of banded material while also scraping top edge for a perfect finish
- Easily mounts to any workbench
- Performs perfect finishing touch

Würth Portable Workbench



Item #: WWMA1000



See the
product video



- Work area: 39" x 16-1/2"
- Max. Holding Capacity: 441 lbs
- Net Weight: 52 lbs


Features & Benefits:

- For use with Würth Portable Edge Trimmer
- Made with heavy duty steel
- MDF work surface
- Integrated storage drawer
- 2 electrical sockets for tool versatility
- Retractable feet and wheels

Line Boring Machines



Manual Machine
Item # WWLBM13




Pneumatic Machine
Item # WWLBP13
Approx. air pressure
required 90psi (6.2 bars)

With your choice of a manual or pneumatic version, these line boring machines offer you the opportunity to work with the most innovative benchtop boring machines currently on the market!


Technical Information	
Motor	1 HP, 110V or 220V, prewired 110V, Single-Phase - 10A/5A
Table Size	31" x 15-1/2"
Spindle Speed	3,450 RPM
Fence Stops	2
Expandable Fence Guide Max	89"
Floor to Table Height	34"
Max. Depth of Stroke	2.5"
Length of Fence	61.5" - 91.5"
Number of Spindles	13 (6 left and 7 right)
Distance Between Spindle Centers	32mm
Weight	155lbs



Air regulator and filter



Depth adjustment



Back Fence Scale Position Indicator



Expandable Fence Guide Max. 89"



Adjustable X and Y Axis Flip Stops



Boring Bit Set (Left and Right)



Step and Repeat Operation Index Pins
(Left and Right)



Spring Loaded Hold Downs

Panel Carrier



Item #: WWTC3000

- Made to facilitate the day-to-day tasks of the everyday woodworker
- Its durable structure and 4 wheels allows anyone to carry 2 full sheets of wood at once
- Has adjustable height making it easy to work in conjunction with virtually any woodworking equipment
- With a carrying capacity of 254lbs, this will help you increase productivity and reduce injuries from heavy loads

Technical Information

Minimum Table Height	33" (845mm)
Maximum Table Height	37" (945mm)
Equipment Dimension	43" x 49" x 28"
Maximum Capacity	254lbs
Maximum Panel Size	108" x 1" x 72"
Weight	70.5lbs
Warranty	2 years

Roller Stand



Item #: WWPRA9

- Expands work area and supports large wood pieces and panels
- Reduces effort of operator and increases productivity
- Adjustable height adjustment

Technical Information

Workstand Dimensions	65" x 19-3/4"
Minimum Height	26"
Maximum Height	41-3/4"
Number of Rollers	9
Load Capacity	440lbs
Weight	66lbs
Warranty	2 years



Panel Saw and PRA/9





Wood Jointer and PRA/9

10" Miter Saw - With Laser Guide & Dual Sliding Rail




Item #: WWMK300I

Technical Information	
Blade Dimensions	10"
Table Tilt	45° left and right
Blade Tilt	45° left
Compound Cut	Yes
Extension Table	Yes
Dual Sliding Rail	Yes
Laser Guide	Yes
Location of Bevel Control	Front
Power	2,000 Watts
Volts/Amps	110V
Weight	48lbs





Sliding Panel Saw



1-Phase **Item #: WWBMS3200-1PH**

3-Phase **Item #: WWBMS3200-3PH**



TECHNICAL INFORMATION:

- Weight: 1,470 LBS
- Machine dimensions (closed): L 133" X W 135" X H 65"
- Machine dimensions (max): L 192" X W 280" X H 65"
- Sliding table dimension: 14-3/4" X 132"
- Sliding table max travel length: 280"
- Fixed table max width: 52"
- Guide size (closed): 71"
- Guide size (max): 128"
- 1 Blade Cover
- 1 Lockable main power switch
- 2 Emergency buttons
- Max tilt: 45°
- Max depth cut: 3"
- Max cutting length: 120"

Blade:

- Main blade diameter: 12"
- Main blade arbor size: 1-3/16"
- Scoring blade diameter: 4-3/4"
- Scoring blade arbor size: 25/32"

Dust collector:

- Port 1 diameter: 4"
- Port 2 diameter: 4"
- Minimum CFM needed: 600 CFM

	1 Phase, 110V	1 Phase, 220V	3 Phase, 220V	3 Phase, 389V
Main Motor	• 37.5 Amps - 5 HP • Non-loaded blade speed: 3,400 RPM	• 20 Amps - 5 HP • Non-loaded blade speed: 3,400 RPM	• 15 Amps - 5 HP • Non-loaded blade speed: 3,500 RPM	• 8 Amps - 3 HP • Non-loaded blade speed: 3,500 RPM
Scoring Motor	• 10 Amps - 3/4 HP • Non-loaded scoring blade speed: 3,400 RPM	• 5.5 Amps - 3/4 HP • Non-loaded scoring blade speed: 3,400 RPM	• 3 Amps - 3/4 HP • Non-loaded scoring blade speed: 3,500 RPM	• 3/4 HP - 1.8 Amps • Non-loaded scoring blade speed: 3,500 RPM

Pocket Hole Machine

- Clamps the stock, routes a pocket, and drills with the tap of the foot pedal
- Durable and designed for use by professional woodworkers


Technical Information	
Power	2,400 W - 127 Volts
Wood Thickness Limit	1/2" - 1-9/16"
Drill	High-speed steel 9/64"
Cutter	1/4"
Air Pressure	6 bar (87 Psi)
Dimensions	25-5/8" x 30" x 42-1/2"
Weight	165.4 lbs



Item # WWPBM



Easy to Operate



Final result



Dust Collectors



1 HP, 1 Entry

Technical Information	
Motor	1 HP - 1 Phase
Motor Amp Draw	1 Phase - 127 V 16 A or 220 V - 8 A
Air Suction Capacity	600 cubic feet/minute
Bag Volume	60L (2.12 cubic feet)
Number of Air Intel	1 Entry
Bag Size	13" x 25"
Weight	73lbs

Item #	Description
WRMKDC1HP-110V	1HP, 1 ENTRY, 110V
WRMKDC1HP-220V	1HP, 1 ENTRY, 220V

2 HP, 2 Entries

Technical Information	
Motor	2 HP - 1 Phase
Motor Amp Draw	1 Phase - 127 V 24 A or 220 V - 12 A
Air Suction Capacity	1,790 ft³/min
Bag Volume	153 L (5.4 ft³)
Number of Air Intel	2 Entry
Bag Size	18 x 34 inches
Weight	106 lbs

Item #	Description
WRMKDC2HP-110V	2HP, 2 ENTRIES, 110V
WRMKDC2HP-220V	2HP, 2 ENTRIES, 220V

3 HP, 3 Entries

Technical Information	
Motor	3 HP - 1 Phase
Motor Amp Draw	1 Phase - 127 V 34 A or 220 V - 12 A
Air Suction Capacity	2,760 ft³/min
Bag Volume	307 L (5.4 ft³)
Number of Air Intel	3 Entry
Bag Size	18 x 34 inches
Weight	130 lbs

Item #	Description
WRMKDC3HP-110V	3HP, 3 ENTRIES, 110V
WRMKDC3HP-220V	3HP, 3 ENTRIES, 220V

Dust Collectors



Dust Collectors

5 HP, 5 Entry

Technical Information	
Motor	5 HP - 3 Phase
Height	90-5/32 inches
Air Suction Capacity	3,001 ft ³ /min
Bag Volume	400 L (14.13 ft ³)
Number of Air Intel	5 Entries
Bag Size	23-5/8 x 39-3/8 inches
Weight	242.5 lbs

Item #	Description
WRMKDC5HP-220V	5HP, 5 ENTRIES, 3PH 220V

Dust Bags




1 HP Dust Collectors

Item #	Description
WRMKTOPBAG1-L	Top Dust Bag, Cloth
WRMKBOTTOMBAG1-NL	Bottom Dust Bag, Cloth
WRMKPLASTICBAG1	Bottom Dust Bag, Plastic



2 & 3 HP Dust Collectors

Item #	Description
WRMKTOPBAG23-L	Top Dust Bag, Cloth
WRMKBTTMBAG23-NL	Bottom Dust Bag, Cloth
WRMKPLASTICBAG23	Plastic Dust Bag, Plastic



5 HP Dust Collectors

Item #	Description
WRMKTOPBAG5-L	Top Dust Bag, Cloth
WRMKBOTTOMBAG5-NL	Bottom Dust Bag, Cloth

-L = Würth logo
-NL = Plain bag

Keyword	Page
ABRASIVES	
Backup Pads	154
Belt Cleaner	159
Discs, Cloth	152
Discs, Film	150-152
Discs, Foam	153
Discs, Net/Mesh	153
Discs, Paper	148-149
Edge Belts	158
Sanding Pads and Sponges	155-156
Pitch & Resin Remover	159
Portable Belts	157
Sheets	155
Wide Belts	158-159
ADA TOE KICKS & PANEL BRACKETS	36
ADA PANEL BRACKETS	37
ADHESIVES	
Aerosols	177
Bulk Contact Adhesives	170-173
Canister Adhesives	173-175
Cold Press Adhesives	167-168
Edgebanding Adhesives	178-179
Hot Press Adhesives	169
Nip & Stack Laminating Adhesives	169
Solvent/cleaner/reducer	175
Wood Glues	167-168
AIR HOSES	261
APPLIANCE PULLS	20
BAR PULLS	8 - 10
BARN DOOR HARDWARE	
Flat Rail Kits	116
Mini Kits	118
Round Rail Kits	117
BLIND CORNER PULL-OUT ORGANIZERS	86-91
BUMPERS	35-36
CLOSET TUBING	
Flanges	110-113, 113
Hanging Rail Systems	110
Oval & Round Closet Tubing	110-112
CONCEALED BRACKETS	39
DECORATIVE HARDWARE	
Aluminum Wire Pull Series	14
Appliance Pull Series	20
Bar Pull Series	8
Classic Series	15
Edge Pulls	7

Keyword	Page
Elite I Series	18
Elite II Series	19
Large Bar Pulls	10
Mod Series	3
Modern Square Series	7
Preferred Series	4
Premiere Series	17
Select Series	16
Stainless Steel Wire Pulls	14
Steel Collection 2.0 Bar Pulls	9
Steel Collection 2.0 Bow & Tapered Bow Pulls	11
Steel Collection 2.0 Wire Pulls & Knobs	12
Steel Wire Pulls Series	13
Transitions 2.0 Series	5
Transitions Series	6
DRAWER SLIDES	
1" Overtravel 150 lb. Ball Bearing File Drawer Slides	31
Full Extension 100 lb. Ball Bearing Drawer Slides	28, 29
Full Ext. 100 lb. Soft-Close Ball Bearing Drawer Slides	30
Undermount Drawer Slides	32 - 34
DRILL BITS	264
EPOXY RESIN & HARDENER	166
FILL & FINISH PUTTY AND GRAIN FILLERS	160
FURNITURE DOLLIES	183
FURNITURE PADS	183
GLOVES	191-195
HAND TOOLS	
Allen Keys	212-213
Drill Bits	264
Drive & Insert Bits	229-230
Hand Scrapers	200
Hole Saws	265
Jig Saw Blades	262-263
Metal Snips	259-260
Multi-Sockets	242-247
Pliers	250-251, 253-258
Ratchet Bits	228
Ratchets	206-207, 210, 232-233, 247-249
Screwdrivers	214-223, 225-227, 232
Side Cutters	251-252, 254-255
Socket Bits	234, 236-238, 244
Tape Measures	200
T-Handle Socket Wrenches & Screwdrivers	224-227, 232
Tool Sets	261

Keyword	Page
HAND TOOLS - Continued	
Utility Knives	201
Vice-Grip Locking Pliers	258
Wrenches	202-211
HANGING RAIL SYSTEMS	110
HINGES	
Euro Hinge Baseplates	22
Self-Close Euro Hinges	21
Self-Close Face Frame Hinges	24
Soft-Close Euro Hinges	21
Soft-Close Face Frame Hinges	24
HOLE SAWS	265
INSTITUTIONAL HINGES/5-KNUCKLE HINGES	25
JIGSAW BLADES	262-263
KITCHEN CONVENIENCE	
Base Cabinet Organizers	79-84
Corner Organizers	85-93
Pantry Pull-Out Organizers	94-99
Waste Container Pull-Outs	65, 68-78
LIFT SYSTEMS	
Clock Lid/Flap Stays	26
Drop Stays	27
Heavy Duty Lid Stays	27
Up & Down Stays	26
LIGHTING	
Accessories	63-64
LED Pucks	60-61
LED Sticks	58-59
LED Tape Lighting	50-57
MACHINERY	
Dust Collectors	274-275
Line Boring Machines	269
Manual Slitters	267
Miter Saws	271
Panel Carriers	270
Pocket Hole Machines	273
Portable Edge Banders	266
Portable Edge Trimmers	268
Portable Workbenches	268
Roller Stands	270
Sliding Panel Saws	272
MOVING PADS	183
OFFICE & MULTIMEDIA	
Anti-Fatigue Mats	43
Desktop Sit-To-Stand Workstations	43
Outlet Strips	44-45



Keyword	Page
Pivoting Outlets	44
Single Monitor Arms	44
Table Lifts	42
PANEL SPACERS	120
PANTRY PULL-OUT ORGANIZERS	94-99
PILASTERS	41
PNEUMATIC FASTENERS	
Brad Nails	123-124
Finish Nails	124
Micro Brads & Pins	121
MicroPinner/Bradder	120
Staples	122-123
PPE	
Masks	171
Coveralls	172
Ear Plugs	171
Gloves, Disposable	191
Gloves, Reusable	191-195
Lemyn Hand Sanitizer	186
Safety Glasses	197-199
PUTTY	160
RAGS	185
SAWBLADES	265
SCREWDRIVER BITS	229-230
SCREWDRIVERS	214-223, 225-227, 232
SCREWS & FASTENERS	
Assembly Screws	126-131
Conformat Screws	146
Countertop Fasteners	147
Decorative Hardware Screws	144-145
Dogbones	147
Drawer Front Adjusting Screws	145
Drywall Anchors	143
Drywall Screws	132-133
Euro Screws	146
Face Frame Screws	136-138
Finish Washers	147
Hardware Screws	138-143
Installation Screws	134-135
Machine Screws	144-145
Pocket Hole Screws	136-138
System Screws	146
Tite-Joint Fasteners	147
Trim Screws	133
Twinfast Screws	133

Keyword	Page
SHELF PINS	108-109
SHOP SUPPLIES & SAFETY	
Batteries	200
Masks	196
Cleaners	188-189
Coveralls	197
Dollies	183
Ear Plugs	196
Furniture Pads	183
Gloves, Disposable	191
Gloves, Reusable	191-195
Lubricants	189-190
Lemyn Hand Sanitizer	186
Rags	185
Safety Glasses	197-199
Tapes	180-182
SIDE CUTTERS	251-252, 254-255
SNIPS	259-260
SOCKETS	234-249
SOLVENTS	
Acetone	162
Butyl Acetate	164
Denatured Alcohol	162
Isopropyl Alcohol	162
Lacquer Retarder	164
Methyl Amyl Ketone	164
Methyl Ethyl Ketone	163
Mineral Spirits	163
Naphtha	163

Keyword	Page
Thinners	161, 165
STANDARDS, BRACKETS & PILASTERS	40, 41
STANDOFFS	46-49
STRETCH FILM	183
TOE KICKS	36
UNDERMOUNT DRAWER SLIDES	32-34
VAUTH SAGEL COR FLEX SERIES	89-91
VAUTH SAGEL COR WHEEL PRO SERIES	92-93
VAUTH SAGEL CORNERSTONE MAXX SERIES	86-87
VAUTH SAGEL CORNERSTONE SWING SERIES	88
VAUTH SAGEL ENVI BMT SERIES	69-74
VAUTH SAGEL ENVI KICK	78
VAUTH SAGEL ENVI SPACE XX SERIES	75-78
VAUTH SAGEL SUB SIDE SERIES	80-84
VAUTH SAGEL TAL PANTRY SERIES	95-99
VICE-GRIPS	258
WALL BED HARDWARE	114-115
WASTE CONTAINER PULL-OUTS	65, 68-78
WIRE PULLS	12-14
WOOD PUTTY	160
WORKSTATION BRACKETS	38
WRENCHES	202-211

Notes:

This image shows a full page of blank graph paper. The grid consists of thin, light gray horizontal and vertical lines that intersect to form a uniform pattern of small squares across the entire surface. There are no margins, text, or other markings on the paper.



WÜRTH BAER SUPPLY COMPANY WÜRTH - PRO CATALOG

Würth Baer Supply Company

909 Forest Edge Drive
Vernon Hills, IL 60061
T: 800-289-2237
F: 888-558-2237
www.wurthbaersupply.com

Source code: BP3486

Other locations:

Bethlehem, PA
Brooklyn Heights, OH
Columbus, OH
Edison, NJ
Elk Grove Village, IL
Harrisburg, PA
Indianapolis, IN

Kansas City, MO
Leetsdale, PA
Londonderry, NH
Middletown, OH
Oak Park, MI
Pennsauken, NJ

Sanford, NC
Syracuse, NY
Rumford, RI
Versailles, KY
West Haven, CT
Williamsport, PA