



**WÜRTH BAER SUPPLY
COMPANY**

MAKITA® TOOLS
WORLD LEADING
PRODUCT INNOVATION



Table of Contents

CORDLESS TOOL & ACCESSORIES

Multi-Tool Kits	4 - 6
Driver-Drills, Impact Drivers	7 - 11
Bits and Accessories	12 - 14
Routers	15
Sanders	16 - 17
Saws (Jig, Circular and Miter)	18 - 25
Planers	26 - 27
Oscillating Multi-Tool	28
Detail Belt Sander	29
Blower/Inflator	30
HEPA Vacuum	31
Lighting	32 - 33
Laser Kit	34

PNEUMATIC TOOLS

Stapler	35
Nailers (Pin, Brad and Finish)	36 - 39
Compressors	40 - 41

CORDED TOOLS

Routers	42 - 45
Sanders	46 - 49
Plunge Circular Saw	50
Miter Saw	51
Plate Joiner	52
Planers	53
Heat Gun	54

ACCESSORIES

Blades (Jig Saw, Circular and Miter)	55 - 59
Guide Rails and Accessories	60 - 61
Oscillating Multi-Tool Accessories	62 - 63
Batteries and Chargers	63
Work Gloves	64

Makita® Corporation was founded in 1915 as an electric motor sales and repair company. Today, as a global brand in over 40 countries, Makita® is an innovation leader, manufacturing best-in-class products at 11 plants operating in 9 countries. The unmatched quality and durability of Makita® products is driven by the company's strong R&D capabilities, and have earned the trust of professional users worldwide. Every day, on job sites around the world, Makita® delivers the power, performance and durability that professional users demand with products that are more compact, have less vibration and feel better.

World's First

1978 – Cordless Drill w/Removable Battery

1988 – Impact Driver

2003 – Slide Battery

2004 – Brushless Tool

2005 – 18v Lithium-Ion Platform

2014 – X2 Technology

2015 – Advanced Anti-Vibration Technology

2018 – Auto-Start Wireless System

WORLD'S 18V™ LARGEST LITHIUM-ION LINE-UP



HIGHEST OUTPUT + FAST CHARGER TIME

HIGH OUTPUT + FASTEST CHARGER TIME

Makita's commitment to the trades is evident in the size of their 18V Lithium-Ion Line-up - over 325 tools and growing!

	<p>AUTOMATIC SPEED CHANGE™</p> <p>Automatic Speed Change™ is technology that adjusts speed and torque for optimal performance, even in the most demanding applications. During operation, if the tool is put under heavy load, Automatic Speed Change™ detects the added demand and applies more torque and speed to finish the job. Makita cordless tools with Automatic Speed Change™ are engineered to deliver corded performance, without the cord.</p>
	<p>AVT® ANTI-VIBRATION TECHNOLOGY</p> <p>Anti-Vibration Technology (AVT®) is a counterbalance system inside the tool that significantly reduces vibration. The AVT® counterbalance design is based on seismic engineering, which developed this damping science to absorb shocks and protect buildings from earthquakes. AVT® uses a mechanical damper, effectively a counterbalance weight inside the tool, that provides an equal and opposite force that puts a mass directly opposite the point where the striker bolt delivers the impact. As vibration is eliminated, power is efficiently increased which allows more of the generated energy in the motor to be delivered to the tool bit. Makita also has an AVT® counterbalance system in select reciprocating saws. For users, AVT® means significantly less vibration with no compromise in power and performance.</p>
	<p>DXT™ DEEP AND EXACT CUTTING TECHNOLOGY</p> <p>Deep and Exact Cutting Technology (DXT) is a series of features that give Makita miter saws more cutting capacity and out-of-the-box accuracy for superior cutting performance. The innovative direct drive gearbox and guard system utilizes a portion of the back of the blade for significantly more vertical cutting capacity when cutting baseboard and nested crown molding. In addition, the direct drive gear box has no belts to slip or replace, so power is transferred more efficiently from the motor to the blade. The patented 4-steel rail sliding system with 6 linear ball bearings is engineered for minimal deflection for smooth, dead-on cuts for lasting accuracy, job after job.</p>
	<p>IMPACT XPS®</p> <p>Impact XPS® is Makita's premier line of bits and fastening accessories. Impact XPS® Bits are expertly engineered to withstand the hardest hitting impact drivers, drills and screwdrivers. The Impact XPS® Insert and Power Bits are designed with superior fitment, torsion zone technology and a unique steel composition for up to 100-times longer performance life than standard bits. The line also includes insert bit holders, magnetic nutsetters, sockets, and socket adapters for a full range of fastening applications.</p>
	<p>LXT® LITHIUM-ION SERIES</p> <p>Makita was the first to introduce 18V lithium-ion cordless tools. Today, the LXT System is the world's largest compatible 18V slide-style battery system with over 325 solutions. Makita's purpose-built motors, battery technology, and enhanced communications work together to deliver unmatched power, speed, and run time.</p>
	<p>LXT® SUB-COMPACT BRUSHLESS</p> <p>Makita® created a new class in cordless with 18V LXT® Sub-Compact Brushless tools. Makita® Sub-Compact tools are the most compact and lightest weight in the 18V category, so users get 12V handling with 18V compatibility. Sub-Compact tools use the same 18V batteries and chargers that work with over 325 solutions in the LXT® system.</p>
	<p>LXT® 36V (18V X2)</p> <p>Two 18V LXT® Lithium-Ion batteries deliver the power and run time for corded demands without leaving the 18V LXT® platform.</p>
	<p>MAGNESIUM</p> <p>Framers and carpenters need cutting solutions with power and performance – not extra weight. Makita circular saws with Magnesium components are engineered for less weight with superior balance and durability. Magnesium circular saws deliver consistent performance with less weight for cutting sheet and dimensional lumber.</p>
	<p>MAX EFFICIENCY</p> <p>Max Efficiency is new innovation in accessories with saw blades engineered for optimum performance when used with cordless saws. Max Efficiency blades have an ultra-thin kerf design and specially-engineered blade teeth to assist in reducing the load put on the tool while cutting for smoother material removal with less cutting resistance. The result is increased cutting efficiency and faster cutting over standard blades, and more cuts per charge over standard blades when used with a cordless saw. Max Efficiency Blades are available for use with circular saws, plunge circular saws, and miter saws.</p>
	<p>QUICK-SHIFT MODE™</p> <p>Precision fastening applications often require the user to stop or slow down the impact driver just prior to driving the screw into place to ensure there is no damage to the fastener or work piece. Quick-Shift Mode™ is the solution for precision fastening. Quick-Shift Mode™ is an automatic electronic controller that downshifts and reduces rotation and impact speed prior to driving the screw into place. It is engineered to minimize screw thread stripping, screw breakage and damage to work. Makita impact drivers equipped with Quick-Shift Mode™ are ideal for precision fastening applications, from cabinetry to solar panel installation, and more.</p>
	<p>STAR PROTECTION COMPUTER CONTROLS™</p> <p>Makita cordless tools are engineered for industrial applications, and for added protection during the most demanding jobs Makita created STAR Protection Computer Controls™. STAR is communications technology that monitors conditions during use, allowing the tool and battery to exchange data to protect against overloading, overdischarging and overheating. If STAR detects conditions that threaten to overload, overdischarge or overheat the tool or battery, the tool will automatically stop. At that time the user can either restart the tool, change or charge the battery, and put the tool back to work. When you slide a Makita 18V LXT® battery with the STAR symbol onto a Makita tool that has either the STAR symbol or a yellow terminal, you are benefitting from STAR Protection Computer Controls™.</p>
	<p>XPT™ EXTREME PROTECTION TECHNOLOGY</p> <p>When the job takes your Makita tool into harsh conditions, Makita Extreme Protection Technology (XPT™) provides added protection. XPT™ is a series of integrated seals engineered to channel away dust and water for increased durability. Wherever the job takes you, Makita tools equipped with XPT™ are engineered for increased durability and longer tool life.</p>

18V LXT® Sub-Compact Brushless 2 Piece Combo Kit



- Driver-Drill weighs only 2.9 lbs. with battery for reduced operator fatigue
- Mechanical variable 2-speed transmission (0-500 & 0-1,700 RPM) for a wide range of drilling and fastening applications
- Makita-Built Brushless Motor delivers 350 in.lbs. of Peak Torque
- Engineered with a metal jampot design for increased durability
- Impact Driver weighs only 2.6 lbs. with battery for reduced operator fatigue
- Assist Mode (A-mode) feature helps eliminate "screw cam-out" and "cross threading" by driving at low speed until impact begins
- Variable 2-speed Impact Driver (0-1,300/0-3,000 RPM & 0-2,000/0-4,100 IPM) for a wide range of fastening applications
- Makita-built Brushless Motor delivers 1,240 in.lbs. of Max Torque in an ultra compact design
- Ideal for work in tight spaces



MUCX203SYB includes: 18V LXT® Sub-Compact Brushless 1/2" Driver-Drill (XFD15ZB), 18V LXT® Sub-Compact Brushless Impact Driver (XDT18ZB), 18V LXT® Lithium-Ion Charger (DC18SD), (2) 18V Compact Lithium-Ion Battery, Tool Bag

Item #	Description	Battery & Charger Included	Ah	Price
MUCX203SYB	18V Sub-Compact Driver-Drill/Impact Driver Kit	Yes	1.5	\$239.00



XFD15ZB



XDT18ZB

LXT SUB-COMPACT BRUSHLESS

XPT
EXTREME PROTECTION TECHNOLOGY

STAR
PROTECTION
COMPUTER CONTROLS™

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

18V LXT® Brushless 2 Piece Combo Kit



MUXT269M includes: 18V LXT® Compact Brushless 1/2" Hammer Driver-Drill (XPH12Z), 18V LXT® Brushless Impact Driver (XDT13Z), (2) 18V LXT® Lithium-Ion 4.0Ah Battery (BL1840B), 18V LXT® Lithium-Ion Rapid Optimum Charger (DC18RC), Tool Bag

- Efficient BL™ Brushless motor is electronically controlled to optimize battery energy use for up to 50% longer run time per charge
- The BL™ Brushless Motor eliminates carbon brushes, enabling the BL™ Motor to run cooler and more efficiently for longer life
- The electronically-controlled BL™ Brushless Motor efficiently uses energy to match torque and RPM to the changing demands of the application
- Variable 2-speed 1/2" Hammer Driver-Drill (0-500 & 0-2,000 RPM) with BL™ Brushless Motor delivers 530 in.lbs. of Max Torque; weighs only 4.2 lbs. with battery
- Variable speed Impact Driver (0-3,400 RPM & 0-3,600 IPM) with BL™ Brushless Motor delivers 1,500 in.lbs. of Max Torque; weighs only 3.3 lbs. with battery
- Hammer Driver-Drill features Extreme Protection Technology (XPT™) which is engineered to provide increased dust and water resistance in harsh job site conditions



Item #	Description	Battery & Charger Included	Ah	Price
MUXT269M	18V Hammer-Drill/Impact Driver Kit	Yes	4.0	\$289.00



XDT13Z Impact Driver



XPH12Z Hammer-Drill



LXT. BRUSHLESS

XPT™
EXTREME PROTECTION TECHNOLOGY

STAR
PROTECTION
COMPUTER CONTROLS™

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

18V LXT® 10 Piece Woodworking Combo Kit



- Jig Saw delivers 0-2,600 strokes per minute for faster and more efficient cutting; weighs only 6.4 lbs. with battery for reduced operator fatigue
- Random Orbit Sander incorporates a large 1/8" random orbit action engineered for faster sanding and swirl-free finish
- Compact Router equipped with electronically-controlled Brushless Motor efficiently uses energy to match torque and RPM to the changing demands of the application
- Planer equipped with 2-blade cutterhead with double edge carbide blades for added performance and smooth finish
- Reciprocating Saw provides 0-2,800 SPM with "tool-less" blade changes and weighs only 8.3 lbs. with battery
- Job Site Radio is equipped with Bluetooth® to wirelessly connect your mobile device to play music while delivering rich stereo sound from two powerful 3.5" side-firing speakers
- Makita technology delivers category-leading charge time, so the battery spends more time working and less time sitting on the charger

MUXT1001SM includes: 18V LXT® Tools: Compact Brushless 1/2" Hammer Driver-Drill (XPH12Z), Impact Driver (XDT13Z), Circular Saw (XSS02Z), Jig Saw (XVJ03Z), Oscillating Multi-Tool (XMT03Z), Random Orbit Sander (XOB01Z), Palm Router (XTR01Z), 3-1/4" Planer (XPK01Z), Recipro Saw (XRJ04Z), and 18V LXT® / 12V max CXT® Bluetooth® Job Site Charger / Radio (XRM10), 18V LXT® Lithium-Ion 4.0Ah Battery, 2/pk (BL1840B-2), Tool Bag w/Wheels (831269-3)

Item #	Description	Battery & Charger Included	Ah	Price
MUXT1001SM	18V 10 Piece Woodworking Combo Kit	Yes	4.0	\$1,200.00

IMPACT DRIVER



Variable speed Impact Driver (0-3,400 RPM & 0-3,600 IPM) provides 1,500 in.lbs. of Max Torque

MULTI-TOOL



Variable speed control dial (6,000-20,000 OPM) enables user to match the speed to the application

HAMMER DRILL



Variable 2-speed 1/2" Hammer Driver-Drill (0-500 & 0-2,000 RPM) (0-7,500 & 0-30,000 BPM)

CIRCULAR SAW



6-1/2" Circular Saw delivers 3,700 RPM for faster cutting and ripping through wood

LXT

STAR
PROTECTION
COMPUTER CONTROLS™

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

18V LXT® Sub-Compact Brushless 1/2" Driver-Drill



MUXFD15SY1B

- Ideal for working in tight spaces
- Dual L.E.D. lights illuminate the work area
- Ergonomically designed handle with rubberized soft grip provides increased comfort
- BL™ Brushless Motor delivers 350 in.lbs. of Max Torque
- Convenient 1/2" keyless chuck for fast and easy bit installation and removal
- Electric brake for maximum productivity

MUXFD15ZB includes: Tool only.

MUXFD15SY1B Kit includes: XFD15ZB Tool, 18V LXT® Lithium-Ion Charger (DC18SD), 18V Compact Lithium-Ion Battery, and Tool Bag.

Item #	Description	Battery & Charger Included	Ah	Variable Speed	Price
MUXFD15ZB	18V Sub-Compact Driver-Drill Only, Bare Tool	No *	-	Yes	\$124.00
MUXFD15SY1B	18V Sub-Compact Driver-Drill Kit	Yes	1.5	Yes	\$179.00

* Battery and charger not included, see page 63.

COMFORT



Weights only 2.9 lbs. with battery for reduced operator fatigue (battery not included)

COMPACT



Compact and ergonomic design at only 5-7/8" long

DURABILITY



Engineered with a metal jampt design for increased durability

VERSATILITY



Mechanical variable 2-speed transmission (0-500 & 0-1,700 RPM)

LXT SUB-COMPACT BRUSHLESS

STAR
PROTECTION
COMPUTER CONTROLS™

XPT™
EXTREME PROTECTION TECHNOLOGY

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

18V LXT® Sub-Compact Brushless Impact Driver



- Weighs only 2.6 lbs. with battery for reduced operator fatigue
- Ideal for working in tight spaces
- BL™ Brushless Motor delivers 1,240 in.lbs. of Max Torque in an ultra compact design
- Dual L.E.D. lights illuminate the work area
- Ergonomically designed handle with rubberized soft grip provides increased comfort

MUXDT18SY1B includes: XDT18ZB Tool, 18V LXT® Lithium-Ion Charger (DC18SD), 18V Compact Lithium-Ion Battery, and Tool Bag.



Item #	Description	Battery & Charger Included	Ah	Variable Speed	Impacts per Minute	Price
MUXDT18SY1B	18V Sub-Compact Impact Driver Kit	Yes	1.5	Yes	0 - 2,000/ 0 - 4,100	\$179.00

APPLICATIONS



Ball bearing design is engineered to minimize bit wobble when fastening

DESIGN



Compact and ergonomic design at only 5-1/4"

INNOVATION



Assist Mode (A-mode) feature helps eliminate "screw cam-out" and "cross threading"

PERFORMANCE



Variable speed 2-speed (0-1,300/0-3,000 RPM & 0-2,000/0-4,100 IPM) and 1,240 in.lbs. of Max Torque

LXT SUB-COMPACT BRUSHLESS

STAR PROTECTION
COMPUTER CONTROLS™

XPT™
EXTREME PROTECTION TECHNOLOGY

3 YEAR WARRANTY
LITHIUM-ION TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

8 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

18V LXT® Brushless Impact Driver



- Convenient 1/4" hex chuck for quick bit changes
- Built-in dual L.E.D. lights illuminate the work area
- Rubberized soft grip provides increased comfort on the job
- Metal gear housing for increased job site durability
- Makita's proprietary hammer and anvil impact mechanism is manufactured using the best raw materials with the highest quality steel and unique heat hardening process for maximum fastening and driving power

MUXDT13Z includes: Tool only.

Item #	Description	Battery & Charger Included	Variable Speed	Impacts per Minute	Price
MUXDT13Z	18V Impact Driver, Bare Tool	No *	Yes	0 - 3,600	\$149.00

*** Battery and charger not included, see page 63.**

CONVENIENCE



Convenient 1/4" hex chuck for quick bit changes

ERGONOMICS



Compact design at only 5" long; weighs only 3.3 lbs. with battery for reduced operator fatigue

POWER



BL™ Brushless Motor delivers 1,500 in.lbs. of Max Torque

SPEED



Variable speed (0-3,400 RPM & 0-3,600 IPM) for a wide range of fastening applications

LXT® BRUSHLESS

STAR
PROTECTION
COMPUTER CONTROLS™

XPT™
EXTREME PROTECTION TECHNOLOGY

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

18V LXT® Brushless Quick-Shift Mode™ 3-Speed Impact Driver



- Tightening Mode (T-mode) for faster tightening of self-drilling screws; helps prevent damage to the screw or workpiece
- 3-speed power selection switch (0-1,100 / 0-2,100 / 0-3,600 RPM & 0-1,100 / 0-2,600 / 0-3,800 IPM) provides precise fastening control for a wide range of applications
- Weighs only 3.3 lbs. with battery (battery not included) for reduced operator fatigue
- All metal gear housing for increased job site durability
- Convenient one-touch 1/4" hex chuck for quick bit changes
- Dual L.E.D. lights with an independent on/off switch illuminate the work area
- Makita's proprietary hammer and anvil impact mechanism is manufactured using the best raw materials with the highest quality steel and unique heat hardening process for maximum fastening and driving power

MUXDT14Z includes: Tool only.

Item #	Description	Battery & Charger Included	Variable Speed	Impacts per Minute	Price
MUXDT14Z	18V 3-Speed Impact Driver, Bare Tool	No*	Yes	0 - 1,100/0 - 2,600/0 - 3,800	\$159.00

* Battery and charger not included, see page 63.

COMFORT



Rubberized soft grip provides increased comfort on the job

COMPACT



Compact and ergonomic design at only 4-5/8" long

POWER



BL™ Brushless Motor delivers 3,600 Max RPM and 1,550 in.lbs. of Max Torque

TECHNOLOGY



Quick-Shift Mode™ has an automatic controller that downshifts and reduces rotation and impact speed

LXT. BRUSHLESS



XPT™
EXTREME PROTECTION TECHNOLOGY

STAR
PROTECTION
COMPUTER CONTROLS™



Pricing Effective 5/15/2024. Subject to change without notice.

10 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

18V LXT® Brushless Quick-Shift Mode™ 4-Speed Impact Driver



MUXDT19T

- Quick-Shift Mode™ uses the brushless motor's electronic controls to find the best balance of speed and torque for each application for more efficient fastening
- 4-speed power selection (0-1,100/ 0-2,100/ 0-3,200/ 0-3,600 RPM & 0-1,100/ 0-2,600/ 0-3,600/ 0-3,800 IPM) provides precise fastening control for a wide range of applications
- Additional one-touch 4-speed power selector button under the chuck for added convenience
- Designed with dual ball bearing chuck to reduce bit wobble and run out
- Built-in L.E.D. lights on both sides helps eliminate shadows and illuminate a larger area
- Convenient one-touch 1/4" hex chuck for quick bit changes
- All metal gear housing for increased job site durability
- Makita's proprietary hammer and anvil impact mechanism is manufactured using the best raw materials with the highest quality steel and unique heat hardening process for maximum

MUXDT19Z includes: Tool only.

MUXDT19T Kit includes: XDT19Z Tool, (2) 18V LXT® Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT® Lithium-Ion Rapid Optimum Charger (DC18RC), and Tool Bag.

Item #	Description	Battery & Charger Included	Ah	Price
MUXDT19Z	18V 4-Speed Impact Driver, Bare Tool	No*	-	\$234.00
MUXDT19T	18V 4-Speed Impact Driver Kit	Yes	5.0	\$429.00

* Battery and charger not included, see page 63.

DESIGN



Compact and ergonomic design at only 4-1/2" long; weighs only 3.3 lbs.

INNOVATION



Assist Mode and two Tightening Mode features help eliminate "screw cam-out" and "cross threading"

POWER



Makita-built brushless motor delivers 3,600 Max RPM and 1,590 in.lbs. of Max Torque

PRECISION



Reverse rotation auto-stop mode stops rotation and impact when fastener is loosened adequately

LXT. BRUSHLESS



XPT
EXTREME PROTECTION TECHNOLOGY

STAR
PROTECTION
COMPUTER CONTROLS™



Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 11

Impact XPS® Bits



Impact XPS® Insert, Power Bits and Sets

- Unique Torque Absorbing Shoulder and Base Power Rings designed to help improve bit life performance
- Matte Nickel surface for best in class corrosion resistance, laser etched for easy size identification
- For use with high torque impact drivers and driver-drills

	Item #	Drive	Size	Length	Per Pack	Price per Pack
	MUE-00664	Phillips	#2	1"	15	\$13.97
	MUE-00773	Phillips	#2	2"	3	\$6.97
	MUE-00583	Square	#2	1"	5	\$6.97
	MUT-05050	Square	#2	1"	25	\$16.33
	MUE-00804	Square	#2	2"	3	\$6.97
	MUE-01052	Square	#2	2"	15	\$16.97
	MUE-00620	Torx	T20	1"	5	\$6.97
	MUE-00848	Torx	T20	2"	3	\$6.97
	MUE-00636	Torx	T25	1"	5	\$6.97
	MUE-00854	Torx	T25	2"	3	\$6.97



MUE-01666

- Impact XPS® 35 Piece Impact Bit Set
- Includes: (2) 1-3/4" Magnetic Nutsetters, (1) 2-3/8" Insert Bit Holder, (25) 1" Insert Bits, (6) 2" Power Bits, (1) 1/4" Socket Adapter

Price: \$22.97



MUE-01644

- Impact XPS® 60 Piece Impact Bit Set
- Includes: (2) 1-3/4" Magnetic Nutsetters, (1) 2-3/8" Insert Bit Holder, (46) 1" Insert Bits, (10) 2" Power Bits, (1) 1/4" Socket Adapter

Price: \$37.97



MUT-05941

- Impact XPS® 50 Piece Impact Driving and Fastening Bit Set
- Includes: (2) 2-9/16" Magnetic Nutsetters, (1) 2-3/8" Insert Bit Holder, (36) 1" Insert Bits, (8) 2" Power Bits, (1) 3/8" Socket Adapter, (2) 3/8" Drive Deep Well Sockets (1) Mini Case

Price: \$34.97

Pricing Effective 5/15/2024. Subject to change without notice.

Impact XPS® 3" Magnetic Insert Bit Holder



- Provides convenient pick-up and retention of fasteners
- Rare earth magnet increases holding power compared to standard magnets
- C-ring for added insert bit retention
- Two-piece design is engineered to allow the torsion technology to fully activate
- Ideal for use with Makita Impact XPS® Insert Bits

Includes: 1 each 1/4", 5/16" and 3/8" and Nutsetter

Item #	Per Pack	Price per Pack
MUE-01367	1	\$6.97
MUT-05424	10	\$46.04

Impact XPS® Mag Boost



- Up to 10 times more magnetic than standard power bits
- Great for holding screws to the end of the power bit in tight situations and to extend its reach
- Compact and universal fit design allows for use with most common power bits
- Built with 2 rare earth magnets for increased holding power

Item #	Price Each
MUE-01345	\$4.97



Pricing Effective 5/15/2024. Subject to change without notice.

12" Flexible Impact Bit Holder



- Designed exclusively for high-torque impact drivers
- Ergonomic grip for comfort
- Convenient 12" length for those hard to reach places
- Ideal for driving screws in a wide variety of heavy-duty fastening applications including deck building, framing and installing plywood subfloor
- 1/4" hex shank works directly with both Impact Drivers and Drill-Drivers

Item #	Price Each
MUB-51873	\$45.24

3/8" Keyless Chuck Adapter



- Designed to accept round and hex shank bits
- For converting an impact driver into a driver drill
- Steel construction for increased durability
- Accepts bits with up to a 3/8" shank

Item #	Price Each
MU763198-1	\$39.73

Impact XPS® 3 Piece 2-9/16" Magnetic Nutsetter Set



- Powerful magnetization provides convenient pick-up and retention of fasteners
- Lobular design drives along flats to reduce rounding of hex fasteners
- Flat edges at hex opening for full contact with flanged hex head screws
- Ideal for driving hex head nuts and self-tapping screws in a wide variety of applications
- Includes: 1 each 1/4", 5/16" and 3/8" and Nutsetter

Item #	Description	Price
MUE-01432	2-9/16" Magnetic Nutsetter Set, 3 Piece	\$11.47

Pricing Effective 5/15/2024. Subject to change without notice.

18V LXT® Brushless Palm Router



MUXTR01T7

- LXT® technology delivers 380 feet of cutting performance in red oak using a 1/4" (6mm) straight bit at a 5/32" (4mm) depth with a 5.0Ah battery
- Electronic speed control maintains constant speed under load
- On/Off button with separate lock button helps prevent accidental start-up of the tool for user and workpiece protection
- Soft start feature for smoother start-ups and better accuracy
- Slim and ergonomically designed body with rubberized grip for increased comfort & control
- Quick release cam lock system for convenient depth adjustments and base removal/installation
- High visibility base design for improved handling and performance
- Shaft lock for quick and easy bit changes
- Easy-to-read depth scales



* Battery and charger not included, see page 63.

MUXTR01Z includes: XTR01Z Tool, Spanner Wrench (781011-1), Spanner Wrench (781039-9), 1/4" Collet (763637-1), 3/8" Collet (763619-3), Straight Guide (122965-7), Template Guide (343577-5), Trimmer Base (196613-4)

MUXTR01T7 includes: All of the above, plus: (2) 18V LXT® Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT® Lithium-Ion Rapid Optimum Charger (DC18RC), MAKPAC Interlocking Case, X-Large (197213-3), Plunge Base (196094-2), Template Guide 5/8" (344364-5)

Item #	Description	Battery & Charger Included	Ah	Price
MUXTR01Z	18V Palm Router, Bare Tool	No*	-	\$199.00
MUXTR01T7	18V Palm Router Kit	Yes	5.0	\$489.00

ACCURACY



Smooth rack-and-pinion fine depth adjustment system for more precise settings

DESIGN



Dual L.E.D. lights illuminate the work area

DURABILITY



Aluminum housing and base for increased durability and accuracy

POWER



Variable speed control dial (10,000 - 30,000 RPM) to match the speed to the application

LXT. BRUSHLESS

STAR
PROTECTION
COMPUTER CONTROLS™

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 15

18V LXT® 5" Random Orbit Sander, Hook & Loop



- One-touch electronic speed control switch provides fast, medium and low settings
- Pad control system for controlled pad speed upon start-up
- Dust-sealed switch and bearing for longer tool life
- Oversized sealed-ball bearing construction for longer tool life

MUXOB01Z includes: XOB01Z Tool, Dust Bag (166078-4), 5" Round Abrasive Disc, Hook & Loop, 120 Grit (794520-1-1), 5" 8 Hole Backup Pad H/L (743081-8)



Item #	Description	Battery & Charger Included	Orbit	Orbits per minute	Price
MUXOB01Z	18V 5" Random Orbit Sander, Bare Tool	No*	1/8"	7,000/ 9,500/ 11,000	\$139.00

* Battery and charger not included, see page 63.

COMFORT



Ergonomically designed body and grip for increased operator comfort

INNOVATION



Pad brake engineered for reduced free-spin and improved overall finish

PERFORMANCE



Large 1/8" random orbit action engineered for fast sanding and swirl-free finish

SPEED



Three speed settings (7,000/9,500/11,000 OPM) engineered for fast material removal



Pricing Effective 5/15/2024. Subject to change without notice.

16 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

18V LXT® 1/4 Sheet Finishing Sander



- Large clamping lever for quick and easy paper installation
- Ergonomically designed rubberized grip for increased comfort and control
- Built-in dust port; easy connection to Makita vacuum system for a cleaner work environment
- Weighs only 3.8 lbs. with battery (battery not included)

MUXOB02Z includes: XOB02Z Tool, Dust Bag (166078-4), Punch Plate (450066-4), (1) Sheet Each 4-1/2" x 5-1/2" Abrasive Paper in 60, 100 and 150 Grit.



Item #	Description	Battery & Charger Included	Price
MUXOB02Z	1/4 Sheet Finishing Sander, Bare Tool	No*	\$139.00
MU742509-3-5	White AO Sheets, 4-1/2 x 5-1/2, 60 Grit, Pack 5	-	\$3.70
MU742523-9-5	White AO Sheets, 4-1/2 x 5-1/2, 80 Grit, Pack 5	-	\$3.70
MU742510-8-5	White AO Sheets, 4-1/2 x 5-1/2, 100 Grit, Pack 5	-	\$3.70
MU742511-6-5	White AO Sheets, 4-1/2 x 5-1/2, 150 Grit, Pack 5	-	\$3.70
MU742512-A-5	White AO Sheets, 4-1/2 x 5-1/2, 180 Grit, Pack 5	-	\$3.70
MU742513-A-5	White AO Sheets, 4-1/2 x 5-1/2, 240 Grit, Pack 5	-	\$3.70

* Battery and charger not included, see page 63.

COMFORT



Reduced vibration in loaded down operation and ergonomic contoured grip

CONVENIENCE



Corded performance with cordless convenience

DUST MANAGEMENT



Through-the-pad dust collection system with built-in dust port; dust bag and vacuum compatible

PERFORMANCE



Two speed settings (11,000/14,000 OPM) with one-touch electronic speed control

LXT

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 17

18V LXT® Brushless Jig Saw, D-Handle



- 3 orbital settings plus straight cutting for use in a wide range of materials
- Cuts up to 135 ft. of 1" MDF on a single charge using 5.0Ah battery BL1850B (battery not included)
- Built-in L.E.D. light illuminates the work area
- Large 2-finger variable speed trigger for added convenience with lock-on button
- Electric brake for maximum productivity
- Soft start feature for smooth start-ups
- Built-in dust blower clears the line of cut for increased accuracy
- Base bevels and locks from 0° - 45° left or right for more precise bevel cuts

MUXVJ04Z includes: XVJ04Z Tool, (3) Jig Saw Blades, one each for cutting wood, metal and wood/metal



Item #	Description	Battery & Charger Included	Variable Speed	Strokes per Minute	Price
MUXVJ04Z	18V Jig Saw, D-Handle T-Shank, Bare Tool	No*	Yes	0 - 3,000	\$199.00

*** Battery and charger not included, see page 63.**

ACCURACY



Variable speed trigger, speed dial and soft no-load mode provides more accurate cutting

COMPACT



Most compact and lightweight Jig Saw in Makita LXT class; weighs only 3.8 lbs. (tool only)

CONVENIENCE



Tool-less blade change lever allows for convenient blade installation and removal

PERFORMANCE



Brushless motor delivers 0 - 3,000 Strokes Per Minute for a variety of cutting applications

LXT BRUSHLESS

STAR
PROTECTION
COMPUTER CONTROLS™

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

18 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

18V LXT® Brushless Jig Saw, Barrel Grip



- Cuts up to 135 ft. of 1" MDF on a single charge using 5.0Ah battery BL1850B (battery not included)
- Variable 5-speed control dial (800-3,000 SPM) enables user to match the speed to the application
- 3 orbital settings plus straight cutting for use in a wide range of materials
- Base bevels and locks from 0° - 45° left or right for more precise bevel cuts
- Built-in L.E.D. light illuminates the work area and features light reduction function to reduce glare when tool is being used upside down
- On/Off button with separate lock button for work piece protection
- Built-in dust blower clears the line of cut for increased accuracy
- Electric brake for maximum productivity

MUXVJ05Z includes: XVJ05Z Tool, (2) Jig Saw Blade 4-1/8" 9TPI (792529-7-1); Jig Saw Blade HSS, 3" x 24TPI (792473-8-1); Jig Saw Blade HCS, 4-1/8" x 9TPI (792729-9-1), Dust Extracting Attachment, XVJ04 (413F05-1), Dust Cover, XVJ04 (458191-5)



Item #	Description	Battery & Charger Included	Price
MUXVJ05Z	18V Jig Saw, Barrel Grip T-Shank, Bare Tool	No*	\$209.00

*** Battery and charger not included, see page 63.**

ACCURACY



Variable speed dial and soft no-load mode provides more accurate cutting

COMPACT



Ergonomically compact barrel grip design allows closer-to-work control and more precise cuts

CONVENIENCE



Tool-less blade change lever allows for convenient blade installation and removal

PERFORMANCE



Brushless motor delivers 800 - 3,000 Strokes Per Minute for a variety of cutting applications

LXT BRUSHLESS

XPT
EXTREME PROTECTION TECHNOLOGY


STAR
PROTECTION
COMPUTER CONTROLS™

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 19


36V (18V X2) LXT® Brushless 6-1/2" Plunge Circular Saw



- Makita-Built electronically controlled BL™ Brushless Motor delivers 6,300 RPM for maximum performance and 50% longer run time per charge
- Ideal for cutting large wood panels, other wood materials including melamine and MDF, aluminum, and Corian® with optional, material specific blades (sold separately)
- Close to the wall cutting (11/16") for expanded cutting applications
- Large cutting capacity (2-3/16" at 90°; and 1-9/16" at 45°)
- Bevel capability (-1° to 48°) with positive stops at 22.5° and 45°
- Electronic speed control maintains constant speed under load for smooth cutting
- Soft start feature for smooth start-ups
- Built-in depth stop allows a preliminary first cut of (5/64") 2mm to (7/64") 3mm to be performed prior to cutting through the entire material for clean and splinter-free cutting
- Large 1-7/16" rear dust port directs material away from the operator and easily connects to a vacuum system
- Saw works with other competitive guide rails

MUXPS01PTJ includes: 36V (18V X2) LXT® Brushless 6-1/2" Plunge Circular Saw (XPS01Z), (2) 18V LXT® Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT® Lithium-Ion Dual Port Charger (DC18RD), 6-1/2" 55T C.T. Cordless Plunge Saw Blade, (B-57071), Hex Wrench (783203-8), MAKPAC Interlocking Case, X-Large (197213-3) and Medium (197211-7)

Item #	Description	Battery & Charger Included	Ah	Arbor	Price
MUXPS01PTJ	36V 6-1/2" Plunge Circular Saw Kit	Yes	5.0	20mm	\$629.00



LXT® BRUSHLESS

AUTOMATIC SPEED CHANGE™
ADJUSTS SPEED & TORQUE FOR OPTIMUM PERFORMANCE

XPT™
EXTREME PROTECTION TECHNOLOGY

STAR PROTECTION
COMPUTER CONTROLS™

3 YEAR WARRANTY
LITHIUM-ION TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

20 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

18V LXT® Brushless 6-1/2" Circular Saw



- Powerful Makita-Built electronically controlled brushless motor delivers 5,000 RPM for faster cutting and ripping
- Die-cast magnesium base, blade guard and safety cover provide a lightweight, durable design
- Large cutting capacity (2-1/4" at 90°) and bevel capacity (0° - 50°)
- Positive stop at 45° with fine adjustment
- Dual L.E.D. lights illuminate the work area
- Up to 125 cuts per charge in 2x10 SPF lumber (battery not included)
- Built-in dust blower keeps the line of cut free of debris for more accurate cuts
- Retractable tool hook secures the tool when not in use

MUXSH03Z includes: XSH03Z Tool, 6-1/2" 24TC.T. Saw Blade (A-85092).



Item #	Description	Battery & Charger Included	Arbor	No Load Speed	Price
MUXSH03Z	18V 6-1/2" Circular Saw, Bare Tool	No*	5/8"	5,000 RPM	\$239.00

*** Battery and charger not included, see page 63.**

CONVENIENCE



3-stage L.E.D. gauge indicates battery charge level

ERGONOMICS



Weighs only 7.3 lbs. with battery for reduced operator fatigue (battery not included)

INNOVATION



Automatic Speed Change™ technology adjusts speed and torque during operation for optimum performance

PERFORMANCE



BL™ Motor delivers 5,000 RPM for faster cutting and ripping

LXT BRUSHLESS

MAGNESIUM™

AUTOMATIC SPEED CHANGE™
ADJUSTS SPEED & TORQUE FOR OPTIMUM PERFORMANCE

XPT™
EXTREME PROTECTION TECHNOLOGY

STAR PROTECTION
COMPUTER CONTROLS™

3 YEAR WARRANTY
LITHIUM-ION TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 21

36V (18V X2) LXT® Brushless 7-1/4" Circular Saw



MUXSH06PT includes: XSH06Z Tool, (2) 18V LXT® Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT® Lithium-Ion Dual Port Charger (DC18RD), 7-1/4" 24T C.T. Circular Saw Blade (B-61656), Hex Wrench (783204-6), Dust Extracting Attachment (196520-1), Tool Bag (831271-6)

- Makita-Built electronically controlled BL™ Motor delivers 6,000 RPM for maximum performance and 50% longer run time per charge
- Electric brake for maximum productivity
- Die-cast magnesium base, blade guard, and blade cover provide a lightweight, durable design
- Rubberized soft grip handle provides increased comfort on the job
- 3-stage L.E.D. gauges indicate battery charge levels
- On-board blade wrench for convenience
- Flat motor housing design for stability when changing the blade
- Built-in dust blower cleans the line of cut for operator accuracy
- Dual L.E.D. lights illuminate the work area
- Included dust nozzle accessory directs material away from the operator; allows connection to a vacuum for improved dust collection
- 18V LXT® Lithium-Ion 5.0Ah batteries (BL1850B) feature an integrated L.E.D. battery charge level indicator

Item #	Description	Battery & Charger Included	Ah	Arbor	No Load Speed	Price
MUXSH06PT	36V 7-1/4" Circular Saw Kit	Yes	5.0	5/8"	6,000 RPM	\$399.00

CAPACITY



Large 2-5/8" cutting capacity at 90°

DESIGN



0°- 56° bevel capacity with positive stops at 22.5°, 45°, and 56°

PERFORMANCE



Delivers up to 610 cross-cuts per charge in 2x4 SPF using two LXT® 5.0Ah batteries

PRODUCTIVITY



Built-in tether notch (tether sold separately)



Pricing Effective 5/15/2024. Subject to change without notice.

36V (18V X2) LXT® Brushless 7-1/4" Circular Saw, Rear Handle



- Powered by two LXT® batteries; X2 LXT® technology delivers more power, speed and run time without the hassles of a cord
- Makita-Built electronically controlled brushless motor delivers 5,100 RPM for maximum performance and 50% longer run time per charge
- Electric brake for maximum productivity
- 0° - 53° bevel capacity with positive stops at 22.5°, 45°, and 53°
- Die-cast magnesium base and blade guard along with a die-cast aluminum blade cover and motor housing provide a lightweight, durable design
- Built-in tether notch (tether sold separately)
- Rubberized soft grip handle provides increased comfort on the job
- 3-stage L.E.D. gauges on the tool indicate battery charge levels
- Makita technology delivers category-leading charge time so the batteries spend more time working and less time sitting on the charger
- 18V LXT® Lithium-Ion 5.0Ah batteries (BL1850B) feature an integrated L.E.D. battery charge level indicator

MUXSR01PT includes: XSR01PT Tool, (2) 18V LXT® Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT® Lithium-Ion Dual Port Charger (DC18RD), 7-1/4" 24T C.T. Circular Saw Blade (B-61656), Hex Wrench (783204-6), Tool Bag (831271-6)

Item #	Description	Battery & Charger Included	Ah	Arbor	No Load Speed	Price
MUXSR01PT	36V 7-1/4" Circular Saw, Rear Handle, Kit	Yes	5.0	5/8"	5,100 RPM	\$399.00

UP TO
558 CUTS
IN 2X4 LUMBER PER CHARGE
with two 5.0Ah batteries

MAXIMUM PERFORMANCE
NO CORDS NEEDED

CAPACITY

Cuts 3X material in a single pass with a large 2-9/16" cutting capacity at 90°

CONVENIENCE

Retractable, extra-wide tool hook secures the tool when not in use

INNOVATION

Brushless Motor delivers 5,100 RPM for maximum performance and 50% longer run time per charge

LXT. BRUSHLESS

MAGNESIUM™

AUTOMATIC SPEED CHANGE
ADJUSTS SPEED & TORQUE FOR OPTIMUM PERFORMANCE

XPT™
EXTREME PROTECTION TECHNOLOGY

STAR PROTECTION
COMPUTER CONTROLS™

3 YEAR WARRANTY
LITHIUM-ION TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 23

36V (18V X2) LXT® Brushless 7-1/2" Dual Slide Compound Miter Saw



MUXSL02Z includes: XSL02Z Tool, 7-1/2" 40T Carbide-Tipped Miter Saw Blade (A-90629), Dust Bag (122852-0), Vertical Vise (122571-8), Extension Wing (322312-4)

- Two 18V LXT® Lithium-Ion Batteries deliver the power and performance of a corded miter saw without leaving the 18V LXT® platform
- The electronically-controlled BL™ Brushless Motor efficiently uses energy to match torque and RPM to the changing demands of the application
- Large dimensional lumber cutting capacity: 2-1/16" x 11-3/4" at 90° and 2-1/16" x 8-3/8" at 45°
- Positive miter stops at: 0°, 15°, 22.5°, 30° and 45° left and right
- Linear ball bearing system engineered to deliver "dead-on" accurate cuts
- Large aluminum base supports large stock for efficient cutting
- Electric brake for maximum productivity
- Direct drive gearbox for increased cutting efficiency and reduced maintenance
- Soft start suppresses start-up reaction for smooth start-ups and longer gear life

Item #	Description	Battery & Charger Included	Arbor	No Load Speed	Price
MUXSL02Z	36V 7-1/2" Miter Saw, Bare Tool	No *	5/8"	5,700 RPM	\$749.00

* Battery and charger not included, see page 63.

CAPACITY



Miters 0-47° left, 0-57° right;
Bevels 0-45° left, 0-5° right

PRECISION



4-Steel Rail Sliding System
increases rigidity to produce
superior cuts

BEST FIT



Rubberized soft grip handle
provides increased comfort
on the job

COMPATIBILITY



Miter Saw XSL02Z shown with
optional Stand WST06

LXT X2 18V X2 36V **BRUSHLESS**

**AUTOMATIC
SPEED CHANGE**
ADJUSTS SPEED & TORQUE FOR OPTIMUM PERFORMANCE

**STAR
PROTECTION**
COMPUTER CONTROLS™

**3
YEAR
WARRANTY**
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

24 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

36V (18V X2) LXT® Brushless 10" Dual-Bevel Sliding Compound Miter Saw with Laser



MUXSL06PT includes: XSL06Z Tool, (2) 18V LXT® Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT® Lithium-Ion Dual Port Charger (DC18RD), Vertical Vise (122854-6), Dust Bag (122852-0), Triangular Rule (762001-3), Hex Wrench, XSL06 (781044-6), 10" x 5/8" 40T Micro-Polished Miter Saw Blade

- Makita-Built electronically controlled BL™ Motor delivers 4,400 RPM for faster and smoother cutting
- Dual dust collection ports provide excellent dust extraction performance
- Miters 0-60° left and right; bevels 0-48° left and right
- Positive miter stops at: 0°, 15°, 22.5°, 31.6°, 45°, and 60° left or right
- Integrated 4-3/4" tall fence system for increased rigidity and more precise miter and bevel cuts
- Built-in laser clearly indicates line-of-cut whether blade is turning or not; on-off switch and micro-adjustments for precise "left-of-blade" or "right-of-blade" cutting
- Linear ball bearing system engineered to deliver accurate cuts
- Direct drive motor for increased cutting efficiency and reduced maintenance
- Easy one-touch slide lock for convenience
- See-through blade guard system for greater visibility of blade and line of cut
- 3-stage L.E.D. gauges on the tool indicate battery charge levels

Item #	Description	Battery & Charger Included	Ah	Arbor	No Load Speed	Price
MUXSL06PT	36V 10" Miter Saw Kit	Yes	5.0	5/8"	4,400 RPM	\$1,049.00

CAPACITY



Capacity for up to 6-5/8" crown (nested), 5-1/4" base (vertical), and 4x12 crosscuts at 90°

CONVENIENCE



In-front bevel lock for convenient operation

DESIGN



Unique 2-Steel Rail Sliding System offers a reduced footprint and operation flush against a wall

PRODUCTIVITY



X2 LXT™ technology delivers up to 334 cuts per charge in 2x4 SPF lumber using two 5.0Ah batteries

LXT X2 LXT + LXT 36V **BRUSHLESS**

LASER

DXT
Deep and eXact cutting Technology

AUTOMATIC
SPEED CHANGE
ADJUSTS SPEED & TORQUE FOR OPTIMUM PERFORMANCE

STAR
PROTECTION
COMPUTER CONTROLS™

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 **25**

18V LXT® 3-1/4" Planer



MUXPK01Z includes: XPK01Z Tool, Socket Wrench (782209-3), 3-1/4" Planer Blade, 2/pk (D-46246), Blade Gauge (123010-1)

- 2-blade cutterhead with double edge carbide blades for added performance and smooth finish
- High power-to-weight ratio; weighs only 7.4 lbs. with battery (battery not included)
- 15,000 RPM cutterhead engineered for faster stock removal
- Click depth adjustment knob with easy-to-read scale with settings from 0" - 5/64" for precise depth adjustment
- Spring-loaded stand elevates the base to protect the blades and workpiece
- Precision machined aluminum base for planing accuracy
- Ergonomically centered balance with rubberized soft grips on the front and rear handles for increased comfort on the job
- Easy blade setting system for fast blade installation
- Electric brake for maximum productivity

Item #	Description	Battery & Charger Included	Price
MUXPK01Z	18V 3-1/4" Planer, Bare Tool	No*	\$214.00
MUD-46246	3-1/4" Planer Blade, Double Edge, Pack of 2	-	\$14.06
MUD-17239	3/14" Planer Blade (2) with Set Plate, Double Edge	-	\$23.65

*** Battery and charger not included, see page 63.**



MUD-46246



MUD-17239



Pricing Effective 5/15/2024. Subject to change without notice.

18V LXT® 3-1/4" Planer, AWS® Capable



MUXPK02Z includes: XPK02Z Tool, Socket Wrench (782209-3), 3-1/4" Planer Blade, 2/pk (D-46246), Blade Gauge (123010-1), Guide Rule, Depth Guide

- Makita-Built brushless motor delivers 12,000 RPM for faster stock removal
- 2-blade cutter head with double edge carbide blades for added performance and smooth finish
- High power-to-weight ratio; weighs only 7.8 lbs. with battery (battery not included)
- Click depth adjustment knob with easy-to-read scale with settings from 0" to 7/64" for precise depth adjustment
- Chip ejection can be directed to either side of the tool for convenience
- Ergonomically centered balance with rubberized soft grips on the front and rear handles for increased comfort on the job
- Easy blade setting system for fast blade installation
- Electric brake for maximum productivity

Item #	Description	Battery & Charger Included	Price
MUXPK02Z	18V 3-1/4" Planer AWS® Capable†, Bare Tool	No *	\$309.00
MUD-46246	3-1/4" Planer Blade, Double Edge, Pack of 2	-	\$14.06
MUD-17239	3/14" Planer Blade (2) with Set Plate, Double Edge	-	\$23.65

† AWS transmitter pad sold separately (MU198901-5)

*** Battery and charger not included, see page 63.**

ACCURACY



Precision machined aluminum base for planing accuracy, with 3 chamfering grooves for convenience

CAPACITY



Planes up to 3-1/4" wide and 1/8" deep in a single pass with ability to rabbet up to 1" deep

DESIGN



Spring-loaded stand elevates the base to protect the blades and workpiece

INNOVATION



Auto-Start Wireless System (AWS™) capable; AWS™ Transmitter sold separately

LXT

AWS
CAPABLE

AUTOMATIC
SPEED CHANGE

Bluetooth

STAR
PROTECTION
COMPUTER CONTROLS™

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 27

18V LXT® Sub-Compact Brushless StarlockMax® Oscillating Multi-Tool



- Makita-Built brushless motor
- 3.6° oscillation angle engineered for faster, more aggressive cutting and sanding
- Large on/off slide switch with lock-on button for operator convenience
- Built-in L.E.D. light illuminates the work area
- Soft start feature for smooth start-ups
- Ideal for wood flooring, tile, plaster, sheetrock, wood, PVC and a variety of other applications

MUXMT04ZB includes: Tool only.

Item #	Description	Battery & Charger Included	Price
MUXMT04ZB	18V StarlockMax® Oscillating Multi-Tool, Bare Tool	No*	\$249.00

* Battery and charger not included, see page 63.

COMFORT



Anti-Vibration Technology (AVT™) for up to 85% reduced vibration

COMPATIBILITY



Compatible with StarlockMax®, StarlockPlus®, and Starlock® accessories

ERGONOMICS



Small diameter barrel grip for improved handling and added operator comfort

POWER



Variable speed control dial (10,000-20,000 OPM) enables user to match the speed to the application

LXT SUB-COMPACT BRUSHLESS

AVT
Anti Vibration Technology

STARLOCK MAX

XPT
EXTREME PROTECTION TECHNOLOGY

STAR
PROTECTION
COMPUTER CONTROLS™

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

18V LXT® Brushless 3/8" x 21" Detail Belt Sander



- Electric brake allows the tool to be repositioned faster for maximum productivity
- Versatile for use in wood and steel applications
- 3 different size arm assemblies available for increased versatility (1/4" & 1/2" sold separately)
- Large 21" belt produces 4-5/16" maximum sanding length for faster work

MUXSB01Z includes: XSB01Z Tool, Abrasive Belts and Side handle.

Item #	Description	Battery & Charger Included	Price
MUXSB01Z	Detail Belt Sander, Bare Tool	No*	\$339.00
MUA-34447	Sanding Belt, 3/8" x 21", 40 Grit, Pack 10	-	\$13.57
MUA-34453	Sanding Belt, 3/8" x 21", 60 Grit, Pack 10	-	\$13.57
MUA-34469	Sanding Belt, 3/8" x 21", 80 Grit, Pack 10	-	\$13.57
MUA-34475	Sanding Belt, 3/8" x 21", 100 Grit, Pack 10	-	\$13.57
MUA-34481	Sanding Belt, 3/8" x 21", 120 Grit, Pack 10	-	\$13.57

* Battery and charger not included, see page 63.

CONTROL



Variable speed control dial (1,960 - 5,600 ft./min.) to match the speed to the application

CONVENIENCE



L.E.D. light adjusts to sanding arm angle or workspace

POWER



Delivers corded performance with cordless convenience

VERSATILITY



Sanding arm pivots up to 160° for compact storage

LXT BRUSHLESS

STAR
PROTECTION
COMPUTER CONTROLS™

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 29

18V LXT® Brushless High Speed Blower/Inflator



- 5 nozzles included for a wide range of applications
- Built-in L.E.D. light illuminates the work area
- In-line fan design provides better tool balance and improved ergonomics
- Filter on blower intake reduces dust being blown through the blower
- Rubberized soft grip provides increased comfort on the job

Item #	Description	Battery & Charger Included	Price
MUXSA01Z	18V High Speed Blower/Inflator, Bare Tool	No*	\$194.00

* Battery and charger not included, see page 63.

MUXSA01Z includes: XSA01Z Tool, High Speed Dust Blower Nozzle, 3 mm (191X11-1), High Speed Dust Blower Nozzle, 7 mm (191X13-7), High Speed Dust Blower Nozzle, 13 mm (191X15-3), High Speed Dust Blower Pinch Valve Nozzle (191X17-9), High Speed Dust Blower Wide Angle Nozzle (191X19-5)



TECHNOLOGY



Makita-built brushless motor delivers up to 447 MPH and 39 CFM

RUN TIME



Up to 55 minutes of run time with 18V LXT® 6.0Ah battery (battery not included)

COMPACT



Compact length at only 7"; ideal for working in tight spaces

APPLICATIONS



4 digitally controlled speeds with 5 nozzles for a wide range of applications

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

30 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

18V LXT® Brushless 2 Gallon HEPA Filter Portable Wet/Dry Dust Extractor/Vacuum



MUXCV11Z includes: XCV11Z Tool, Round Wet/Dry HEPA Filter (162518-0), Pre-Filter Set, XCV11Z (199827-4), 5" Black Upholstery Nozzle (458891-7), 7" Black Crevice Nozzle (458919-1), Flexible Anti-Static Hose, 1" x 6.5' (140G04-3)

- Up to 60 minutes of continuous run time using an 18V LXT® Lithium-Ion 5.0Ah battery BL1850B (battery not included)
- L.E.D. battery indicator shows charge level for 18V LXT® Lithium-Ion battery (battery not included)
- Two tools in one; quickly converts from vacuum to blower for increased versatility
- Two speed push button power selection (high/low) for a variety of applications
- Battery compartment keeps the battery (not included) protected from harmful debris on the jobsite
- Carrying top handle stores out of the way and provides increased comfort during transport
- On-board hose and nozzle storage allow for easy and convenient transport
- Quick-release latch for easy removal and disposal of debris from canister

Item #	Description	Battery & Charger Included	Price
MUXCV11Z	18V 2G HEPA Wet/Dry Dust Extractor/Vacuum, Bare Tool	No*	\$224.00
MU162518-0	Replacement Round Wet/Dry HEPA Filter	-	\$27.57
MU199827-4	Replacement Pre-Filter Set	-	\$24.06


* Battery and charger not included, see page 63.

DUST MANAGEMENT



Efficient HEPA filter captures 99.97% of particulates .3 microns and larger

EFFICIENCY



Filter cleaning system is designed to maintain optimum suction efficiency and longer filter life

PERFORMANCE



Powerful Brushless motor delivers 57 CFM using a 18V LXT® Lithium-Ion battery (battery not included)

PORTABILITY



Compact and portable design; weighs only 10.1 lbs. (shoulder strap not included)

LXT BRUSHLESS

HEPA filter

XPT
EXTREME PROTECTION TECHNOLOGY

STAR
PROTECTION
COMPUTER CONTROLS™

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 **31**

18V LXT® L.E.D. Lantern/Flashlight



- Three L.E.D. lighting modes: 360° lantern, 180° lantern or flashlight
- 360° lantern mode provides 620 lumens; 180° lantern mode provides 310 lumens; flashlight mode provides 90 lumens
- 180°-360° lantern lighting allows the user to select between entire work area or specific task illumination
- Up to 11 hours of continuous illumination in 360° lantern mode with a 5.0Ah LXT® battery (battery sold separately)
- Up to 21 hours of continuous illumination in 180° lantern mode with a 5.0Ah LXT® battery (battery sold separately)
- Up to 59 hours of continuous illumination in flashlight mode with a 5.0Ah LXT® battery (battery sold separately)
- Compact and ergonomic design at only 14-3/8" tall

MUDML806 includes: Tool only.

Item #	Description	Battery & Charger Included	Price
MUDML806	18V L.E.D. Lantern/Flashlight, Bare Tool	No*	\$60.55

* Battery and charger not included, see page 63.



COMFORT



Rubberized soft grip provides increased comfort on the job

CONVENIENCE



Metal hang hook swivels 360° and folds away for added convenience



3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY

Pricing Effective 5/15/2024. Subject to change without notice.

32 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

18V LXT® Tower Work/Multi-Directional Light



- Daylight white L.E.D. produces a clearer light
- L.E.D. lights effectively illuminate work area without the high heat of halogens
- Up to 10 hours of continuous illumination with a 5.0Ah 18V LXT® battery on low (battery and charger not included)
- Up to 3 hours of continuous illumination with a 5.0Ah 18V LXT® battery on high (battery and charger not included)
- Lockable battery compartment
- Convenient handles and shoulder strap for easy transportation

MUDML814 includes: DML814 Tool, Shoulder Strap, Tool Bag.

Item #	Description	Battery & Charger Included	Price
MUDML814	18V Tower Work/Multi-Directional Light, Bare Tool	No *	\$424.00




*** Battery and charger not included, see page 63.**

VERSATILITY



3-mode operation; delivers 3,000 lumens on High, 1,700 lumens on Medium, and 900 lumens on Low

DESIGN



Extends to an overall height of 7-1/4 ft. with a foldable design for quick setup and takedown

CONVENIENCE



Dust and water-resistant construction (IP55 rated) for operation in harsh job site conditions

CONTROL



Three adjustable light heads rotate 180° vertically



Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 **33**

12V max CXT® Self-Leveling 360° 3-Plane Green Laser



MUSK700GDNAJ includes: SK700GD Tool, 12V max CXT® Lithium-Ion 2.0Ah Battery (BL1021B), 12V max CXT® Lithium-Ion Charger (DC10WD), Magnetic Green Target Plate (LE00823195), Magnetic L-Adapter, SK700 (LE00929104), Inner Tray, SK700 Lasers (8351P4-9), MAKPAC Interlocking Case, Large (197212-5)

- Green line visibility range up to 115' and detectable up to 230' with Makita Laser Detector (sold separately)
- Eccentric base allow for vertical line adjustment while maintaining the plumb point position ($\pm 10^\circ$) for increased simplicity and precision
- Fast self-leveling line stability is achieved in up to 3 seconds for increased productivity
- Self-leveling is correctable up to 4° of slope allowing operation on uneven surfaces
- Integrated pendulum lock enables slope incline applications and provides added protection during transport & storage
- Dust and water resistance with IP 54 rating for increased durability
- Highly protected laser windows are recessed for increased durability
- Rubberized housing over-mold for increased protection
- Simplified two button user interface for ease of operation
- Low laser brightness modes conserve battery power for extended run-time performance
- Multi-function magnetic bracket with integrated 1/4" & 5/8" threads allow laser attachment to metal surfaces, wood surfaces or tripods

Item #	Description	Battery & Charger Included	Ah	Price
MUSK700GDNAJ	12V Self-Leveling 360° 3-Plane Green Laser Kit	Yes	2.0	\$674.00

ACCURACY



Sharp laser line with $\pm 1/16"$ at 33' for best-in-class accuracy

PRECISION



360° rotating base with fine point adjustment knob

RUN TIME



Makita 12V max CXT® 2.0Ah rechargeable battery provides up to 7 hours of continuous run time

VERSATILITY



3 x 360° laser planes provide reference positions for level, align, plumb and square applications



Pricing Effective 5/15/2024. Subject to change without notice.

Stapler, 18 Gauge, 1/4" Narrow Crown



- "Tool-less" depth adjustment for more precise flush and countersink stapling
- Built-in air duster provides convenient air flow to clear work surface
- Multi-directional exhaust port directs exhaust air away from operator
- Staple reload indicator window alerts the operator when to reload staples
- Housing bumpers protect tool and work surface
- Aluminum body for durability with less weight
- Includes two removable no-mar tips; convenient on tool storage
- Integrated rubber soft grip for operator comfort
- Narrow nose design allows easy stapling access in confined areas
- Ideal for cabinets, shelving, insulation, lattice work, fencing and other woodworking applications
- Minimum recommended air delivery of 1.7 SCFM @ 90PSI
- 3 year warranty

MUAT638A includes: AT638A Tool, Pneumatic Nailer Oil (181434-7), Safety Glasses, (2) No-Mar Tip, Air Fitting, Tool Case

Item #	Description	Price
MUAT638A	Stapler, 18 Gauge, 1/4" Narrow Crown, 1/2" - 1-1/2"	\$159.00

CONTROL



2-mode selector switch for control over stapling operation

CONVENIENCE



Reversible belt hook allows the tool to remain close

EFFICIENCY



Bottom-loading magazine allows user to quickly load staples (1/4" crown from 1/2" to 1-1/2" long)

POWER



Efficient motor design offers leading power performance

1-3/8" Pin Nailer, 23 Gauge, 1-3/8"



MUAF353 includes: AF353 Tool, Pneumatic Nailer Oil (181434-7), Safety Glasses, (2) No-Mar Tip, Air Fitting, Hex Wrench, Tool Case



- Side, drop-in loading magazine holds up to 130 nails for maximum efficiency
- Built-in air duster provides convenient air flow to clear work surface
- Double, 2-finger trigger for user convenience
- Rear exhaust port directs exhaust air away from operator and work surface
- Includes two removable no-mar tips with sightlines for increased pinning accuracy; convenient on tool storage
- Easy to clear nose for fast and easy nail extraction should a jam occur
- Narrow nose design allows easy nailing access to tight areas and angles
- Magazine self adjusts to the proper fastener length when loaded
- Reversible belt hook allows the tool to remain close
- Housing bumpers protect tool and work surface
- Integrated rubber soft grip for operator comfort
- Ideal for installing moulding, chair rail, tacking trim, glass retainers to doors, cross pinning dowels & joints, cabinets, paneling, glazed bead, craft work, picture frame assembly, window beading, rattan furniture, and a wide variety of other woodworking applications
- Minimum recommended air delivery of .8 SCFM @ 90PSI
- 3 year warranty

Item #	Description	Price
MUAF353	1-3/8" Pin Nailer, 23 Gauge, 5/8" - 1-3/8"	\$169.00

CONTROL



Nail lock-out mechanism protects tool and work surface from nail-less blank fires

CONVENIENCE



23 gauge pins create minimal nail holes for a faster and more professional looking finish

DURABILITY



Aluminum body, magazine, and cylinder for added strength

ERGONOMICS



Lightweight design, soft grip, and slim profile for easy operation

Pricing Effective 5/15/2024. Subject to change without notice.

36 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

Brad Nailer, 18 Gauge, 5/8" - 2"



MUAF506 includes: AF506 Tool, Pneumatic Nailer Oil, (2) No-Mar Tip, Air Fitting, Safety Glasses, Tool Case



- Powerful motor drives a range of 18 gauge brad nails from 5/8" to 2" into hard or soft wood applications
- Aluminum body, magazine and cylinder for strength and durability; weighs only 2.9 lbs.
- Cast and machined nose piece for precise contact
- Non-marring rubber nose and bumpers protect the wood's surface from being scratched or damaged
- Reversible belt hook allows the tool to remain close
- Dual nail reload indicator window alerts the user when to reload nails to avoid blank drives
- Multi-directional exhaust port directs exhaust air away from operator
- Housing bumpers protect tool and work surface
- Side loading magazine holds up to 100 nails for maximum efficiency
- Integrated rubber soft grip for operator comfort
- Ideal for trim work, baseboard and crown molding installation, flooring and other woodworking applications
- Minimum recommended air delivery of 1.5 SCFM @ 90PSI
- 3 year warranty

Item #	Description	Price
MUAF506	Brad Nailer, 18 Gauge, 5/8" - 2" - 1-1/2"	\$119.00

ACCURACY



Narrow nose design allows easy nailing access in confined areas

CONVENIENCE



Built-in air duster provides convenient air flow to clear work surface

DESIGN



"Tool-less" easy to clear nose for fast and easy nail extraction

PRECISION



Easy to use "tool-less" depth adjustment dial for a wide variety of finish applications

Pricing Effective 5/15/2024. Subject to change without notice.

Straight Finish Nailer, 16 Gauge, 1" - 2-1/2"



MUAF601 includes: AF601 Tool, Pneumatic Nailer Oil, (2) No-Mar Tip, Air Fitting, Safety Glasses, Tool Case



- Built-in air duster provides convenient air flow to clear work surface
- 2-mode selector switch for control over nailing operation
- Multi-directional exhaust port directs exhaust air away from operator
- "Tool-less" easy to clear nose for fast and easy nail extraction
- Housing bumpers protect tool and work surface
- Magnesium body offers durability and less weight
- Includes two removable no-mar tips; convenient on tool storage
- Powerful motor design drives standard 16 gauge, straight finish nails from 1" to 2-1/2" in length
- Reversible belt hook allows the tool to remain close
- Integrated rubber soft grip for operator comfort
- Narrow nose design allows easy nailing access in confined areas
- Ideal for trim work, baseboard and crown molding installation, flooring and other woodworking applications
- Minimum recommended air delivery of 2.7 SCFM @ 90PSI
- 3 year warranty

Item #	Description	Price
MUAF601	Straight Finish Nailer, 16 Gauge, 1" - 2-1/2"	\$199.00

CONVENIENCE



Rear-loading magazine for quick loading of nails from 1" to 2-1/2" long

EFFICIENCY



Nail lock-out mechanism protects tool and work surface

POWER



Efficient motor design offers leading power performance

PRECISION



"Tool-less" depth adjustment for precise flush and countersink finish

Pricing Effective 5/15/2024. Subject to change without notice.

38 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

Angled Finish Nailer, 34° 15 Gauge, 1-1/4" - 2-1/2"



MUAF635 includes: AF635 Tool, Pneumatic Nailer Oil, (2) No-Mar Tip, Air Fitting, Safety Glasses, Tool Case



- Powerful motor drives 15 gauge "DA" style angled finish nails from 1-1/4" to 2-1/2"
- Built-in air duster provides convenient air flow to clear work surface
- "Tool-less" easy to clear nose for fast and easy nail extraction
- 2-mode selector switch for control over nailing operation
- Multi-directional exhaust port directs exhaust air away from operator
- Includes two removable no-mar tips; convenient on tool storage
- Reversible belt hook allows the tool to remain close
- Housing bumpers protect tool and work surface
- Integrated rubber soft grip for operator comfort
- Rear lock-and-load magazine holds up to 100 nails for maximum efficiency
- Narrow nose design allows easy nailing access in confined areas
- Ideal for trim work, baseboard and crown molding installation, hanging doors, exterior fascia and soffits, and other woodworking applications
- Minimum recommended air delivery of 3.1 SCFM @ 90PSI
- 3 year warranty

Item #	Description	Price
MUAF635	Angled Finish Nailer, 34° 15 Gauge, 1-1/4" - 2-1/2"	\$219.00

CONTROL



Nail lock-out mechanism protects tool and work surface from nail-less dry fires

DURABILITY



Magnesium body and aluminum magazine for added strength

POWER



Efficient motor design offers leading power performance

PRECISION



"Tool-less" depth adjustment engineered for more precise flush and countersink nailing

Compact Air Compressor, Electric



- Powerful 1/6 maximum horsepower induction motor provides up to 125 PSI
- Lightweight design (23.1 lbs.) for increased job site portability
- Low noise for operator comfort; ideal for indoor use
- Low AMP draw reduces incidents of tripped breakers at start-up
- Roll cage construction for extra protection of pump and motor assembly
- Oil-less pump designed for maintenance-free operation
- Copper discharge tubing for increased heat dissipation
- Lever-handle ball valve tank drain improves upon standard petcock design for easier maintenance and air tank release
- Universal brass coupler for increased durability and reduced corrosion
- Large pressure gauges for easier visibility of tank and hose pressure
- Ideal for case and base installation, trim and finish carpentry, cabinet and furniture makers, and more
- 1 year warranty



MUAC001 includes: AC001 Tool, 1/4" Universal Quick Coupler, Male (447013-E)

Item #	Description	Price
MUAC001	Compact Air Compressor, 1G Tank	\$219.00

COMFORT



Low noise for operator comfort; ideal for indoor use

DURABILITY



Roll cage construction for extra protection of pump and motor assembly

PERFORMANCE



Powerful 1/6 maximum horsepower induction motor provides up to 125 PSI

PORTABILITY



Lightweight design (23.1 lbs.) for increased job site portability

Quiet Series Compressors, Oil-Free



MUMAC210Q

- Runs at a lower RPM (1,750) resulting in longer motor and pump life
- Oil-free dual-piston pump designed for maintenance-free operation
- Lightweight design for increased job site portability
- Quick 90 second full tank fill from empty
- Low AMP draw reduces incidents of tripped breakers at start-up
- Large pressure gauges for easier visibility of tank and hose pressure
- Built-in thermal overload for additional motor protection
- Ideal for case and base installation, trim and finish carpentry, cabinet and furniture makers, and more
- 1 year warranty

Both units include: MAC100Q or MAC210Q Tool, 1/4" Universal Quick Coupler, Male (447013-E)



Item #	Description	Tank	dB	Price
MUMAC100Q	Quiet Series Compressor, 1/2 HP	1 Gallon	58	\$239.00
MUMAC210Q	Quiet Series Compressor, 1 HP	2 Gallon	60	\$314.00

CONVENIENCE



Cord wrap for convenient AC power cord storage

DESIGN



Complete roll-cage construction design

EFFICIENCY



Lever-handle tank drain for easy air tank release

QUIET SERIES.

Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 41

1-1/4 HP Palm Router, 1/4" Shank



- Variable speed control dial (10,000 - 30,000 RPM) to match the speed to the application
- Quick release cam lock system for convenient depth adjustments and base removal/installation
- Soft start feature for smooth start ups
- High visibility base design for improved handling and performance
- Shaft lock for quick and easy bit changes
- Durable flat top design for added convenience when changing bits
- 1 year warranty

Item #	Description	Price
MURT0701C	1-1/4 HP Palm Router	\$149.00

MURT0701C includes: RT0701C Tool, Trimmer Base (196613-4), 1/4" Collet (763637-1), Straight Guide (122965-7), Spanner Wrench (781039-9) and (781011-1)



ACCURATE



Smooth rack-and-pinion fine depth adjustment system

COMFORT



Ergonomically designed body for increased comfort and control

DURABILITY



Heavy duty aluminum motor housing for increased durability

POWER



1-1/4 HP* motor delivers 6.5 AMP for improved performance

Pricing Effective 5/15/2024. Subject to change without notice.

42 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

1-1/4 HP Palm Router Kit, 1/4" Shank



MURT0701CX3 includes: RT0701C Tool, Trimmer Base (196613-4), Plunge Base (196094-2), Tilt Base (198987-9), Offset Base (196093-4), Straight Guide (122965-7), Trimmer Guide (122703-7), Dust Extracting Attachment, Fixed Base (195559-1), Dust Extracting Attachment, Plunge Base (194733-8), 1/4" Collet (763637-1), Spanner Wrench (781039-9) and (781011-1)

Item #	Description	Price
MURT0701CX3	1-1/4 HP Palm Router Kit, Multiple Bases	\$299.00

- Variable speed control dial (10,000 - 30,000 RPM) to match the speed to the application
- Smooth rack-and-pinion fine depth adjustment system for more precise settings
- Slim and ergonomically designed body for increased comfort and control
- Quick release cam lock system for convenient depth adjustments and base removal/installation
- Accepts industry standard template guides
- Electronic speed control maintains constant speed under load
- Soft start feature for smooth start ups
- High visibility base design for improved handling and performance
- Base can be removed quickly to install other bases (plunge, tilt and offset)
- Heavy duty aluminum motor housing engineered for increased durability
- Shaft lock for quick and easy bit changes
- Durable flat top design for added convenience when changing bits
- Non-marring high-durability base insert for increased work piece protection
- Easy-to-read depth scales
- Double insulated
- Ideal for routing small profiles, dovetailing, door hinges and more
- 1 year warranty

PLUNGE BASE

- Easy-to-use fine depth adjustment with 3 preset depth stops for added precision
- Conveniently located plunge lock lever for operator convenience
- Removable clear plastic shield helps protect the operator from airborne debris

TILT BASE

- Allows different profiles when using the same router bit
- Ideal for trimming laminated boards and other thin materials
- Fits compact routers models RT0700C and RT0701C

OFFSET BASE

- Ideal for counter tops, kitchen and bath sink cutouts

OFFSET BASE



Offset base allows routing in hard-to-reach areas and as close as 3/4" to the wall

PLUNGE BASE



0" - 1-3/8" plunge depth capacity for easy penetration into workpiece

TILT BASE



Tilt base for routing at different angles with positive stops at 30° and 45°

VERSATILE



Fixed base accepts industry standard template guides

2-1/4 HP Knob or D-Handle Router, VS, 1/4" and 1/2" Shank



MURF1101 includes: RF1101 Knob-Handle Router, 1/4" Collet with Nut (193214-9), 1/2" Collet (763643-6), Wrench 27 (193234-3)

- Low noise (81dB) for operator comfort
- Electronic speed control maintains constant speed under load
- Soft start feature for smooth start-ups
- Rugged aluminum motor housing with small 3-1/4" diameter for easy handling
- Durable flat top design for stability when changing bits
- Bits are installed/removed with two identical size wrenches
- All-ball bearing construction for longer tool life
- Front knob can be placed in two locations for left or right handed operators
- Large calibrated depth control ring for easy depth adjustment
- Externally accessible brushes for greater serviceability
- 1 year warranty

Item #	Description	Price
MURF1101	2-1/4 HP Knob-Handle Router, Variable Speed	\$265.00
MURD1101	2-1/4 HP D-Handle Router, Variable Speed	\$309.00



MURD1101 includes: RD1101 D-Handle Router, 1/4" Collet with Nut (193214-9), 1/2" Collet (763643-6), Wrench 27 (193234-3)



COMFORT



D-handle models have a locking trigger switch for operator control and comfort

CONTROL



Variable speed models feature a speed control dial (8,000 - 24,000 RPM)

CONVENIENCE



Cam-lock lever for fast, easy depth adjustment and removal of base

POWER



Powerful 11 AMP motor delivers 24,000 RPM for smooth and clean routing

3-1/4 HP Plunge Router, Variable Speed, 1/4" and 1/2" Shank



- Electronic speed control maintains constant speed under load
- Variable speed control dial enables user to match the speed to the application
- Soft start feature for smooth start-ups
- Electric brake for increased productivity
- Built-in twin L.E.D. lights illuminate the work area for increased visibility
- Oversized ball bearing construction for longer tool life
- Ergonomic rubberized handles with built-in large two-finger switch for added control and use
- Conveniently located plunge lock lever for efficient operation
- Shaft lock for quick and easy bit changes
- "Tool-less" template guide system for quick and easy installation and removal
- Lock-on trigger switch for continuous operation
- Built-in fan with labyrinth construction minimizes dust from entering the tool for longer tool life
- Easy-to-read depth scales
- Chip deflector engineered to direct chips away from the operator
- Durable flat top design for stability when changing bits
- Double insulated
- 1 year warranty



MURP2301FC includes: RP2301FC Tool, 1/2" Collet (763622-4), 1/4" Collet (763803-0), Extend Depth Adjustment Knob (158980-5), Spanner Wrench (781030-7)

Item #	Description	Price
MURP2301FC	3-1/4 HP Plunge Router	\$399.00



5" Random Orbit Sander, with Tool Case



- Smooth and fast sanding with 3.0 AMP motor (12,000 OPM)
- Large 1/8" random orbit action for fast and super smooth sanding
- Efficient through-the-pad dust collection system for a cleaner work environment
- Dust-sealed switch minimizes contamination
- Conveniently located on/off switch for easy one-handed operation
- 1 year warranty

Item #	Description	Price
MUBO5030K	5" RO Sander with Case, 5" 8 Hole H/L	\$99.00

MUBO5030K Includes: 5" Random Orbit Sander (BO5030), Dust Bag (166078-4), Plastic Tool Case (183782-0), Dust Bag Nozzle (416063-0)



COMFORT



Rubberized palm grip and low vibration for improved operator comfort

CONTROL




Pad control system helps prevent gouging and swirl marks

EFFICIENCY



Dust is extracted through 8 holes under the pad and collected in a dust bag

PRODUCTIVITY



Oversize ball bearing for extended tool life

5" Random Orbit Sander, Variable Speed, with Tool Case



MUBO5041K Includes: 5" Random Orbit Sander (BO5041), Dust Bag (166078-4), Dust Bag Nozzle (416063-0), Tool Case

- Smooth and fast sanding with 3.0 AMP motor
- Ergonomic rubberized palm grip and handle for improved operator comfort
- Large 1/8" random orbit action for fast and super smooth sanding provides a swirl-free finish
- Efficient through-the-pad dust collection system for a cleaner work environment
- Pad brake for maximum productivity
- High capacity dust collection system with built-in vacuum port adapter for improved dust collection
- Oversized sealed-ball bearing construction for longer tool life
- Double insulated
- 1 year warranty



Item #	Description	Price
MUBO5041K	5" RO Sander, Variable Speed with Case, 5" 8 Hole H/L	\$144.00

COMFORT




Adjustable front handle allows for sanding in corners and confined areas

CONTROL



Variable speed control dial (4,000-12,000 OPM) to match the sanding speed to the material

CONVENIENCE



Large two-finger trigger switch with conveniently located lock-on button

PERFORMANCE



Pad brake engineered for increased performance and reduced gouging

6" Random Orbit Sander, Variable Speed, with Tool Case



MUBO6050J Includes: BO6050 Tool, 120 Grit Disc (794610-0-1), 6" Round Sanding Backing Pad, Hook & Loop, Soft (197314-7), Dust Extracting Attachment (143326-8), Pad Protector (456127-8), Side Handle (153489-2), MAKPAC Interlocking Case, Large (197212-5)

- 7/32" orbit diameter provides a swirl-free finish
- "Tool-less" backing pad change enables quick pad change to meet application
- Efficient through-the-pad dust collection system with built-in dust port for a cleaner work environment
- Lock-on slide trigger switch for added convenience of continuous operation
- Removable pad protector protects work surface and backing pad
- Smooth soft start operation
- "Tool-less" dust extraction channel attachment
- Connectable to Makita vacuum cleaners
- 1 year warranty

Item #	Description	Price
MUBO6050J	6" RO Sander, Variable Speed with Case, 6" 8 Hole H/L	\$419.00



ACCURACY



2-mode switch for "random orbit" and "random orbit with forced rotation"

COMFORT



Ergonomically designed barrel grip and side handle

PERFORMANCE



1,600 - 6,800 OPM
6.6 AMP motor rotates pad 1,600 - 6,800 OPM for smooth finish sanding

SPEED



Uses hook-and-loop abrasive discs for quick changes

Belt Sander, Variable Speed



MU9920

MU9903 includes: 9903 Tool, 3" x 21" Abrasive Belt, 80 Grit (742308-3-1), Dust Bag (122591-2)

MU9920 includes: 9920 Tool, 3" x 24" Abrasive Belt, 80 Grit (742312-8C-1), Dust Bag (122591-2)


MU9404 includes: 9404 Tool, 4" x 24" Abrasive Belt, 80 Grit (742322-9-1), Dust Bag (122591-2)

- Powerful 8.8 AMP motor; only 85dB
- Dust bag for a cleaner work environment
- Long 16.4 ft. power cord for easier maneuverability
- Sands wood or metal and removes paint and rust
- Double insulated
- Ideal for woodworkers, carpenters, furniture makers, floor installers, deck builders and general contractors who require a best-in-class belt sander
- 1 year warranty

Item #	Description	Price
MU9903	3" x 21" Belt Sander, Variable Speed, with Case	\$339.00
MU9920	3" x 24" Belt Sander, Variable Speed, with Case	\$349.00
MU9404	4" x 24" Belt Sander, Variable Speed, with Case	\$369.00



ACCURACY



Auto-tracking belt system tracks belt without adjustment

CONVENIENCE



Large front grip for operator comfort

EFFICIENCY



Variable speed control dial (690 - 1,440 ft./min.) to match the speed to the application

PERFORMANCE



Innovative design for sanding flush to wall with nose and side of sander

6-1/2" Plunge Circular Saw Kit, with Stackable Tool Case and 55" Guide Rail




MUSP6000J1 includes: 6-1/2" Plunge Circular Saw (SP6000J), 6-1/2" 48T C.T. Plunge Saw Blade (B-07353), Hex Wrench (783203-8), MAKPAC Interlocking Case, X-Large (197213-3), 55" Guide Rail (194368-5)

Item #	Description	Price
MUSP6000J1	6-1/2" Plunge Circular Saw Kit with MAKPAC Case and 55" Guide Rail	\$519.00



- 12 AMP motor with variable speed control dial (2,000 - 5,200 RPM) for optimum performance in a variety of materials
- Large cutting capacity (2-3/16" at 90° and 1-9/16" at 45°)
- Bevel capability (-1 to 48°) with positive stops at 22.5° and 45°
- Ideal for cutting large wood panels and other wood materials in confined areas
- 1-1/2" OD dust port directs material away from the operator and connects to a vacuum system
- Electronic speed control maintains constant speed under load for smooth cutting
- Built-in current limiter helps prevent motor burnout
- Soft start feature for smooth start-ups
- Easy-to-set depth adjustment with large scale
- Smooth and convenient plunge release lever for operator comfort
- Dual front and rear bevel supports provide additional rigidity for precise and accurate bevel cuts
- Large 1-7/16" rear dust port directs material away from the operator and easily connects to a vacuum system
- 55" Guide Rail interacts with the saw base to provide smooth, perfect, dead-on straight or bevel cutting
- Saw base is attachable to other guide rail systems in the market
- 1 year warranty



Pricing Effective 5/15/2024. Subject to change without notice.

50 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

10" Dual-Bevel Sliding Compound Miter Saw with Laser



MULS1019L includes: LS1019L Tool, Vertical Vise (122854-6), Dust Bag (122852-0), Triangular Rule (762001-3), 10" x 5/8" 60T Micro-Polished Miter Saw Blade, Hex Wrench (781044-6)



- 10" slide miter saw with the crown molding cutting capacity (6-5/8" nested) of a 12" miter saw
- Dual dust collection ports provide excellent dust extraction performance
- Innovative direct drive motor and guard system is engineered for increased vertical cutting capacity (5-1/4")
- Linear ball bearing system engineered to deliver "dead-on" accurate cuts
- Powerful 15.0 AMP direct drive motor requires less maintenance and delivers 3,200 RPM
- Soft start suppresses start-up reaction for smooth start-ups and longer gear life
- Miters 0-60° left and right; bevels 0-48° left and right
- Positive miter stops at: 0°, 15°, 22.5°, 31.6°, 45°, and 60° left or right
- Electronic speed control maintains constant speed under load for smoother, higher quality cutting
- Integrated upper and lower 4-3/4" tall fence system offers added rigidity for more precise miter and bevel cuts
- Built-in laser clearly indicates line-of-cut whether blade is turning or not; on-off switch and micro-adjustments for precise "left-of-blade" or "right-of-blade" cutting
- Easy-to-read dual bevel scale for more precise adjustments
- Easy blade changes for increased efficiency
- Oversized trigger switch for better fit, added comfort and easier operation
- Easy one-touch slide lock for convenience
- Simple 90° turn-of-the-knob miter angle lock/unlock mechanism
- 1 year warranty

Item #	Description	Price
MULS1019L	10" Dual-Bevel Sliding Compound Miter Saw with Laser	\$739.00

ACCURACY



See-through blade guard system for greater visibility of blade and line of cut

CAPACITY



6-5/8" Crown Molding (vertically nested) and 5-1/4" baseboard (vertical) cutting capacity

CONVENIENCE



In-front bevel lock for convenient operation

DESIGN



Unique 2-Steel Rail Sliding System offers a reduced footprint and operation flush against a wall

LASER

DXT
Deep and eXact cutting Technology



Pricing Effective 5/15/2024. Subject to change without notice.

Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237 51

Plate Joiner, with Tool Case



MUPJ7000 includes: PJ7000 Tool, 4" Carbide Tipped Blade for Plate Joiner (A-95118), Angle Guide (123148-2), Dust Bag (123150-5), Set Plate (415579-2), Lock Nut Wrench (782401-1), Tool Case (821509-7)

- Powerful 5.6 AMP motor delivers 11,000 RPM for quick, precise cutting in a variety of woods
- Cast aluminum pivot fence with three positive stops at 0°, 45° and 90°
- Large and easy-to-operate cam locks for angle guide and fence adjustments
- Large top grip handle for improved handling
- "Tool-less" blade cover and shaft lock for fast and easy blade changes
- Designed for making strong plate joints in a minimum amount of time
- Double insulated
- 1 year warranty



Item #	Description	Price
MUPJ7000	Plate Joiner, with Tool Case	\$229.00
MUA-95118	Plate Joiner Blade, 4" Carbide Tipped	\$39.46

ACCURACY



Rack-and-pinion vertical fence system engineered for accurate adjustments

COMFORT



Slim and ergonomic body design for added comfort

CONVENIENCE



Cast aluminum pivot fence with three positive stops at 0°, 45° and 90°

SPEED



Six depth settings with one-touch stops for the most common biscuit sizes

Pricing Effective 5/15/2024. Subject to change without notice.

52 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

3-1/4" Planer, with Tool Case



MUKP0800K includes: KP0800 Tool, 3-1/4" Planer Blade, 2/pk (D-46246), Blade Gauge (123010-1), Socket Wrench (782209-3), Guide Rule (165581-2), Tool Case (824892-1)



- Two-blade cutter head with 17,000 RPM delivers smooth finish and fast stock removal
- Easy blade setting system for fast blade installation
- Equipped with double edge carbide blades for added performance
- Rigid die-cast aluminum housing with all-ball bearing construction for longer tool life
- High power-to-weight ratio; weighs only 5.7 lbs.
- Machined aluminum and balanced planer drum for reduced vibration and added durability
- Lock-on button for continuous operation
- Click depth adjustment knob with easy-to-read scale with settings from 0" to 3/32" (0.1mm increments) for precise depth adjustment
- Ergonomically centered balance with rubberized front and rear handles for added comfort
- High quality poly-v belt provides added durability
- Double insulated
- 1 year warranty

Item #	Description	Price
MUKP0800K	3-1/4" Planer, with Tool Case	\$199.00
MUD-46246	3-1/4" Planer Blade, Double Edge, Pack of 2	\$14.06
MUD-17239	3/14" Planer Blade (2) with Set Plate, Double Edge	\$23.65

CAPACITY



Planes up to 3-1/4" wide and 3/32" deep

CONVENIENCE



Spring-loaded stand elevates the base

POWER



6.5 AMP motor delivers more output power

PRECISION



Precision machined aluminum base

Variable Temperature Heat Gun Kit with LCD Digital Display



- Push-button temperature control (122 - 1,202°F) for precise control over a wide variety of applications with LCD temperature reading
- Slide switch sets three air flow settings (cooling, low, high) for greater versatility
- Push-button temperature control increases by 50°F increments for exact temperature adjustment
- Compact 2.0 lb. design features a rubberized pistol grip handle and an integrated rear stand
- Ideal for vehicle wraps and tinting, stripping lacquer, paint and varnish, thawing frozen pipes, loosening tile and putty, re-melting adhesive, removing stickers, waxing and de-waxing, bending plastic pipes and sheets, and more
- Compatible with various nozzle accessories for increased versatility (additional accessories sold separately)
- 1 year warranty

MUHG6530VK includes: HG6530 Tool, 1-3/8" Glass Protection Nozzle (PR00000028), 1-3/8" Wide-Slot Nozzle (PR00000029), 1-3/8" Reflector Nozzle (PR00000030), 1-3/8" Reduction Nozzle (PR00000031), Tool Case

Item #	Description	Price
MUHG6530VK	Variable Temperature Heat Gun, LCD Digital Display	\$157.00

CONVENIENCE



Built-in tether notch
(tether sold separately)

DESIGN



Rubberized handle and
integrated rear stand

PRECISION



Push-button temperature control
(122-1,202°F) for precise control
over a variety of applications

VERSATILITY





Slide switch sets three air flow
settings (cooling, low, high)
for greater versatility

Jig Saw Blades, T-Shank

	Item #	Overall Length	Cutting Length	TPI	Material	Application & Cutting Capacity	Price per Pk 5
	MU792428-3	3-1/2"	2-1/2"	24	HSS	Mild Steel Plastic and Aluminum: 1/16" to 3/16" Stainless and Mild Steel: 1/16" to 1/8"	\$9.27
	MU792477-0	3-7/8"	2-3/4"	9	HSS	Scroll cutting in hardwoods & plastics Wood & Plastic: 1/8" to 2-3/8" Aluminum and Mild Steel: 1/8" to 3/8"	\$10.61
	MU792729-9	4-1/8"	2-1/2"	9	HCS	Splinter-free cuts in wood with no sanding Wood: 3/16" - 2-9/16"	\$5.78
	MU792529-7	4-1/8"	3-1/8"	9	HCS	Fast finish work, especially in plywood Wood & Plastic: 1/8" to 2-9/16"	\$11.55




Pricing Effective 5/15/2024. Subject to change without notice.

6-1/2" Plunge Circular Saw Blades, 20mm Arbor

	Item #	Cut Type	Application	Teeth	Grind	Hook Angle	Plate	Kerf	Max RPM	Price
	MUB-07353	Plunge, Cross, Rip	Hardwood, Fine Crosscut, Melamine	48	ATB	8°	.062"	.087"	9,250	\$59.62
	MUB-57342*	Plunge, Cross, Rip	Wood, MDF, Laminates	56	ATAF	23°	.039"	.057"	9,250	\$57.20

* Max Efficiency blade features high grade Tungsten Carbide tips that are engineered for longer blade life and up to 70% faster cutting and run time.





6-1/2" Cordless Plunge Circular Saw Blades, 5/8" Arbor

	Item #	Cut Type	Application	Teeth	Grind	Hook Angle	Plate	Kerf	Max RPM	Price
	MUA-85092	Plunge, Cross, Rip	Wood, General Purpose, Framing	24	ATB	20°	.039"	.059"	6,500	\$22.96
	MUT-01410	Cross, Miter	Wood, Fine Crosscut	40	ATAF	18°	.039"	.059"	4,770	\$20.01
	MUB-62963*	Plunge, Cross, Rip	Wood, Framing, General Purpose	25	ATAFR	23°	.039"	.055"	9,250	\$24.98

* Max Efficiency blade features high grade Tungsten Carbide tips that are engineered for longer blade life and up to 70% faster cutting and run time.

Pricing Effective 5/15/2024. Subject to change without notice.

7-1/4" Circular Saw Blades, 5/8" Arbor




	Item #	Cut Type	Application	Teeth	Grind	Hook Angle	Plate	Kerf	Max RPM	Price
	MUD-45989	Cross, Rip	Wood, General Purpose, Framing	24	ATAF	20°	.047"	.071"	8,300	\$15.97
	MUD-67044	Cross	Wood, Fine Crosscut	40	ATB	20°	.047"	.071"	8,300	\$16.12
	MUB-61656*	Cross	Wood, Framing	24	ATAFR	23°	.039"	.057"	8,300	\$14.10
	MUB-68585*	Cross, Miter, Plunge	Wood, Fine Crosscut	45	ATAFR	23°	.039"	.057"	8,300	\$37.46

* Max Efficiency blade features high grade Tungsten Carbide tips that are engineered for longer blade life and up to 70% faster cutting and run time.



Pricing Effective 5/15/2024. Subject to change without notice.

7-1/2" Miter Saw Blades, 5/8" Arbor

	Item #	Cut Type	Application	Teeth	Grind	Hook Angle	Plate	Kerf	Max RPM	Price
	MUA-90629	Miter, Cross (Micro-Polished)	Wood, Hardwood, Plywood	40	ATAF	10°	.055"	.079"	8,040	\$44.18
	MUE-11128*	Miter, Cross	Wood, Construction Lumber, Fine Crosscut	45	ATBR	10°	.053"	.073"	8,040	\$51.03
	MUE-11134*	Miter, Cross	Wood, Fine Crosscut, Trim/Molding	60	ATBR	10°	.053"	.073"	8,040	\$67.54

* Max Efficiency blade features high grade Tungsten Carbide tips that are engineered for longer blade life and up to 70% faster cutting and run time.



Pricing Effective 5/15/2024. Subject to change without notice.








58 Würth Baer Supply Company • www.wurthbaersupply.com • 800-289-2237 • Fax: 888-558-2237

10" Miter Saw Blades, 5/8" Arbor

	Item #	Cut Type	Application	Teeth	Grind	Hook Angle	Plate	Kerf	Max RPM	Price
	MUA-93669	Miter, Cross (Micro-Polished)	Wood, Construction Lumber, Plastics	40	ATAF	5°	.071"	.091"	5,870	\$33.57
	MUA-93675	Miter (Micro-Polished)	Wood, Particleboard, Laminates	60	ATAF	5°	.071"	.091"	5,870	\$44.31
	MUA-93681	Miter, Cross (Micro-Polished)	Wood, Hardwood, Plywood	80	ATAF	5°	.071"	.091"	5,870	\$51.70
	MUB-62103*	Miter, Cross	Wood, General Purpose, Construction Lumber	45	ATAFR	10°	.065"	.085"	5,870	\$48.21
	MUB-66961*	Miter, Cross	Wood, General Purpose, Plastics	60	ATAFR	10°	.065"	.085"	5,870	\$59.26
	MUB-66977*	Miter, Cross	Wood, Fine Crosscut, General Purpose	80	ATAFR	10°	.065"	.085"	5,870	\$63.91

* Max Efficiency blade features high grade Tungsten Carbide tips that are engineered for longer blade life and up to 70% faster cutting and run time.

Guide Rails and Accessories

	Item #	Description	Price
	MU199140-0	Guide Rail, 39"	\$93.65 Each
	MU194368-5	Guide Rail, 55"	\$118.38 Each
	MU191J53-1	Splinter Guard Repl Strip, 55" Roll	\$14.33 Each
	MU194419-4	Splinter Guard Repl Strip, 118" Roll	\$20.28 Each
	MU191J52-3	Guide Rail Clamp, Pack 2	\$45.00 / Pack 2
	MU1913K5-7	Guide Rail Extrusion Clamp	\$55.41 Each
	MUP-45777	Guide Rail Connector Kit (pictured)	\$29.06 Each
	MUP-20177	Guide Rail Connector Kit, Pack 2	\$47.03 / Pack 2
	MU1913K7-3	Parallel Guide	\$202.71 Each
	MU196664-7	Miter Guide, SP6000J, SP6000J1	\$86.09 Each

Pricing Effective 5/15/2024. Subject to change without notice.

Guide Rails and Accessories







	Item #	Description	Price
	MU196953-0	Guide Rail Adapter, XSH03 Circular Saw	\$50.82 Each
	MU193517-1	Guide Rail Adapter, Jig Saw	\$47.30 Each
	MU194579-2	Guide Rail Adapter, Router	\$49.46 Each



Pricing Effective 5/15/2024. Subject to change without notice.

Starlock® Oscillating Multi-Tool Blades and Abrasives

Starlock® accessories are backwards compatible with OIS tools and work with Starlock®, StarlockPlus® and StarlockMax® tools

	Item #	Description	TPI	Blade Material	Application	Price
CUTTING BLADES						
	MUB-67066	Curved Plunge Cut Blade	18	High Carbon Steel	Wood, OSB, Plywood, and Chipboard	\$19.19
	MUB-67072	Curved Plunge Cutting Blade, Japanese Tooth Design	14	Bi-Metal	Wood, OSB, and Plywood	\$16.49
	MUB-67119	Plunge Cutting Blade	23	Tungsten Carbide / Hard Metal	Metal	\$25.00
	MUB-67038	Curved Plunge Cut Blade	20	Bi-Metal	Wood, Metal	\$20.00
ABRASIVES						
	MUB-67169	Hook & Loop Sanding Pad	-	-	-	\$11.63
	MUA-95526	Hook and Loop Abrasive, 80G	-	-	-	\$4.25 / Pack 10
	MUA-95744	Hook and Loop Abrasive, 100G	-	-	-	\$4.25 / Pack 10
	MUA-95532	Hook and Loop Abrasive, 120G	-	-	-	\$4.25 / Pack 10
	MUA-95750	Hook and Loop Abrasive, 150G	-	-	-	\$4.25 / Pack 10
	MUA-95548	Hook and Loop Abrasive, 180G	-	-	-	\$4.25 / Pack 10
	MUA-95853	Hook and Loop Abrasive Asst.*	-	-	-	\$4.25 / Pack 10

*2 each of 80, 100, 120, 150, 180 grits

Starlock® 5 Piece Blade Set with Case



Starlock® accessories are backwards compatible with OIS tools and work with Starlock®, StarlockPlus® and StarlockMax® tools.




- Blades included for use to cut a variety of materials including wood, OSB, plywood, chipboard, nail-embedded wood, stainless, non-ferrous metal, sheet metal, plasterboard, drywall, PVC, and epoxy/fiberglass
- Case included for storage and easy portability

Includes: 2-1/2" BiM Curved Plunge Cut Blade (B-67038), 1-1/4" HCS Curved Plunge Cut Blade (B-67066), 1-1/4" BiM Curved Plunge Cut Blade with Japanese Tooth Design (B-67072), 1-1/4" HM/TC Plunge Cut Blade for Metal Cutting (B-67119), 3-1/4" BiM Segmented Saw Blade (B-67016) and Case.

Item #	Price
MUB-67197	\$78.38

Pricing Effective 5/15/2024. Subject to change without notice.

StarlockMax® Oscillating Multi-Tool Accessories

	Item #	Description	TPI	Blade Material	Application	Price
	MUE-08523	Curved Plunge Cut Blade	20	Bi-Metal	Wood, OSB, Plywood, Chipboard, Nail-embedded Wood, Plasterboard	\$17.57
	MUE-08551	Curved Plunge Cut Blade	18	High Carbon Steel	Wood, Drywall	\$12.98
	MUE-08595	50 Grit Grout and Abrasive Segmented Saw Blade	-	"Tungsten Carbide / Hard Metal"	Cutting and removing grout, joint material, tile, and epoxy/fiberglass	\$35.14

18V LXT® Lithium-Ion Batteries



MUBL1850B

- Integrated L.E.D. battery charge level indicator allows user to monitor battery charge
- 3 year warranty

Item #	Ah	Includes	Charge Time	Price
MUBL1820B	2.0	1 Battery	25m or less	\$99.00
MUBL1820B-2	2.0	2 Batteries	25m or less	\$179.00
MUBL1830B	3.0	1 Battery	30m or less	\$124.00
MUBL1830B-2	3.0	2 Batteries	30m or less	\$209.00
MUBL1840B	4.0	1 Battery	40m or less	\$139.00
MUBL1840B-2	4.0	2 Batteries	40m or less	\$239.00
MUBL1840BDC2	4.0	2 Batteries, Rapid Optimum Charger, Tool Bag	40m or less	\$314.00
MUBL1850B	5.0	1 Battery	45m or less	\$157.00
MUBL1850B-2	5.0	2 Batteries	45m or less	\$269.00
MUBL1850BDC1	5.0	1 Battery, Rapid Optimum Charger, Tool Bag	45m or less	\$209.00
MUBL1850BDC2	5.0	2 Batteries, Rapid Optimum Charger, Tool Bag	45m or less	\$362.00

18V LXT® Lithium-Ion Rapid Optimum Chargers



MUDC18RD

Built-In USB Port
for charging portable
electronic devices

- Communicates with battery's built-in chip to optimize battery life by controlling current, voltage & temperature
- Built-in fan circulates air through the battery during the charging process to cool the battery for faster charge time
- 3 year warranty

Item #	Charges	Built-In Fans	Built-In USB Port	Price
MUDC18RC	1 Battery	1	No	\$146.89
MUDC18RD	2 Batteries	2	Yes	\$175.33

Pricing Effective 5/15/2024. Subject to change without notice.

FitKnit™ Cut Level 1 Nitrile Coated Dipped Gloves



- ANSI rated abrasion level 4; ANSI rated cut level A1
- Advanced nitrile coated palm for better grip
- Touchscreen compatible for phone and tablet use
- High dexterity for flexibility, easy movement, and better control

Item #	Gauge	Size	Price
MUT-04117	15	S/M	\$7.72
MUT-04123	15	L/XL	\$7.72

Advanced FitKnit™ Cut Level 7 Nitrile Coated Dipped Gloves



- Advanced 10-gauge FitKnit™ material for increased cut protection
- ANSI rated cut level A7; ANSI rated puncture level 4; ANSI rated abrasion level 3
- Advanced nitrile coated palm for better grip
- Touchscreen compatible for phone and tablet use

Item #	Gauge	Size	Price
MUT-04139	10	S/M	\$19.15
MUT-04145	10	L/XL	\$19.15

100% Genuine Leather-Palm Performance Gloves



- Durahide Leather™ technology provides a breathable glove, ready to wear with no break-in time
- Padded knuckles for added protection
- ANSI rated abrasion level 4
- Breathable material for comfort

Item #	Size	Price
MUT-04210	M	\$29.65
MUT-04226	L	\$29.65
MUT-04232	XL	\$29.65

Pricing Effective 5/15/2024. Subject to change without notice.



WÜRTH BAER SUPPLY COMPANY

MAKITA® TOOLS WORLD LEADING PRODUCT INNOVATION

Würth Baer Supply Company

909 Forest Edge Drive
Vernon Hills, IL 60061
T: 800-289-2237
F: 888-558-2237
www.wurthbaersupply.com

Other locations:

Bethlehem, PA
Brooklyn Heights, OH
Columbus, OH
Des Moines, IA
Eagan, MN
Edison, NJ
Elk Grove Village, IL
 Fargo, ND
Harrisburg, PA

Indianapolis, IN
Kansas City, MO
Leetsdale, PA
Londonderry, NH
Middletown, OH
Oak Park, MI
Omaha, NE
Pennsauken, NJ
Pleasant Hill, IA
Plymouth, MN

Reading, PA
Rumford, RI
Sanford, NC
Sioux Falls, SD
Syracuse, NY
Versailles, KY
West Haven, CT
Williamsport, PA
Wilmington, DE

Source code: BP4012