



WÜRTH BAER SUPPLY COMPANY

**KNAPE &
VOGT**

CATALOG

DRAWER SLIDES



STANDARDS & BRACKETS



KNAPE & VOGT

KITCHEN CONVENIENCE ACCESSORIES

TABLE OF CONTENTS

3-16


Drawer Slides


38


Shelf Supports


17-20

Pocket Door Slides


39


Barn Door Hardware


21-30

Standards & Brackets


40-42

Sliding Door Hardware


31-33


Pilasters


43-46


Kitchen Convenience


34

Shelf Brackets


47

Specialty Hardware


35-37

Closet Hardware



SAMET UNDERMOUNT DRAWER SLIDES



Samet Full Extension Undermount Smart Slides w/Soft-Close

- Soft close system with adaptive damping
- Full extension with synchronization travel
- 1/2" (12mm) to 5/8" (16mm) drawer thickness
- 2D (4-way) adjustable front locking devices
- Height adjustment: +/- 3/32" (2mm)
- Side-to-side adjustment: +/- 1/16" (1.5mm)
- Exceeds ANSI/BHMA A156.9-2010 technical specifications



Item #	Description	Box Qty
KVSUMB-9	9" Length, Smart Slide Full Fit Power Soft-Close	6
KVSUMB-12	12" Length, Smart Slide Full Fit Power Soft-Close	6
KVSUMB-15	15" Length, Smart Slide Full Fit Power Soft-Close	6
KVSUMB-18	18" Length, Smart Slide Full Fit Power Soft-Close	6
KVSUMB-21	21" Length, Smart Slide Full Fit Power Soft-Close	6



1



2

Samet Smart Front Locking Devices

- 2D (4-Way) Micro Roller Adjustable
- Height adjustment +/- 3/32" (2 mm)
- Side-to-side adjustment +/- 1/16" (1.5 mm)

	Item #	Description	Box Qty
1	KVSUMB-2DL	Left Hand Standard Front Locking Device	120
	KVSUMB-2DR	Right Hand Standard Front Locking Device	120
2	KVSUMB-NR	Narrow Left Hand Standard Front Locking Device	120
	KVSUMB-NL	Narrow Right Hand Standard Front Locking Device	120

Samet Screw-On Rear Mounting Bracket

- Metal rear mounting bracket for all KV Samet undermount drawer slides



Item #	Description	Box Qty
KVSUMB-RB	Rear Mounting Bracket	180

G-SLIDE SOFT-CLOSE UNDERMOUNT DRAWER SLIDES




G-Slide 2070B Full Extension Undermount Drawer Slides

- For use with drawer material thickness from 1/2" to 5/8"
- 32mm hole pattern matches existing industry standards
- Full extension travel
- Mounting: Undermount
- Action: Telescopic action
- Load Rating: 75 lb. class
- Height: 1.80" [45.7mm]
- Finish: Zinc (ZC)



G-Slide 2070B Full Extension Slides		
Length	Item #	Box Qty
9"	GY2070B-9	6
12"	GY2070B-12	6
15"	GY2070B-15	6
18"	GY2070B-18	6
21"	GY2070B-21	6



Front Release Levers

- + 1/8" (3mm) height adjustment
- +/- 1/16" (1.5mm) side-to-side adjustment

Item #	Description	Box Qty
GY2070-2D-RL	Left/Right Set of Front Release Levers	30



2070-RBM



2070-RBP

Mounting Brackets



Item #	Description	Box Qty
GY2070-RBM	Metal rear mounting brackets	60
GY2070-RBP	Plastic rear mounting brackets	60

KV 8400 MEDIUM-DUTY DRAWER SLIDES




KV 8400 Full Extension Drawer Slides

- 32mm hole pattern with direct access mounting
- Lever disconnect for easy drawer removal
- Non-handed design
- Recommended maximum drawer width 24"
- Mounting: Side
- Action: Telescopic movement on ball-bearings
- Load Rating: 100 lb. class
- Height: 1.79" (45.5mm)
- Clearance: .50" + .03" - 0" on each side
- Finish: Anochrome (ANO), Ebony Black (EB), White (WH)
- Bulk items packaged in full boxes of 10 sets without screws
- Polybag items packaged 1 set per bag with screws
- Q-packs (50 sets per box without screws) also available



8400 Anochrome Finish		
Length	Bulk Item #	Polybag Item #
8"	KV8400B-8	KV8400P-8
10"	KV8400B-10	KV8400P-10
12"	KV8400B-12	KV8400P-12
14"	KV8400B-14	KV8400P-14
16"	KV8400B-16	KV8400P-16
18"	KV8400B-18	KV8400P-18
20"	KV8400B-20	KV8400P-20
22"	KV8400B-22	KV8400P-22
24"	KV8400B-24	KV8400P-24
26"	KV8400B-26	KV8400P-26
28"	KV8400B-28	KV8400P-28

8400 Ebony Black Finish		
Length	Bulk Item #	Polybag Item #
8"	KV8400BEB-8	-
10"	KV8400BEB-10	-
12"	KV8400BEB-12	-
14"	KV8400BEB-14	-
16"	KV8400BEB-16	KV8400PEB-16
18"	KV8400BEB-18	KV8400PEB-18
20"	KV8400BEB-20	KV8400PEB-20
22"	KV8400BEB-22	KV8400PEB-22
24"	KV8400BEB-24	KV8400PEB-24
26"	KV8400BEB-26	-
28"	KV8400BEB-28	-



8400 White Finish	
Length	Bulk Item #
8"	KV8400BWH-8
10"	KV8400BWH-10
12"	KV8400BWH-12
14"	KV8400BWH-14
16"	KV8400BWH-16
18"	KV8400BWH-18
20"	KV8400BWH-20
22"	KV8400BWH-22
24"	KV8400BWH-24
26"	KV8400BWH-26
28"	KV8400BWH-28

Mounting Brackets		
Item #	Description	Box Qty
KV8401B	Rear Zinc Mounting Bracket	20
KV8402	Rear Zinc Mounting Bracket	20
KV8404	Front Zinc Mounting Bracket	20
KV8404-B	Front Zinc Mounting Bracket	100
KV8404-EB	Front Black Mounting Bracket	20



KV 8405 MEDIUM-DUTY DRAWER SLIDES



KV 8405 Over-Travel Drawer Slides

- 1" over travel for full access to drawer contents
- Lever disconnect for easy drawer removal
- Non-handed design
- Recommended maximum drawer width 24"
- Mounting: Side
- Action: Telescopic action on ball-bearings
- Load Rating: 100 lb. class
- Height: 1.79" (45.5mm)
- Clearance: .50" + .03" - 0" on each side
- Finish: Anochrome (ANO), Ebony Black (EB)
- Bulk items packaged in full boxes of 10 sets without screws
- Polybag items packaged 1 set per bag with screws



8401



8402




8404

8405 Anochrome Finish		
Length	Bulk Item #	Polybag Item #
10"	KV8405B-10	KV8405P-10
12"	KV8405B-12	KV8405P-12
14"	KV8405B-14	KV8405P-14
16"	KV8405B-16	KV8405P-16
18"	KV8405B-18	KV8405P-18
20"	KV8405B-20	KV8405P-20
22"	KV8405B-22	KV8405P-22
24"	KV8405B-24	KV8405P-24
26"	KV8405B-26	KV8405P-26
28"	KV8405B-28	KV8405P-28
28"	KV8400B-28	KV8400P-28

8405 Ebony Black Finish	
Length	Bulk Item #
10"	KV8405BEB-10
12"	KV8405BEB-12
14"	KV8405BEB-14
16"	KV8405BEB-16
18"	KV8405BEB-18
20"	KV8405BEB-20
22"	KV8405BEB-22
24"	KV8405BEB-24

Mounting Brackets		
Item #	Description	Box Qty
KV8401B	Rear Zinc Mounting Bracket	20
KV8402	Rear Zinc Mounting Bracket	20
KV8404	Front Zinc Mounting Bracket	20
KV8404-B	Front Zinc Mounting Bracket	100
KV8404-EB	Front Black Mounting Bracket	20





KV 4200/4205 MEDIUM-DUTY DRAWER SLIDES



KV G-Slide 4200 Full Extension & 4205 1" Overtravel Drawer Slides

- 32mm hole pattern
- Lever disconnect for easy drawer removal
- Hold-in detent
- Non-handed design
- Recommended maximum drawer width 24"
- 4200: Full extension
- 4205: 1" Over travel
- Mounting: Side
- Action: Telescopic movement on ball-bearings
- Load Rating: 4200: 100 lb. class
- Load Rating: 4205: 90 lb. class
- Height: 1.79" (45.5mm)
- Clearance: .50" + .03" - 0" on each side
- Finish: Zinc (ZC); Black (EB) special order
- Packaged in full boxes of 10 sets without screws



G-Slide 4200 Full Extension Slides Zinc Finish

Length	Item #
10"	GY4200-10
12"	GY4200-12
14"	GY4200-14
16"	GY4200-16
18"	GY4200-18
20"	GY4200-20
22"	GY4200-22
24"	GY4200-24
26"	GY4200-26
28"	GY4200-28

G-Slide 4205 Overtravel Slides Zinc Finish

Length	Item #
10"	GY4205-10
12"	GY4205-12
14"	GY4205-14
16"	GY4205-16
18"	GY4205-18
20"	GY4205-20
22"	GY4205-22
24"	GY4205-24
26"	GY4205-26
28"	GY4205-28

Mounting Brackets


Item #	Description	Box Qty
GY4340RB	Rear Zinc Mounting Bracket	200

KV 8417/8419/8400RV MEDIUM-DUTY DRAWER SLIDES



KV 8417, 8419, 8400RV Self-Closing Drawer Slides

- 32mm hole pattern with direct access mounting
- Self-closing feature
- 8400RV features a stronger spring for mobile applications
- Recommended maximum drawer width 24"
- 8417: Self-closing full extension drawer slide
- 8419: Self-closing 1" over travel drawer slide
- 8400RV: Heavy-Duty self-closing full extension drawer slide
- Mounting: Side
- Action: Telescopic movement on ball-bearings
- Load Rating: 100 lb. class (8417/8400RV); 90 lb. class (8419)
- Height: 1.79" (45.5mm)
- Clearance: .50" + .03" - 0" on each side
- Finish: Anochrome (ANO)
- Bulk items packaged in full boxes of 10 sets without screws
- Polybag items packaged 1 set per bag with screws




8417 Full Extension Series Drawer Slides


Length	Anochrome Bulk Item #	Anochrome Polybag Item #
12"	KV8417B-12	KV8417P-12
14"	KV8417B-14	KV8417P-14
16"	KV8417B-16	KV8417P-16
18"	KV8417B-18	KV8417P-18
20"	KV8417B-20	KV8417P-20
22"	KV8417B-22	KV8417P-22
24"	KV8417B-24	KV8417P-24
26"	KV8417B-26	KV8417P-26

8419 Overtravel Slides - Anochrome Finish

Length	Bulk Item #	Polybag Item #
14"	KV8419B-14	KV8419P-14
16"	KV8419B-16	KV8419P-16
18"	KV8419B-18	KV8419P-18
20"	KV8419B-20	KV8419P-20
22"	KV8419B-22	KV8419P-22
24"	KV8419B-24	KV8419P-24
26"	KV8419B-26	KV8419P-26



8403



8404

8400RV Heavy Duty Full Extension - Anochrome Finish

Length	Bulk Item #	Length	Bulk Item #
10"	KV8400BRV-10	20"	KV8400BRV-20
12"	KV8400BRV-12	22"	KV8400BRV-22
14"	KV8400BRV-14	24"	KV8400BRV-24
16"	KV8400BRV-16	26"	KV8400BRV-26
18"	KV8400BRV-18	28"	KV8400BRV-28

Mounting Brackets


Item #	Description	Box Qty
KV8403	Rear Zinc Mounting Bracket	20
KV8404	Front Zinc Mounting Bracket	20
KV8404-B	Front Zinc Mounting Bracket	100
KV8404-EB	Front Black Mounting Bracket	20
KV8404-KIT	2 (8403) + 2 (8404) + Screws	1

KV 8450FM/8455FM MEDIUM-DUTY DRAWER SLIDES



KV 8450FM/8455FM Soft-Close Drawer Slides

- Patented Force Management™ (FM) soft-close technology
- 32mm hole pattern with direct access mounting
- Lever disconnect for easy drawer removal
- Non-handed design
- Recommended maximum drawer width 24"
- 8450FM: Full extension
- 8455FM: 1" Over travel
- Action: Telescopic movement on ball-bearings
- Load Rating: 8450FM: 100 lb. class
- Load Rating: 8455FM: 90 lb. class
- Height: 1.79" (45.5mm)
- Clearance: .50" + .03" - 0" on each side
- Finish: Anochrome (ANO), Ebony Black (EB)
- Bulk items packaged in full boxes of 10 sets without screws
- Polybag items packaged 1 set per bag with screws



Soft-Close Mechanism


8450FM Full Extension Soft-Close Drawer Slides

Length	Anochrome Bulk Item #	Anochrome Polybag Item #	Ebony Black Bulk Item #
12"	KV8450FMB-12	KV8450FMP-12	-
14"	KV8450FMB-14	KV8450FMP-14	-
16"	KV8450FMB-16	KV8450FMP-16	KV8450FMBEB-16
18"	KV8450FMB-18	KV8450FMP-18	KV8450FMBEB-18
20"	KV8450FMB-20	KV8450FMP-20	KV8450FMBEB-20
22"	KV8450FMB-22	KV8450FMP-22	KV8450FMBEB-22
24"	KV8450FMB-24	KV8450FMP-24	-
26"	KV8450FMB-26	KV8450FMP-26	-
28"	KV8450FMB-28	KV8450FMP-28	-

NOTE: 12" slide has 10.2" extension

Mounting Brackets

Item #	Description	Box Qty
KV8403	Rear Zinc Mounting Bracket	20
KV8404	Front Zinc Mounting Bracket	20
KV8404-B	Front Zinc Mounting Bracket	100
KV8404-EB	Front Black Mounting Bracket	20
KV8404-KIT	2 (8403) + 2 (8404) + Screws	1



8403



8404

8455FM 1" Overtravel Soft-Close Drawer Slides



Length	Anochrome Bulk Item #	Anochrome Polybag Item #	Ebony Black Bulk Item #
16"	KV8455FMB-16	KV8455FMP-16	KV8455FMBEB-16
18"	KV8455FMB-18	KV8455FMP-18	KV8455FMBEB-18
20"	KV8455FMB-20	KV8455FMP-20	KV8455FMBEB-20
22"	KV8455FMB-22	KV8455FMP-22	KV8455FMBEB-22
24"	KV8455FMB-24	KV8455FMP-24	-
26"	KV8455FMB-26	KV8455FMP-26	-
28"	KV8455FMB-28	KV8455FMP-28	-

KV 4270/4260 MEDIUM-DUTY DRAWER SLIDES



KV G-Slide 4270 Soft-Close Drawer Slides

- Soft-close module
- 32mm hole pattern
- Lever disconnect for easy drawer removal
- Non-handed design
- Recommended maximum drawer width 24"
- Mounting: Side
- Action: Telescopic movement on ball-bearings
- Load Rating: 100 lb. class
- Height: 1.79" (45.5mm)
- Clearance: .50" + .03" - 0" on each side
- Finish: Zinc (ZC)
- Packaged in full boxes of 10 sets without screws



NOTE: 12" slide has an 8.4" extension and 14" slide has an 11.9" extension.

G-Slide 4270 Full Extension Slides

Length	Item #	Length	Item #
12"	GY4270-12	22"	GY4270-22
14"	GY4270-14	24"	GY4270-24
16"	GY4270-16	26"	GY4270-26
18"	GY4270-18	28"	GY4270-28
20"	GY4270-20	28"	GY4200-28

Mounting Brackets

Item #	Description	Box Qty
GY4340RB	Rear Zinc Mounting Bracket	200



KV G-Slide 4260 Push-Open Drawer Slides

- Push-open feature holds a drawer or tray in the closed position until activated by a slight push
- 32mm hole pattern
- Lever disconnect for easy drawer removal
- Non-handed design
- Recommended maximum drawer width 24"
- Mounting: Side
- Action: Telescopic movement on ball-bearings
- Load Rating: 100 lb. class
- Height: 1.79" (45.5mm)
- Clearance: .50" + .03" - 0" on each side
- Finish: Zinc (ZC)
- Packaged in full boxes of 10 sets without screws

G-Slide 4260 Full Extension Slides

Length	Item #	Length	Item #
10"	GY4260-10	20"	GY4260-20
12"	GY4260-12	22"	GY4260-22
14"	GY4260-14	24"	GY4260-24
16"	GY4260-16	26"	GY4260-26
18"	GY4260-18	28"	GY4260-28

Mounting Brackets

Item #	Description	Box Qty
GY4340RB	Rear Zinc Mounting Bracket	200

KV 8500/8505 HEAVY-DUTY DRAWER SLIDES

KV 8500/8505 Heavy Duty File or Lateral Drawer Slides



- 32mm hole pattern
- Non-handed quick disconnect drawer members
- Hold-in feature to prevent bounce back
- Recommended maximum drawer width: 8500: 36" | 8505: 30"
- 8500: Full extension drawer slide
- 8505: 1.25" over travel drawer slide
- Mounting: Side
- Action: Progressive movement on ball-bearings
- Load Rating: 150 lb. class
- Height: 3.79" (96.3mm) (includes quick disconnect rail)
- Clearance: .50" + .03" - 0" on each side
- Finish: Anochrome (ANO); Ebony Black (EB) also available
- Bulk items packaged 5 sets per box without screws
- Polybag items packaged 1 set per bag with screws



8500 Full Extension Drawer Slides - Anochrome Finish

Length	Anochrome Bulk Item #	Anochrome Polybag Item #
12"	KV8500B-12	KV8500P-12
14"	KV8500B-14	KV8500P-14
16"	KV8500B-16	KV8500P-16
18"	KV8500B-18	KV8500P-18
20"	KV8500B-20	KV8500P-20
22"	KV8500B-22	KV8500P-22
24"	KV8500B-24	KV8500P-24
26"	KV8500B-26	KV8500P-26
28"	KV8500B-28	-
30"	KV8500B-30	KV8500P-30

8505 Over-Travel Drawer Slides - Anochrome Finish

Length	Anochrome Bulk Item #	Anochrome Polybag Item #
12"	KV8505B-12	KV8505P-12
14"	KV8505B-14	KV8505P-14
16"	KV8505B-16	KV8505P-16
18"	KV8505B-18	KV8505P-18
20"	KV8505B-20	KV8505P-20
22"	KV8505B-22	KV8505P-22
24"	KV8505B-24	-
26"	KV8505B-26	KV8505P-26
28"	KV8505B-28	KV8505P-28
30"	KV8505B-30	KV8505P-30

KV 8600/8605 HEAVY-DUTY DRAWER SLIDES



KV 8600 Heavy-Duty Full Extension Drawer Slides


- Butterfly lever disconnect
- Non-handed design
- Recommended maximum drawer width 36"
- Mounting: Side
- Action: Telescopic movement on ball-bearings
- Height: 1.98" (50.4mm)
- Clearance: .51" + .01" - 0" on each side
- Finish: Zinc (ZC)
- Packaged 5 sets per box without screws
- Load Rating (based on application):

Load: 150 lb.:

- Max. Drawer Width: 36"
- Slides: 18"
- Drawer Width: 36"
- Cycles: 50,000 (center pull)

Load: 200 lb.:

- Max. Drawer Width: 18"
- Slides: 18"
- Drawer Width: 18"
- Cycles: 25,000 (center pull)



Length	Item #
12"	KV8600B-12
14"	KV8600B-14
16"	KV8600B-16
18"	KV8600B-18
20"	KV8600B-20

Length	Item #
22"	KV8600B-22
24"	KV8600B-24
26"	KV8600B-26
28"	KV8600B-28



KV 8605 Heavy-Duty Over-Travel Drawer Slides


- Butterfly lever disconnect
- Non-handed design
- Recommended maximum drawer width 36"
- Action: Telescopic movement on ball-bearings
- Height: 1.98" (50.4mm)
- Clearance: .51" + .01" - 0" on each side
- Finish: Zinc (ZC)
- Packaged 5 sets per box without screws
- Load Rating (based on application):

Load: 140 lb.:

- Max. Drawer Width: 36"
- Slides: 18"
- Drawer Width: 36"
- Cycles: 50,000 (center pull)

Load: 190 lb.:

- Max. Drawer Width: 18"
- Slides: 18"
- Drawer Width: 18"
- Cycles: 25,000 (center pull)



Length	Item #
12"	KV8605B-12
14"	KV8605B-14
16"	KV8605B-16
18"	KV8605B-18
20"	KV8605B-20

Length	Item #
22"	KV8605B-22
24"	KV8605B-24
26"	KV8605B-26
28"	KV8605B-28


KV 8650FM/8655FM HEAVY-DUTY DRAWER SLIDES



KV 8650FM Full Extension Soft-Close Drawer Slides

- Patented Force Management (FM) Soft-Close Technology
- Butterfly lever disconnect
- Non-handed design
- Recommended maximum drawer width 36"
- Mounting: Side
- Action: Telescopic movement on ball-bearings
- Load: 150 lb.
 - Max. Drawer Width: 36"
 - Slides: 18"
 - Drawer Width: 36"
 - Cycles: 50,000 (center pull)
- Height: 1.98" (50.4mm)
- Clearance: .51" + .01" - 0" on each side
- Finish: Zinc (ZC)
- Packaged 5 sets per box without screws

NOTE: 14" slide has an 11" extension and 16" slide has a 15" extension.




Length	Item #
14"	KV8650B-14
16"	KV8650B-16
18"	KV8650B-18
20"	KV8650B-20

Length	Item #
22"	KV8650B-22
24"	KV8650B-24
26"	KV8650B-26
28"	KV8650B-28



KV 8655FM Heavy-Duty Soft-Close Over-Travel Drawer Slides

- Patented Force Management (FM) Soft-Close Technology
- 1" over travel
- Butterfly lever disconnect
- Non-handed design
- Recommended maximum drawer width 36"
- Mounting: Side
- Action: Telescopic movement on ball-bearings
- Load: 140 lb.
 - Max. Drawer Width: 36"
 - Slides: 18"
 - Drawer Width: 36"
 - Cycles: 50,000 (center pull)
- Height: 1.98" (50.4mm)
- Clearance: .51" + .01" - 0" on each side
- Finish: Zinc (ZC)
- Packaged 5 sets per box without screws



Length	Item #
18"	KV8655B-18
20"	KV8655B-20
22"	KV8655B-22

Length	Item #
24"	KV8655B-24
26"	KV8655B-26
28"	KV8655B-28

KV 8810/8815 HEAVY-DUTY DRAWER SLIDES




KV 8810 Heavy-Duty Full Extension Drawer Slides

- Non-handed design for easy installation
- Closed-position hold-in detent
- Butterfly lever release
- Recommended maximum drawer width 42"
- Mounting: Side
- Action: Telescopic movement on ball-bearings
- Load Rating: 200 lb. class; 100 lb. flat mount rating
- Height: 2.09" (53mm)
- Clearance: .75" + .03" - 0" on each side
- Finish: Zinc (ZC)
- Packaged 4 sets per box without screws



Length	Item #
10"	KV8810B-10
12"	KV8810B-12
14"	KV8810B-14
16"	KV8810B-16
18"	KV8810B-18

Length	Item #
20"	KV8810B-20
22"	KV8810B-22
24"	KV8810B-24
26"	KV8810B-26
28"	KV8810B-28




KV 8815 Heavy-Duty Over-Travel Drawer Slides

- Non-handed design for easy installation
- Ideal for large storage drawer applications
- 1" over travel allows for easy access to drawer contents
- Butterfly lever release
- Recommended maximum drawer width 42"
- Mounting: Side
- Action: Telescopic movement on ball-bearings
- Load Rating: 190 lb. class
- Height: 2.09" (53mm)
- Clearance: .75" + .03" - 0" on each side
- Finish: Zinc (ZC)
- Packaged 4 sets per box without screws

Length	Item #
12"	KV8815B-12
14"	KV8815B-14
16"	KV8815B-16
18"	KV8815B-18
20"	KV8815B-20

Length	Item #
22"	KV8815B-22
24"	KV8815B-24
26"	KV8815B-26
28"	KV8815B-28




KV 8900 HEAVY-DUTY DRAWER SLIDES



KV 8900 Extra Heavy-Duty Full Extension Drawer Slides

- Heavy-Duty stops are designed to withstand rough use
- Non-handed design for easy installation
- Full extension travel
- Non-disconnect
- Mounting: Side
- Action: Telescopic movement on ball-bearings
- Load Rating: 100-500 lb. class depending on application
- 100 lb. flat mount rating
- Height: 3" (76.2mm)
- Clearance: .75" + .03" - 0" on each side
- Finish: Zinc (ZC)
- Bulk items 40" - 60" sold 1 set per box
- Polybag items 12" - 36" sold 1 set per bag



8900 Polybag Slides	
Length	Polybag Item #
12"	KV8900P-12
14"	KV8900P-14
16"	KV8900P-16
18"	KV8900P-18
20"	KV8900P-20
22"	KV8900P-22
24"	KV8900P-24

8900 Polybag Slides	
Length	Polybag Item #
26"	KV8900P-26
28"	KV8900P-28
30"	KV8900P-30
32"	KV8900P-32
34"	KV8900P-34
36"	KV8900P-36

8900 Bulk Slides	
Length	Bulk Item #
40"	KV8900B-40
42"	KV8900B-42
44"	KV8900B-44
48"	KV8900B-48
60"	KV8900B-60

Load Rating Chart		
Load Rating	Test Condition	Open/Close Cycle Tested
500 lb.	18" slide in 18" width drawer	10,000
400 lb.	18" slide in 42" width drawer	30,000
300 lb.	18" slide in 36" width drawer	75,000
100 lb. flat load	18" slide in 32" width drawer	10,000

KV 1805 EPOXY DRAWER SLIDES




KV 1805 Epoxy-Coated Drawer Slides

- 32mm mounting hole pattern
- Lift out disconnect
- Self-close design
- Recommended maximum drawer width 18"
- Mounting: Side
- Action: Rollers
- Load Rating: 75 lb. class
- Height: 1.39" (35.5mm)
- Clearance: .50" + .03" - 0" on each side
- Finish: White
- T-packs are packaged 1 set taped together without screws. 20 sets per carton
- Q-packs packaged 100 sets per carton without screws, multiple cartons



1805 White Finish T-Packs	
Length	T-Pack Item #
11-13/16" (300mm)	KV1805TWH-300
13-3/4" (350mm)	KV1805TWH-350
15-3/4" (400mm)	KV1805TWH-400
17-3/4" (450mm)	KV1805TWH-450
19-3/4" (500mm)	KV1805TWH-500
21-5/8" (550mm)	KV1805TWH-550
23-5/8" (600mm)	KV1805TWH-600




1805 White Finish Q-Packs				
Length	RH Drawer Member Item #	LH Drawer Member Item #	RH Cabinet Member Item #	LH Cabinet Member Item #
11-13/16" (300mm)	KV1805Q96WH-300	KV1805Q97WH-300	KV1805Q98WH-300	KV1805Q99WH-300
13-3/4" (350mm)	KV1805Q96WH-350	KV1805Q97WH-350	KV1805Q98WH-350	KV1805Q99WH-350
15-3/4" (400mm)	KV1805Q96WH-400	KV1805Q97WH-400	KV1805Q98WH-400	KV1805Q99WH-400
17-3/4" (450mm)	KV1805Q96WH-450	KV1805Q97WH-450	KV1805Q98WH-450	KV1805Q99WH-450
19-3/4" (500mm)	KV1805Q96WH-500	KV1805Q97WH-500	KV1805Q98WH-500	KV1805Q99WH-500
21-5/8" (550mm)	KV1805Q96WH-550	KV1805Q97WH-550	KV1805Q98WH-550	KV1805Q99WH-550
23-5/8" (600mm)	KV1805Q96WH-600	KV1805Q97WH-600	KV1805Q98WH-600	KV1805Q99WH-600



Mounting Brackets		
Item #	Description	Box Qty
KV1805-101L-BP	Left Hand Rear Mounting Bracket (4" socket)	50
KV1805-101R-BP	Right Hand Rear Mounting Bracket (4" socket)	50

POCKET DOOR SLIDES



Follower strip bracket makes installation easy as 1-2-3!

KV Pivot Door Slides 8070/8071/8072

- 8070: 3/4 extension slide with self-close 35mm inset hinge and baseplate
- 8071: 3/4 extension slide without hinge and baseplate
- 8072: 3/4 extension slide with included hinge baseplate
- Load Rating: 30 lb. class
- Maximum Dimensions:
 - Vertical doors: 42" high x 24" wide
 - Horizontal pivot doors: 24" high x 48" wide
- Packaged 1 set per bag with screws



8070EZ Ebony Black		8071EZ Ebony Black		8072EZ Ebony Black	
Includes standard inset hinge and baseplate		Hinges and baseplates are not included		Baseplate included; must order hinges separately	
Size	Item #	Size	Item #	Size	Item #
12"	KV8070PEB-12	12"	KV8071PEB-12	12"	KV8072PEB-12
14"	KV8070PEB-14	14"	KV8071PEB-14	14"	KV8072PEB-14
16"	KV8070PEB-16	16"	KV8071PEB-16	16"	KV8072PEB-16
18"	KV8070PEB-18	18"	KV8071PEB-18	18"	KV8072PEB-18
20"	KV8070PEB-20	20"	KV8071PEB-20	20"	KV8072PEB-20
22"	KV8070PEB-22	22"	KV8071PEB-22	22"	KV8072PEB-22
24"	KV8070PEB-24	24"	KV8071PEB-24	24"	KV8072PEB-24



Hinge Kit Options

- Baseplates not included
- 2 hinges per kit

Item #	Hinge Cup Size	Door Thickness	Application
Nickel Finish Hinges			
KV8080HKEZL	40mm	3/4"	Partial Overlay
KV8080HKEZF	35mm	3/4"	Inset - Free Swing
Ebony Black Hinges			
KV8080HKEZSEB	35mm	3/4"	Inset
KV8080HKEZLEB	40mm	3/4"	Partial Overlay
KV8085HKEZTEB	40mm	1"	Inset - Thick Door
KV8086HKEZXEB	40mm	1-1/4"	Inset - Extra Thick Door



KV 8090P CR Raised Panel Cassette Roller

- Additional protection for raised panel doors
- Packaged 1 per polypack with screws

Item #
KV8090CR

POCKET DOOR SLIDES



KV Pivot Door Slides, 8080/8081/8082

- 8080: 3/4 extension slide with self-close 35mm inset hinge and baseplate
- 8081: 3/4 extension slide without hinge and baseplate
- 8082: 3/4 extension slide with attached hinge baseplate
- Load Rating: 30 lb. class
- Maximum Dimensions:
 - Vertical doors: 42" high x 24" wide
 - Horizontal pivot doors: 24" high x 48" wide
- Packaged 1 set per bag with screws



Includes Hinges And Bases			No Hinges Or Bases		Hinge Base Only		
	8080EZ Anochrome	8080EZ Ebony Black		8081EZ Anochrome		8082EZ Anochrome	8082EZ Ebony Black
Size	Item #	Item #	Size	Item #	Size	Item #	Item #
12"	KV8080PEZ-12	KV8080PEZEB-12	12"	KV8081PEZ-12	12"	KV8082PEZ-12	KV8082PEZEB-12
14"	KV8080PEZ-14	KV8080PEZEB-14	14"	KV8081PEZ-14	14"	KV8082PEZ-14	KV8082PEZEB-14
16"	KV8080PEZ-16	KV8080PEZEB-16	16"	KV8081PEZ-16	16"	KV8082PEZ-16	KV8082PEZEB-16
18"	KV8080PEZ-18	KV8080PEZEB-18	18"	-	18"	KV8082PEZ-18	KV8082PEZEB-18
20"	KV8080PEZ-20	KV8080PEZEB-20	20"	KV8081PEZ-20	20"	KV8082PEZ-20	KV8082PEZEB-20
22"	KV8080PEZ-22	KV8080PEZEB-22	22"	KV8081PEZ-22	22"	KV8082PEZ-22	KV8082PEZEB-22
24"	KV8080PEZ-24	KV8080PEZEB-24	24"	KV8081PEZ-24	24"	KV8082PEZ-24	-



Hinge Kit Options

- Baseplates not included
- 2 hinges per kit

Item #	Hinge Cup Size	Door Thickness	Application
Nickel Finish Hinges			
KV8080HKEZL	40mm	3/4"	Partial Overlay
KV8080HKEZF	35mm	3/4"	Inset - Free Swing
Ebony Black Hinges			
KV8080HKEZSEB	35mm	3/4"	Inset
KV8080HKEZLEB	40mm	3/4"	Partial Overlay
KV8085HKEZTEB	40mm	1"	Inset - Thick Door
KV8086HKEZXEB	40mm	1-1/4"	Inset - Extra Thick Door




KV 8090P CR Raised Panel Cassette Roller

- Additional protection for raised panel doors
- Packaged 1 per polypack with screws

Item #
KV8090CR

POCKET DOOR SLIDES



KV Pivot Door Slides 8091/8092

- 8091: Hinge and baseplate not included
- 8092: Baseplate attached; hinge must be ordered separately
- Rack and pinion design
- Load Rating: 75 lb class
- Greatly reduces door sag
- Maximum Dimensions: Vertical Doors: 72" high x 26" wide



8091 Ebony Black		8092 Ebony Black	
Hinge and baseplate not included		Baseplate attached; hinges must be ordered separately	
Size	Item #	Size	Item #
12"	KV8091SPEB-12	12"	KV8092SPEB-12
13"	KV8091SPEB-13	13"	KV8092SPEB-13
14"	KV8091SPEB-14	14"	KV8092SPEB-14
15"	KV8091SPEB-15	15"	KV8092SPEB-15
16"	KV8091SPEB-16	16"	KV8092SPEB-16
18"	KV8091SPEB-18	18"	KV8092SPEB-18
20"	KV8091SPEB-20	20"	KV8092SPEB-20
22"	KV8091SPEB-22	22"	KV8092SPEB-22
24"	KV8091SPEB-24	24"	KV8092SPEB-24
26"	KV8091SPEB-26	26"	KV8092SPEB-26
28"	KV8091SPEB-28	28"	KV8092SPEB-28
30"	KV8091SPEB-30	30"	KV8092SPEB-30



Hinge Kit Options

- Baseplates not included
- 2 hinges per kit

Item #	Hinge Cup Size	Door Thickness	Application
Nickel Finish Hinges			
KV8080HKEZL	40mm	3/4"	Partial Overlay
KV8080HKEZF	35mm	3/4"	Inset - Free Swing
Ebony Black Hinges			
KV8080HKEZSEB	35mm	3/4"	Inset
KV8080HKEZLEB	40mm	3/4"	Partial Overlay
KV8085HKEZTEB	40mm	1"	Inset - Thick Door
KV8086HKEZXEB	40mm	1-1/4"	Inset - Extra Thick Door



KV 8090P CR Raised Panel Cassette Roller

- Additional protection for raised panel doors
- Packed 1 per poly pack with screws; 20 per box

Item #
KV8090CR

KV 8092 Pinion Shafts for


4x4 Pocket Door Slides

- 1 pair of shafts per pack



Length	Item #
36"	KV8092SEB-36
48"	KV8092SEB-48
72"	KV8092SEB-72

POCKET DOOR SLIDES




KV 4X4 Pocket Door Slides Full Overlay Kit



- Provides a full door overlay on doors up to .75" thick
- Does not compromise key performance features of 4X4 pocket door system
- Mounts directly to KV 8091 series slides
- Accommodates doors up to 75 lb and 72" in height
- Designed to meet or exceed ANSI performance standards as established by BIFMA, BHMA, and KCMA
- Finish: Black
- Polybag kit includes:
 - 2 brackets
 - 4 overlay hinges
 - 4 hinge bases
 - 4 hinge cover caps
 - 4 protective door felt pads
 - All necessary mounting hardware

Item #	Description
KV8091KIT-M	Pocket Door Slide Kit with Grass Overlay Hinges
KV8091SFULL34-S	Pocket Door Slide Kit with Salice Overlay Hinges



Bracket
Diagram

Full Overlay Kit Installation Requirements

- Overlay kits require the use of a KV 8091 series slide
- Overlay kits require the use of a pinion shaft
- Overlay kits require the use of a partition wall within the cabinet

Typical Overlay Applications

Door Thickness	Amount of Overlay	Pocket Width
3/4"	3/4"	1-3/4"
13/16"	11/16"	1-13/16"
7/8"	5/8"	1-7/8"
15/16"	9/16"	1-15/16"
1"	1/2"	2"
1-1/16"	7/16"	2-1/16"
1-1/8"	3/8"	2-1/8"
1-3/16"	5/16"	2-3/16"
1-1/4"	1/4"	2-1/4"

- Minimum Door Height: 24"
- Maximum Door Height: 72"

KV 80/180 REGULAR DUTY STANDARDS & BRACKETS



Anochrome Black Brass White

KV 80 Series Standards

- Single slot design
- 1" vertical slot adjustability
- BHMA Grade 2 Compliant
- Limited lifetime warranty
- Dimensions: 5/8" wide x 13/32" deep x selected length
- Material: 16 gauge steel
- Countersunk screw holes
- Safety lead-in at top of standards
- Embossed "up" and arrow to show correct orientation and precision cut lengths
- Center aligned slots and screw holes
- Packed 10 standards per box



Length	Anochrome Item #	Black Item #	Brass Item #	White Item #
12"	KV80A-12	-	-	-
18"	KV80A-18	-	-	-
24"	KV80A-24	KV80BLK-24	-	KV80WH-24
36"	KV80A-36	KV80BLK-36	KV80B-36	KV80WH-36
48"	KV80A-48	KV80BLK-48	KV80B-48	KV80WH-48
60"	KV80A-60	KV80BLK-60	KV80B-60	KV80WH-60
72"	KV80A-72	KV80BLK-72	KV80B-72	KV80WH-72
84"	KV80A-84	-	-	-
96"	KV80A-96	KV80BLK-96	-	KV80WH-96



Anochrome



Black



Brass



White

KV 180 Series Brackets

- For use with KV 80 series standards
- Material: 14 and 16 gauge steel
- Holds up to 320 lbs. per pair
- Two complete locking teeth
- Spring steel clip for stability and friction lock
- Shelf retaining clip
- Packed 10 brackets per box

Length	Anochrome Item #	Black Item #	Brass Item #	White Item #
4"	KV180A-4	-	-	-
6"	KV180A-6	KV180BLK-6	KV180B-6	KV180WH-6
8"	KV180A-8	KV180BLK-8	KV180B-8	KV180WH-8
10"	KV180A-10	KV180BLK-10	KV180B-10	KV180WH-10
12"	KV180A-12	KV180BLK-12	-	KV180WH-12
14"	KV180A-14	KV180BLK-14	KV180B-14	KV180WH-14
16"	KV180A-16	KV180BLK-16	KV180B-16	KV180WH-16
18"	KV180A-18	-	-	KV180WH-18
20"	KV180A-20	-	-	-

KV 80/180 SERIES STANDARD & BRACKET ACCESSORIES



KV 160LL Series Lock Lever Brackets

- For use with 1" adjustable 80 series standards
- Material: 14 gauge steel
- Finish: Anochrome (ANO)
- Two locking teeth
- Lever lock for extra secure mounting and stability
- Shelf retaining lip
- Packed 10 brackets per box




Length	Item #
6"	KV160A-6
8"	KV160A-8
10"	KV160A-10
12"	KV160A-12
14"	KV160A-14
16"	KV160A-16
18"	KV160A-18



KV 179 Series Adjustable Angle Brackets

- For use with 1" adjustable 80 series standards
- Material: 14 and 16 gauge steel
- Finish: Anochrome (ANO)
- Two complete locking teeth
- Shelf retaining clip
- Spring clip for stability and friction locking
- Adjusts to 15°, 30°, 45° and level
- Packed 10 brackets per box

Length	Item #
10"	KV179A-10
12"	KV179A-12
14"	KV179A-14



KV 80/180 Series Accessories

- Packed 100 per box

	Item #	Description
A	KV103PLAS	Clear plastic front rest
B	KV104-PLAS	Clear plastic back rest
C	KV119R	Gray rubber cushion to use with metal rests
D	KV129	Gray rubber cushion to use with plastic rests
E	KV136ANO	Socket-#80 standard bottom socket
F	KV137ANO	Socket-#80 standard top socket

KV 83/183 SERIES HEAVY-DUTY STANDARDS & BRACKETS



KV 83 Series Oversized Standards

- Single slot design
- 1" vertical slot adjustability
- BHMA Grade 2 Compliant
- Limited lifetime warranty
- Dimensions: 3/4" W x 1/2" D x selected length
- Material: 16 gauge steel
- Finish: Anochrome (ANO)
- Safety lead-in at top of standard
- Embossed logo to show correct orientation
- Countersunk screw holes
- Center aligned slots and screw holes
- Precision cut lengths
- Packed 10 standards per box




Length	Item #
24"	KV83A-24
36"	KV83A-36
48"	KV83A-48
60"	KV83A-60

Length	Item #
72"	KV83A-72
84"	KV83A-84
96"	KV83A-96



Right Bracket



Left Bracket




Center Bracket

KV 183 Series Brackets

- For use with KV 83 series standards
- 183R: Right Flange Bracket
- 183L: Left Flange Bracket
- 183C: Center Flange Bracket
- Material: 16 gauge steel
- Finish: Anochrome (ANO)
- Holds up to 460 lbs. per pair of brackets
- Bracket flanges allows for simple attachment to wooden shelves
- Brackets may also be used with 85 series standards for added supports on long shelves
- Packed 10 brackets per box

Length	Right Bracket Item #	Left Bracket Item #	Center Bracket Item #
8"	KV183RA-8	KV183LA-8	KV183CA-8
10"	KV183RA-10	KV183LA-10	KV183CA-10
12"	KV183RA-12	KV183LA-12	KV183CA-12
14"	KV183RA-14	KV183LA-14	KV183CA-14
16"	KV183RA-16	KV183LA-16	KV183CA-16
18"	KV183RA-18	KV183LA-18	KV183CA-18
20"	KV183RA-20	KV183LA-20	KV183CA-20

KV 83/183 SERIES STANDARD & BRACKET ACCESSORIES

KV 113L/113R Panel Clips

- Used to attach display and wall panels into vertical position
- Finish: Anochrome
- Packed and sold in 50 per box



Item #	Description
KV113L-ANO	Left-Hand Anochrome Panel Clip
KV113R-ANO	Right-Hand Anochrome Panel Clip


KV 119 Gray Rubber Cushion


- Packed 100 per box

Item #
KV119R


KV 134/135 Sockets

- Packed 100 per box

	Item #	Description	Sold In
A	KV134ANO	#83 Standard Bottom Socket	Per Each
B	KV135ANO	#83 Standard Top Socket	Per Each


KV 191/192 Hang Rod Saddles

- 191 bolts to 183L & 183R or 185 brackets to hold 1-1/16" O.D. tubing
- 192 bolts to 183L & 183R or 185 brackets to hold 1-5/16" O.D. tubing
- Finish: Anochrome


Item #	Description	Sold In
KV191ANO	To hold 1-1/16" O.D. tubing	Per Each
KV192ANO	To hold 1-5/16" O.D. tubing	Per Each


KV 161LL Lock Lever Brackets

- Finish: Anochrome (ANO)
- Three locking teeth
- Lever lock for extra secure mounting
- Packed 10 per box

Item #	Size
KV161A-24	24"

KV 87/186/187 SERIES SUPER-DUTY STANDARDS & BRACKETS



Anochrome

Stainless
Steel

White

KV 87 Series Standards

- Single slot design
- BHMA Grade 2 Compliant
- Material: 12 gauge steel
- Countersunk screw holes
- Center aligned slots and screw holes
- Dimensions: 7/8"W x 11/16"D x selected height
- Embossed logo to show correct orientation
- Precision cut lengths
- Packed 5 standards per box
- 2" vertical slot adjustability
- Limited lifetime warranty



Length	Anochrome Item #	Stainless Steel Item #	White Item #
24"	KV87A-24	KV87SS-24	KV87WH-24
36"	KV87A-36	KV87SS-36	KV87WH-36
48"	KV87A-48	KV87SS-48	KV87WH-48
60"	KV87A-60	KV87SS-60	KV87WH-60
72"	KV87A-72	KV87SS-72	KV87WH-72
84"	KV87A-84	-	KV87WH-84
96"	KV87A-96	-	KV87WH-96

186 Series
Anochrome186 Series
White186 Series
Stainless Steel187 Series
Anochrome187 Series
White187 Series
Stainless Steel

KV 186LL and 187LL Series Lock Lever Brackets

- For use with KV 87 series standards
- Material: 12 gauge steel
- Holds up to 1,060 lbs. per pair of brackets
- Utilizes an easy-to-install unique cam lock that secures bracket to the standard
- Two or three complete locking teeth
- Predrilled holes for mounting 1987 series shelves or attaching shelf rests
- Packed 10 brackets per box

Length	Anochrome Item #	Stainless Steel Item #	White Item #
186 Series Brackets			
8"	KV186A-8	KV186SS-8	KV186WH-8
10"	KV186A-10	KV186SS-10	KV186WH-10
187 Series Brackets			
12"	KV187A-12	KV187SS-12	KV187WH-12
14"	KV187A-14	-	KV187WH-14
16"	KV187A-16	KV187SS-16	KV187WH-16
18"	KV187A-18	KV187SS-18	KV187WH-18
20"	KV187A-20	-	KV187WH-20
22"	KV187A-22	-	KV187WH-22
24"	KV187A-24	KV187SS-24	KV187WH-24

KV 87/187 SERIES STANDARD & BRACKET ACCESSORIES



KV 119 Gray Rubber Cushion

- For use with metal rests
- Recommended for use when supporting glass shelves
- Packed 100 per box


Item #
KV119R



KV 129 Gray Rubber Cushion

- For use with metal and plastic rests
- Recommended for use when supporting glass shelves
- Packed 100 per box

Item #
KV129



A



B



C



D

KV Front and Center Rests

- Recommended for use with 186 and 187 series brackets
- For anchoring shelf to brackets
- Packed 100 per box

	Item #	Description
A	KV210ANO	Anochrome End Rest with Screw
	KV210WH	White End Rest with Screw
B	KV211ANO	Anochrome Center Rest with Screw
	KV211WH	White Center Rest with Screw
C	KV212ANO	Anochrome Front Rest with Screw
D	KV213ZC	Zinc Snap-in Center Rest

KV 85/185 SERIES EXTRA-DUTY STANDARDS & BRACKETS



Anochrome



White

KV 85 Series Standards

- Double slot design
- BHMA Grade 2 Compliant
- Material: 16 gauge steel
- Safety lead-in at top of standard
- Countersunk screw holes
- Precision cut lengths
- Dimensions: 1-1/4" wide x 1/2" deep x selected length
- Packed 10 standards per box
- 1" vertical slot adjustability
- Limited lifetime warranty
- Finish: Anochrome (ANO), White (WH)
- Embossed logo to show correct orientation
- Center aligned slots and screw holes



Length	Anochrome Item #	White Item #
24"	KV85A-24	KV85WH-24
36"	KV85A-36	KV85WH-36
48"	KV85A-48	KV85WH-48
60"	KV85A-60	KV85WH-60
72"	KV85A-72	KV85WH-72
84"	KV85A-84	KV85WH-84
96"	KV85A-96	KV85WH-96



Anochrome




White

KV 185 Series Brackets

- For use with KV 85 series standards
- Material: 14 and 16 gauge steel
- Finish: Anochrome (ANO), White (WH)
- Holds up to 680 lbs. per pair of brackets
- Shelf retaining lip on brackets
- Four locking teeth and two lugs for safety and stability
- Shelf fastening screw holes
- Packed 10 brackets per box

Length	Anochrome Item #	White Item #
8"	KV185A-8	KV185WH-8
10"	KV185A-10	KV185WH-10
12"	KV185A-12	KV185WH-12
14"	KV185A-14	KV185WH-14
16"	KV185A-16	KV185WH-16
18"	KV185A-18	KV185WH-18
20"	KV185A-20	KV185WH-20
22"	KV185A-22	KV185WH-22
24"	KV185A-24	KV185WH-24

KV 85/185 SERIES STANDARD & BRACKET ACCESSORIES

KV 106 Shelf Rest

- Used to join two shelves at one bracket
- Finish: Anochrome
- Packed 50 per box

Item #
KV106ANO


KV 107 Hang Rod Clamp

- Bolts for 183 and 185 brackets to hold rods securely
- Finish: Anochrome
- Packed and sold in 20 per box

Item #
KV107ANO


KV 113L/113R Panel Clips


- Used to attach display and wall panels into vertical position
- Finish: Anochrome
- Packed and sold in 50 per box

Item #	Description
KV113L-ANO	Left-Hand Anochrome Panel Clip
KV113R-ANO	Right-Hand Anochrome Panel Clip


KV 129 Gray Rubber Cushion

- For use with metal and plastic rests
- Packed 100 per box

Item #
KV129


KV 191/192 Hang Rod Saddles

- 191 bolts to 183L & 183R or 185 brackets to hold 1-1/16" O.D. tubing
- 192 bolts to 183L & 183R or 185 brackets to hold 1-5/16" O.D. tubing
- Finish: Anochrome

Item #	Description	Sold In
KV191ANO	To hold 1-1/16" O.D. tubing	Per Each
KV192ANO	To hold 1-5/16" O.D. tubing	10/Box

KV 82/182 SERIES HEAVY-DUTY STANDARDS & BRACKETS



KV 82 Series Standards

- Double slot design
- 1-1/4" vertical slot adjustability
- BHMA Grade 2 Compliant
- Limited lifetime warranty
- Dimensions: 1-1/16" W x 1 1/16" D x selected length
- Material: 14 gauge steel
- Strength enhancing ribs
- Countersunk screw holes
- Embossed "up" and arrow to show correct orientation
- Center aligned slots and screw holes
- Precision cut lengths
- Packed 10 standards per box



Length	Black Item #	Titanium Item #	White Item #
16.5"	KV82BPBLK-16	-	KV82BPWH-16
28"	KV82BPBLK-28	KV82BPTI-28	KV82BPWH-28
39"	KV82BPBLK-39	KV82BPTI-39	KV82BPWH-39
48"	KV82BPBLK-48	KV82BPTI-48	KV82BPWH-48
63"	KV82BPBLK-63	KV82BPTI-63	KV82BPWH-63
78"	KV82BPBLK-78	KV82BPTI-78	KV82BPWH-78
94"	KV82BPBLK-94	KV82BPTI-94	KV82BPWH-94




KV 182 Series Brackets

- For use with KV 82 series standards
- Material: 16 gauge steel
- Holds up to 450 lbs. per pair of brackets
- Four complete locking teeth
- Countersunk screw holes to fasten shelves
- Packed 10 brackets per box



Length	Black Item #	Titanium Item #	White Item #
5"	KV182BPBLK-5		KV182BPWH-5
7"	KV182BPBLK-7	KV182BPTI-7	KV182BPWH-7
9"	KV182BPBLK-9	KV182BPTI-9	KV182BPWH-9
10.5"	KV182BPBLK-10	KV182BPTI-10	KV182BPWH-10
12.5"	KV182BPBLK-12	KV182BPTI-12	KV182BPWH-12
14.5"	KV182BPBLK-14	KV182BPTI-14	KV182BPWH-14
18.5"	KV182BPBLK-18	KV182BPTI-18	KV182BPWH-18
24"	KV182BPBLK-24	KV182BPTI-24	KV182BPWH-24

KV 82/182 SERIES STANDARD & BRACKET ACCESSORIES



KV 182 Bookend

- Finish: White (WH)

Length	Item #	Sold In
9"	KV182BEWH-9	Per Each
10"	KV182BEWH-10	Per Each



KNAPE & VOGT



KV 82 Screw Pack

- Finish: Zinc
- Packed 20 bags per box (6 screws + 6 anchors per bag)

Item #
KV82SCRW



KV 182 Bracket Lock

- Finish: Black rubber
- Packed 20 bags per box (6 locks per bag)

Item #	Sold In
KV182LOCK	20/Bag

**Visit us at
wurthbaersupply.com
 for a complete
 selection of
 KV products!**



KV 255 SERIES STEEL AND ALUMINUM PILASTERS



Almond

Brass-look

Brown



White



Zinc

KV 255 Series Steel Pilasters

- Holds up to 500 lbs. per shelf
- 1/2" vertical slot adjustment
- Full finish coverage to deter corrosion
- BHMA Grade 1 Compliant
- Dimensions: 5/8" width x 3/16" deep x selected length
- Material: 23 gauge high strength steel
- 12" - 60" sizes packed 100 standards per carton
- 72" - 96" sizes packed 50 standards per carton



Length	Almond Item #	Brass-Look Item #	Brown Item #	White Item #	Zinc Item #
12"	-	-	-	-	KV255ZC-12
18"	KV255ALM-18	KV255BR-18	KV255BRN-18	KV255WH-18	KV255ZC-18
24"	KV255ALM-24	KV255BR-24	KV255BRN-24	KV255WH-24	KV255ZC-24
30"	KV255ALM-30	-	-	KV255WH-30	KV255ZC-30
36"	KV255ALM-36	KV255BR-36	KV255BRN-36	KV255WH-36	KV255ZC-36
48"	KV255ALM-48	KV255BR-48	KV255BRN-48	KV255WH-48	KV255ZC-48
60"	KV255ALM-60	KV255BR-60	KV255BRN-60	KV255WH-60	KV255ZC-60
72"	-	KV255BR-72	KV255BRN-72	KV255WH-72	KV255ZC-72
84"	KV255ALM-84	KV255BR-84	-	KV255WH-84	KV255ZC-84
96"	KV255ALM-96	KV255BR-96	KV255BRN-96	KV255WH-96	KV255ZC-96

KV 255 Series Aluminum Pilasters

- Holds up to 500 lbs. per shelf
- Material: 17 gauge aluminum
- 12" - 60" sizes packed 100 standards per carton.
- 72" - 96" sizes packed 50 standards per carton




Natural
Aluminum



Brass-look

Length	Natural Aluminum Item #	Brass-Look Item #
12"	KV255AL-12	-
18"	KV255AL-18	KV255ALBR-18
24"	KV255AL-24	KV255ALBR-24
30"	KV255AL-30	KV255ALBR-30
36"	KV255AL-36	KV255ALBR-36
48"	KV255AL-48	KV255ALBR-48
60"	KV255AL-60	KV255ALBR-60
72"	KV255AL-72	KV255ALBR-72
84"	KV255AL-84	-
96"	KV255AL-96	KV255ALBR-96

KV 255/256 SERIES SHELF SUPPORTS & ACCESSORIES



KV 256 Series Pilaster Shelf Supports

- For use with 255 series steel and aluminum pilasters
- Material: High strength steel
- Patented design
- Full coverage finish to resist corrosion
- Strength increasing dimple
- * Use with 255BRN



	Item #	Description	Finish	Sold In
A	KV256ALM	Shelf support	Almond	Per Each
B	KV256BR	Shelf support	Brass-look	Per Each
	KV256BR-M	Shelf support	Brass-look	1,000
C	KV256WAL	Shelf support	Walnut*	Per Each
	KV256WAL-M	Shelf support	Walnut*	1,000
D	KV256WH	Shelf support	White	Per Each
E	KV256ZC	Shelf support	Zinc	Per Each
	KV256ZC-M	Shelf support	Zinc	1,000/Box
F	KV256ALNAT	Shelf support	Natural Aluminum	Per Each
G	KV239ZC	Shelf support - Woodwork Institute Acknowledged Product	Zinc	Per Each
H	KV243ZC	3" shelf bracket (non-handed)	Zinc	Per Each
I	KV244ANO	Wire shelf support	Zinc	Per Each
J	KV757	Flange for 1-1/16" OD closet rod	Zinc	Per Each

Nails for KV 255 Series Pilasters

- Approximately 650 nails per bag



Item #	Finish	Use with:	Sold In
KV255-8ALM	Almond	255ALM	5/Bags
KV255-8BR	Brass-look	255BR, 255AL BR	1/Bag
KV255-8STB	Bronzed	255BRN, 255AL BRN	1/Bag
KV255-8WH	White	255WH	1/Bag
KV255-8ZC	Zinc	255ZC, 255AL	1/Bag

KV 233 PILASTERS & ACCESSORIES



KV 233 Surface Mount Steel Pilasters

- Holds up to 500 lb per shelf
- 1/2" vertical slot adjustability
- BHMA Grade 1 Compliant
- Limited lifetime warranty
- Dimensions: 13/16" width x 3/16" deep x selected height
- Material: 23 gauge high-strength steel
- Numbered slots for quick, accurate clip insertion
- Countersunk nail, screw and staple holes
- Full finish coverage to deter corrosion
- Precision cut lengths




Length	Zinc Item #	Sold In
18"	KV233ZC-18	100/Box
24"	KV233ZC-24	100/Box
36"	KV233ZC-36	100/Box
48"	KV233ZC-48	100/Box
60"	KV233ZC-60	100/Box
72"	KV233ZC-72	50/Box
96"	KV233ZC-96	50/Box



A

KV 233 Pilaster Shelf Supports

	Item #	Description	Finish	Sold In
A	KV237ZC	Shelf support for 233 pilasters	Zinc	Per Each
B	KV238	Shelf support with locator tab	Zinc	100/Box



B



Nails for KV 233 Series Pilasters

- Approximately 650 nails per bag

Item #	Finish	Use with:	Sold In
KV255-8ZC	Zinc	233ZC	Per Bag

SHELF BRACKETS




Rigid Extra Heavy Duty Ultimate L-Bracket

- Load rated at 1,200 lbs. per pair
- Welded steel bracing
- 3/4" steel strut for superior weight capacity
- Often used for countertop installations



Dimensions	Black Item #	White Item #
11.6" x 8"	KV208BLK300	KV208WH300
15.5" x 10"	KV208BLK400	KV208WH400
19.5" x 13.1"	KV208BLK500	KV208WH500
21.4" x 14.2"	KV208BLK550	KV208WH550



Folding Shelf Bracket, Heavy Duty

- Locks in at 4 positions (Flat, 70°, 80°, 90°)
- Spring loaded to automatically lock
- Front locking lever makes releasing easy

Item #	Size	Finish	Load Rating
KV206ZC-12	11.81"D x 7.87"H x 1.18"W	Zinc	750 lbs per pair
KV206ZC-16	15.75"D x 10.63"H x 1.42"W	Zinc	880 lbs per pair



A (Adjustable Heavy-Duty)



B (Heavy-Duty)

	Item #	Size	Finish	Gauge	Load Rating Per Pair	Shelf Depth	Shelf Platform	Accepts Rod Size Up To	Hook Depth	Sold In
A	KV1194WH-1	12.125"D x 9.625"H x 1.0"W	White	13	500 Lbs.	11" - 14"	10-1/4" - 10-3/4"	1-3/8"	3"H	Per Each
	KV1194CR-1	12.125"D x 9.625"H x 1.0"W	Cream	13	500 Lbs.	11" - 14"	10-1/4" - 10-3/4"	1-3/8"	3"H	Per Each
B	KV1195WH-1	12.5"D x 9.125"H x 0.937"W	White	12	500 Lbs.	11" - 14"	11"	1-3/8"	2-1/2"H	Per Each

ROUND CLOSET TUBING



1-1/16" Diameter Round Chrome Tubing

- Wall thickness of .075"
- Chrome Look finish

Item #	Length
KV7501-72	6 ft.
KV7501-96	8 ft.
KV7501-120	10 ft.
KV7501-144	12 ft.



1-1/16" Diameter Round Tubing Heavy Duty, Stainless Steel

- .087" (2.2mm) wall thickness
- Stainless steel skin over steel

Item #	Length
KV660SS-72	6 ft.
KV660SS-96	8 ft.
KV660SS-120	10 ft.
KV660SS-144	12 ft.



1-1/16" Diameter Round Tubing Extra Heavy Duty, Thick Wall Tubing

- Chrome Look finish
- Extra thick wall thickness of .106"

Item #	Length
KV7701-72	6 ft.
KV7701-96	8 ft.



1-1/16" Dia. Flange, Round Open & Closed Style

- For 1-1/16" OD tubing
- Made of steel
- Screw holes 2" on center, screws included

Item #	Flange Type	Finish
KV734CHR	Closed	Chrome-look
KV735-CHR	Open	



1-1/16" Dia. Chrome Flange, Open w/Pins

- For 1-1/16" OD tubing
- 2 pins 32mm on center for 5mm bore holes
- 1 hole for screw mount, screws included

Item #	Finish
KV632CHR	Chrome Look

ROUND CLOSET TUBING



1-5/16" Diameter Round Chrome Tubing

- Wall thickness: .075"
- Available in four lengths
- Made of steel, Chrome Look finish

Length	Item #
6 ft.	KV7705-72
8 ft.	KV7705-96

Length	Item #
10 ft.	KV7705-120
12 ft.	KV7705-144




1-5/16" Diameter Round Chrome Tubing

Heavy Duty, Thick Wall

- Extra wall thickness of 1.06"
- Available in four lengths
- Steel construction

Length	Item #
6 ft.	KV7505-72
8 ft.	KV7505-96

Length	Item #
10 ft.	KV7505-120
12 ft.	KV7505-144



1-5/16" Dia. Chrome Flanges, Open & Closed

- For 1-5/16" tubing
- Chrome look finish
- Includes screws

	Item #	Type	Holes
A	KV766-CHR	Open	2-Holes on 2-1/4" centers, on at 90°
B	KV764-CHR	Closed	3-Holes spaced 1-1/8" from center



Closet Tubing, Round End Caps

- Anochrome finish

Item #	Description
KV730-ANO	Fits KV# 660 Tubing
KV731-ANO	Fits tubing with 1-1/16" OD
KV732-ANO	Fits tubing with 1-5/16" OD




Closet Rod Center Support

Hanger for 2" Diameter Rods

- Use for additional center support on closet rods up to 2" diameter
- Anochrome finish, screws included

Item #	Sold In
KV29201A	12/Box

OVAL CLOSET TUBING




Oval Chrome Tubing , 30mm x 15mm Heavy Duty, Steel

Wall Thickness .047"

- Constructed of steel with a heavy gauge welded seam
- Chrome Look finish



Item #	Length
KV880CHR-96	8 ft.
KV880CHR-144	12 ft.



Oval Chrome Flanges, 30mm x 15mm Open Style With Dual Pins

- For use with KV880 Series or other 30mm x 15mm oval tubing
- Designed with 1 hole for extra mounting strength; two 5mm pins for use in 32mm systems
- Chrome Look finish

Item #	Finish
KV881-CHR	Chrome

Visit us at wurthbaersupply.com for a complete selection of KV products!



SHELF SUPPORTS



Spoon Shaped Shelf Support, 5mm Bore

- Pin Length: 5/16" (8mm)
- Shelf Rest: 5/16" (8mm) wide x 7/16" (11mm) long
- Sold In: Full Box Quantities



Item #	Description	Finish	Sold In
KV332ANO	5mm Spoon Shaped Shelf Support	Anochrome	1,000



Spoon Shaped Shelf Support, 1/4" Bore

- For 1/4" hole
- Pin Length: 3/8" (9mm)
- Shelf Rest: 3/8" (9mm) wide x 1/2" (13mm) long
- Sold In: Full Box Quantities

Item #	Description	Finish	Sold In
KV331ANO	1/4" Spoon Shaped Shelf Support	Anochrome	1,000



"L" Shaped Metal Shelf Pins 1/4" Bore

- Pin length: 3/8" (9mm)
- Shelf Rest: 1/2" (9mm) wide x 1 1/16" (17mm) long

Item #	Finish	Sold In
KV346ANO	Anochrome	Per Each
KVCS346BR	Brass Look	Per Each




"L" Shaped Brass Shelf Support 5mm Bore


- Pin Diameter: 4.7mm, for 5mm hole (use with KV129 rubber cushion)
- Pin Length: 5/16" (8mm)
- Dimensions: 1/2" (13mm) wide x 1 1/16" (17mm) long

Item #	Finish	Sold In
KVCS345NP	Nickel	Per Each

BARN DOOR HARDWARE



A



B



C

Barn Door Hardware Kits

- Top Mount and Face Mount Kits
- Complete, easy-to-install kits include carriers, stops, guide and all fasteners
- Aluminum round rails sold separately (below)
- All tracks, rails, and components fabricated from sleek, durable, powder-coated aluminum
- Supports doors up to 250 lbs.
- Black Finish




Item #		Description	Kit Includes
Barn Door Hardware Kits (Round Rail Sold Separately Below)			
A	KVRTTMBK06	Monte Carlo Series, Top Mount, Black Finish (Round Rail Sold Separately Below)	(2) Carriers, (1) Floor Guide Set, (2) Door Stops, (5) Brackets, (1) End Stop Kit & Fasteners
B	KVRTSTBK06	Macau Series, Face Mount, Black Finish (Round Rail Sold Separately Below)	(2) Carriers, (1) Floor Guide Set, (2) Door Stops, (5) Brackets, (1) End Stop Kit & Fasteners
Aluminum Round Rail			
C	KVRTBK06A	72" Aluminum Round Rail, Black Finish	
	KVRTBK08A	96" Aluminum Round Rail, Black Finish	

SHEAVES & ROLLERS

Steel Enclosed & Open Wheel Sheaves

- Sheaves and rollers do not include screws



	Item #	Overall Dimensions	Description	Used with KV Steel Track #	Fasteners To Use	Sold In
Enclosed Steel Sheaves (Screws Not Included)						
A	KV400A	5/16"W x 1-1/4"H x 2"L	Heavy Doors, Ball Bearing Wheel	KV455 or KV469	-	Per Each
B	KV402	5/16"W x 1-1/4"H x 2-1/4"L	Heavy Doors, Ball Bearing Wheel	KV455 or KV469	#3 Flathead	100/Box
	KV582	5/16"W x 1-1/4"H x 2-1/4"L	Light Doors, Nylon Wheel	KV455 or KV469	Wood Screws	100/Box
Open Wheel Steel Sheaves (Screws Not Included)						
C	KV427	1/2"W x 2-15/16"H, 1-3/16"Dia. Wheel	Standard Doors, Ball Bearing Round Groove Wheel	KV455 or KV469	#6 Flathead Wood Screw	Per Each
D	KV429	3/8"W x 2-1/4"H, 1"Dia. Wheel	Standard Doors, Round Groove Wheel	KV455 or KV469	#4 Flathead Wood Screw	Per Each
E	KV430	1/2"W x 2-3/4"H, 1-3/8"Dia. Wheel	Standard Doors, Ball Bearing, Round Groove Wheel	KV455 or KV469	#6 Flathead Wood Screw	Per Each
F	KV592	2-1/4"W x 9/32"H, 1-3/16"Dia. Wheel	Thin Doors, Nylon Convex Wheel	KV455	#3 Flathead Wood Screw	Per Each
Steel Roller (Screws not included)						
G	KV420STL	7/16"W x 1-7/8"L	Nylon roller: 9/16" Dia. X 5/16" Wide	KV455 or KV469	#5 Flathead Wood Screw	Per Each
H	KV422STL	5/8"W x 1-13/16"L	Nylon roller: 9/16" Dia. X 1/2" Wide	KV455 or KV469	#5 Flathead Wood Screw	Per Each
I	KV423	5/8"W x 1-13/16"L	Nylon roller: 5/8" Dia. X 1/2" Wide	KV455 or KV469	#5 Flathead Wood Screw	Per Each

SLIDING DOOR TRACKS

Steel Tracks/Guide

- Sold In: 1 Each



Steel Tracks & Guide					
	Item #	Overall Dimensions	Description	Fasteners Included	Finish
A	KV455-144	21/32"W x 5/16"H x 144"	12' Single Lower Track	1/2" Nails	Steel
B	KV455SS-144	21/32"W x 19/64"H x 144"L	12' Single Lower Track	1/2" Nails	Stainless Steel
C	KV469-144	1"W x 1/4"H x 144"L	12' Double Lower Track	1/2" x #5 Screws	Zinc
D	KV953ZC-144	5/8"W x 5/8"H x 144"L	12' Top Door Divider, Upper T-Guide separates sliding door at top	-	Pre-Coated Steel



Roll-Ezy Aluminum Track System

- Designed for Small to Medium Glass Doors
- Kit Includes: (1) 1093 Upper Channel, (4) 1097 Rollers, (4) 1085 Vinyl Guides, (2) 1095 Shoes, & (1) 1099 Lower Track
- Designed for 1/4" thick glass door
- Installation Notes & Recommendations: KV does not recommend butt-joints and/or openings longer than 12 feet.
- Sold In: 1 Each Kit

Item #	Description
KVP1092ANOD-36	36" Length Small to Medium Glass Door Track Assembly Kit
KVP1092ANOD-48	48" Length Small to Medium Glass Door Track Assembly Kit
KVP1092ANOD-60	60" Length Small to Medium Glass Door Track Assembly Kit
KVP1092ANOD-72	72" Length Small to Medium Glass Door Track Assembly Kit

SLIDING DOOR TRACKS




Large Sliding Glass Door Ball Bearing Hardware Sets & Components For By-Passing Doors, Double Tracks



KNAPE & VOGT

- High quality ball bearing movement
- Available in hardware sets or individual components
- Hardware Set (for two glass doors) includes: (1) upper channel, (2) shoes, (2) ball bearing carriers and (1) lower track
- All hardware is made of steel with a zinc finish
- Zinc plated steel with full ball bearing carriers make this unit ideal for larger 1/4" two glass door installations
- Glass should be cut 1-1/4" shorter than height of opening, easily cut to fit any width opening
- KV does not recommend butt-joints and/or openings longer than 12 feet and that the height to length ratio for glass doors should not exceed 2:1

Item #	Length	Description	Finish
Sliding Glass Door Steel Hardware Sets			
KVP992-48	48"	(1)KV993 Upper Channel, (2)KV995 Shoe, (2)KV997 Carrier & (1)KV999 Lower Track	Zinc
KVP992-60	60"	(1)KV993 Upper Channel, (2)KV995 Shoe, (2)KV997 Carrier & (1)KV999 Lower Track	Zinc
KVP992-72	72"	(1)KV993 Upper Channel, (2)KV995 Shoe, (2)KV997 Carrier & (1)KV999 Lower Track	Zinc
Sliding Glass Door Steel Hardware Components			
KV993ZC-144	144"	15/16"W x 5/8"H, Upper Channel	Zinc
KV995ZC-144	144"	7/16"H, Shoe for 1/4" glass, bottom curved for free rolling position on ball bearings	Zinc
KV997ZC-144	144"	Ball Bearing Carrier has free rolling balls on 3" centers	Zinc
KV999ZC-144	144"	1"W x 1"H, Lower Track, Balls ride freely on curved anvil with no contact against sides	Zinc



Plastic Tracks For By-Passing Doors Dual Tracks

- All tracks made of plastic, Tan color
- Set includes: matching (1) piece of upper guide and (1) piece of lower track

	Item #	Upper Guide Dimensions	Lower Track Dimensions	Description
Designed for Doors with a Thickness of 1/8"				
A	KVP2413T-48	5/8"W x 9/16"H x 48"L	5/8"W x 5/16"H x 48"L	(1)Upper Guide & (1)Lower Track
	KVP2413T-72	5/8"W x 9/16"H x 72"L	5/8"W x 5/16"H x 72"L	(1)Upper Guide & (1)Lower Track
Designed for Doors with a Thickness of 1/4"				
B	KVP2417T-48	13/16"W x 9/16"H x 48"L	13/16"W x 1/4"H x 48"L	(1)Upper Guide & (1)Lower Track
	KVP2417T-72	13/16"W x 9/16"H x 72"L	13/16"W x 1/4"H x 72"L	(1)Upper Guide & (1)Lower Track
Designed for Doors with a Thickness of 1/2"				
C	KVP2421T-48	1-3/8"W x 1/2"H x 48"L	1-3/8"W x 5/16"H x 48"L	(1)Upper Guide & (1)Lower Track
	KVP2421T-72	1-3/8"W x 1/2"H x 72"L	1-3/8"W x 5/16"H x 72"L	(1)Upper Guide & (1)Lower Track
Designed for Doors with a Thickness of 3/4"				
D	KVP2419T-48	1-15/16"W x 13/16"H x 48"L	1-15/16"W x 3/8"H x 48"L	(1)Upper Guide & (1)Lower Track
	KVP2419T-72	1-15/16"W x 13/16"H x 72"L	1-15/16"W x 3/8"H x 72"L	(1)Upper Guide & (1)Lower Track

WASTE BIN PULL-OUTS



USC Series Single & Double Trash Pull-Outs

- Features an aluminum/polymer carriage with solid bottom and backsplash
- Solid bottom and backsplash prevent debris from falling below/behind pull-out
- Full-Extension Soft-Close Slides
- 100 Lb. Weight Rating
- Includes aluminum/polymer carriage, slides, trash bin(s), and door mounting brackets



Item #	Description	Product Dimensions
Single Bin Trash Pull-Outs with Soft-Close Slides		
FYUSC12-1-35PT	Single 35QT, Trash Pull-Out, Platinum Bin	11-13/16"W x 22-7/16"D x 19-3/16"H
FYUSC12-1-35WH	Single 35QT, Trash Pull-Out, White Bin	11-13/16"W x 22-7/16"D x 19-3/16"H
FYUSC12-1-50PT	Single 50QT, Trash Pull-Out, Platinum Bin	11-13/16"W x 22-7/16"D x 23-1/4"H
FYUSC12-1-50WH	Single 50QT, Trash Pull-Out, White Bin	11-13/16"W x 22-7/16"D x 23-1/4"H
Double Bin Trash Pull-Outs with Soft-Close Slides		
FYUSC15-2-35PT	Double 35QT, Trash Pull-Out, Platinum Bins	14-13/16"W x 22-7/16"D x 19-3/16"H
FYUSC15-2-35WH	Double 35QT, Trash Pull-Out, White Bins	14-13/16"W x 22-7/16"D x 19-3/16"H
FYUSC18-2-50PT	Double 50QT, Trash Pull-Out, Platinum Bins	15-3/8"W x 23-1/4"D x 22-7/16"H
FYUSC18-2-50WH	Double 50QT, Trash Pull-Out, White Bins	15-3/8"W x 23-1/4"D x 22-7/16"H



WUSC Series Double Trash Pull-Outs

- Features a wood carriage
- Full-Extension Soft-Close Slides
- 100 Lb. Weight Rating
- Includes wood carriage, slides, trash bins, and door mounting brackets

Item #	Description	Product Dimensions
FYWUSC15-2-35PT	Double 35QT, Trash Pull-Out, Platinum Bins	14-5/8"W x 22-3/8"D x 19-5/8"H
FYWUSC15-2-35WH	Double 35QT, Trash Pull-Out, White Bins	14-5/8"W x 22-3/8"D x 19-5/8"H



SCB Series Double Trash Pull-Outs

- Features a metal wire carriage
- 1" Over-Travel Ball Bearing Soft-Close Slide
- 80 Lb. Weight Rating (30Lb. Max Per Bin)
- Includes wood carriage, slides, and trash bins

Item #	Description	Product Dimensions
FYSCB15-2-35PT	Double 35QT, Trash Pull-Out, Platinum Bins	14-3/8"W x 23-1/8"D x 18-13/16"H
FYSCB15-2-35WH	Double 35QT, Trash Pull-Out, White Bins	14-3/8"W x 23-1/8"D x 18-13/16"H
FYPDMKTPT	Door Mount Kit, Frosted Nickel Finish	

REPLACEMENT WASTE BINS

Plastic Waste Bins, Lids & Door Mount Kits




A



B



C



NOTE: These lids will add to the height of the waste containers. It is recommended adding 3/4" of height to the product you are using. Take this into account when measuring your cabinet.

Replacement Plastic Waste Bins

	Platinum Item #	White Item #	Bin Size	Bin Capacity	Sold In
A	FYQT20PB-PT	FYQT20PB-WH	14-15/16"W x 7-1/4"D x 16"H	20 qt.	6
	FYQT27PB-PT	FYQT27PB-W	11-7/16"W x 11-7/16"D x 17-3/4"H	27 qt.	1
	FYQT35PB-PT	FYQT35PB-WH	14-15/16"W x 9-5/16"D x 17-1/2"H	35 qt.	6
	FYQT50PB-P	FYQT50PB-W	15-3/8"W x 11-1/8"D x 21-5/8"H	50 qt.	8

Lids

	Platinum Item #	White Item #	Lid Size	Fits Bin Size	Sold In
B	FYQT20LB-PT	FYQT20LB-WH	14-1/2"W x 7-7/16"D x 3/4"H	20 qt.	1
	FYQT35LB-PT	FYQT35LB-WH	14-1/2"W x 9-9/16"D x 3/4"H	35 qt.	1

Heavy Duty Door Mount Kits Only - PSW Series

	Item #	Kit Includes	Finish	Sold In
C	FYPDMKTPT	Instructions and hardware	Frosted Nickel	1

TIP-OUT TRAYS & LAZY SUSANS



A - Tip-Out Tray, No Tabs



B - Scissor Hinge



C - Euro Hinge

Individual Tip-Out Tray Packs

- White plastic sink tip-out trays and hinges
- Depths: Slim (1-5/8"), Standard (2") and (2-3/4")
- Sizes range from 8-5/8" to 30-1/4"W
- Sink Tip-Out Hinges sold separately below



	Item #	Dimensions	Description	Sold In
A	FYPSF11PF-WH	11"L x 1-5/8"D x 3"H	Slim Depth, No Tab Stops	10 Each
	FYPSF14PF-WH	14"L x 1-5/8"D x 3"H	Slim Depth, No Tab Stops	10 Each
	FYPSF8-WH	8-5/8"L x 2"D x 3"H	Std. Depth, No Tab Stops	1 Each
	FYPSF11-W	11"L x 2"D x 3"H	Std. Depth, No Tab Stops	1 Each
	FYPSF2425-W	24-1/4"L x 2"D x 3"H	Std. Depth, No Tab Stops	1 Each
	FYPSF3025-W	30-1/4"L x 2"D x 3"H	Std. Depth, No Tab Stops	1 Each

	Item #	Dimensions	Packaging	Color	Sold In
B	FYSH	2-7/8"W x 1-7/8"D x 3-13/16"H	Pair of 40° Scissor Hinges	Nickel Plated	1 Pair
C	FYETH-N	2-7/8"W x 2-1/4"D x 3-3/4"H	Pair of 45° Euro Hinges	Nickel Plated	10 Pair



Kidney-Shaped Plastic Lazy Susans, Premium Two Shelf Sets

- Independently Rotating
- Double wall polymer and sturdy rib construction for maximum strength
- Shelf lip is 1" high
- Two shelf sets have a post height range of 25-1/2" - 31-1/2"
- Standard pack includes shelves, one post and installation hardware

Item #	Description	Shelf Size
FYPKN18ST-W	Two Shelf Set w/Hardware	18" Dia.
FYPKN24ST-W	Two Shelf Set w/Hardware	24" Dia.
FYPKN28ST-W	Two Shelf Set w/Hardware	28" Dia.
FYPKN32ST-W	Two Shelf Set w/Hardware	32" Dia.

LAZY SUSANS



**Full Circle Lazy Susans,
Independent Rotating, Plastic
Two & Three Shelf Sets**




- Made of double wall White polymer and sturdy rib construction for maximum strength
- Shelf lip is 1" high
- Two shelf sets have a post height range of 25-1/2" - 31-1/2"
- Three shelf sets have a post height range of 35-1/2" - 40-1/4"
- Pack includes shelves, one post, installation template and hardware

	Item #	Description	Shelf Size
A	FYPFN18ST-W	Two Shelf Set w/Hardware	18" Dia.
	FYPFN20ST-W	Two Shelf Set w/Hardware	20" Dia.
	FYPFN28ST-W	Two Shelf Set w/Hardware	28" Dia.
	FYPFN32ST-W	Two Shelf Set w/Hardware	32" Dia.
B	FYPFN18S3T-W	Three Shelf Set w/Hardware	18" Dia.
	FYPFN20S3T-W	Three Shelf Set w/Hardware	20" Dia.



**Pie-Cut Shaped Plastic Lazy Susans,
Premium Two Shelf Sets**

- Made of double wall polymer and sturdy rib construction
- Dependently Rotating, Door Mounted
- Shelf lip is 1" high
- Shelves available in white
- Two shelf sets have a post height range for interior cabinet heights of 25" to 33"
- Pack includes: (2) Shelves, (1) Telescoping Shaft, installation template and hardware



Item #	Description	Shelf Size
FYPFN24S-W	Two Shelf Set, w/Hardware	24" Dia.
FYPFN28S-W	Two Shelf Set, w/Hardware	28" Dia.

TITE - JOINT, SPECIALTY LOCKS, DESK TOP FASTENERS & STAYS



Economy Tite-Joint (Dog Bone) Fasteners

- Hex head
- Ideal for field joints in countertops
- Steel, bright zinc plated
- Sold by the box

Item #	Bolt Size	Box Qty
KV517-100	3-1/2"	100
KV513-100	4"	100



Deluxe Tite-Joint (Dog Bone) Fasteners

- Designed for 3/4" thick substrate
- Center to center 2" to 3-1/2"



Item #	Description	Box Qty	Sold in Multiples of
KV516-25	Complete Tite Joint	25	1 each
KV516-100	Complete Tite Joint	100	100 each



By-Passing (Sliding) Door Lock For Doors up to 1" Thick

- All keyed alike
- Changes are available Special Order
- Keyed: Alike

Item #	Finish
KV984NP	Bright Nickel



Drawer Locks

- Mounting flange: 1-1/2" x 2" wide with screw holes on 1-7/16" centers
 - Barrel OD: 7/8" / Bolt travel: 3/8"
 - Keyed: Alike
- Sold In: 1 Each

Item #	Description	Finish
KVCS986NP	Mounts to material up to 7/8" thick	Nickel



KV1548-ZC

Desk Top Fasteners

- For mounting tops to legs or table bases
- Screws not included
- Size: 1-1/4"L x 3/4"W

Item #	Gauge Steel	Finish
KV1547	12	Steel
KV1548	18	Zinc




KV1547-STL



Aluminum Door Latches

- For one way swinging gates
- Reversible for either right or left hand operation
- Material: Aluminum
- Finish: Aluminum

Item #	Dimensions	Box Qty
KV989AL	2-3/8"W x 2"H	12



Drop Lid Support

- A hinged lid support with a "snap-lock" in the fully open position
- Handed and sold by the pair
- Screws included

Item #	Length	Made of	Finish	Sold In
KV472A-6	6"	Steel	Nickel Plated	Per Pair
KV472A-10	10"	Steel	Nickel Plated	Per Pair



BARN DOOR HARDWARE



CLOSET RODS & FLANGES



BRACKETS



WÜRTH BAER SUPPLY COMPANY KNAPE & VOGT CATALOG

Würth Baer Supply Company

909 Forest Edge Drive
Vernon Hills, IL 60061
T: 800-289-2237
F: 888-558-2237
www.wurthbaersupply.com

Source code: BP3652

Other locations:

Bethlehem, PA
Brooklyn Heights, OH
Columbus, OH
Edison, NJ
Elk Grove Village, IL
Harrisburg, PA
Indianapolis, IN

Kansas City, MO
Leetsdale, PA
Londonderry, NH
Middletown, OH
Oak Park, MI
Pennsauken, NJ

Sanford, NC
Syracuse, NY
Rumford, RI
Versailles, KY
West Haven, CT
Williamsport, PA